

delivering **the promise of science**
for global good



Methodology
**U.S. News & World Report
2025–2026 Best Hospitals:
Specialty Rankings**

Thomas Duffy
Sarah Harris
Brittany D'Cruz
Joe Murphy
Denise Bell
Benjamin Silver
Marshica Stanley
Rachael Allen
Ashley B. Murray
Murrey G. Olmsted

Revised October 3, 2025



To Whom It May Concern:

U.S. News & World Report's "Best Hospitals: Specialty Rankings" study is the sole and exclusive property of U.S. News & World Report, L.P., which owns all rights, including but not limited to copyright, in and to the attached data and material. Any party wishing to cite, reference, publish, or otherwise disclose the information contained herein may do so only with the prior written consent of U.S. News. Any U.S. News-approved reference or citation must identify the source as "U.S. News & World Report's Best Hospitals" and must include the following credit line: "Copyright © 2025 U.S. News & World Report, L.P. Data reprinted with permission from U.S. News." For permission to cite or use, contact permissions@usnews.com.

Executive Summary

U.S. News & World Report began publishing hospital rankings in 1990, as “America’s Best Hospitals,” to identify the medical centers in various specialties best suited to patients whose illnesses pose unusual challenges because of underlying conditions, procedure difficulty, advanced age, or other medical issues that add risk.

The specialty rankings have appeared annually since 1990, and their focus on identifying hospitals that excel in treating patients with particularly difficult conditions has not changed. To address patients in relatively low-acuity procedures and conditions, a complementary set of ratings, “Best Hospitals: Procedures & Conditions” is available that covers abdominal aortic aneurysm repair; aortic valve surgery; heart arrhythmia; back surgery (spinal fusion); chronic obstructive pulmonary disease; colon cancer surgery; coronary artery bypass surgery; diabetes; gynecological cancer surgery; heart attack; heart failure; hip fracture; hip replacement; kidney failure; knee replacement; leukemia, lymphoma, & myeloma; lung cancer surgery; pacemaker implantation; pneumonia; prostate cancer surgery; stroke; and transcatheter aortic valve replacement. Details of these 22 ratings are available at <http://health.usnews.com/health-care/best-hospitals/articles/faq-how-and-why-we-rank-and-rate-hospitals>.

The Best Hospitals specialty rankings assess hospital performance in 15 specialties or specialty areas, from Cancer to Urology. In 12 of these, whether and how high a hospital is ranked is determined by an extensive data-driven analysis combining performance measures in three primary dimensions of healthcare: structure, process, and outcomes. In the three other specialties, ranking relies solely on expert opinion.

The structural measures include hospital volume, nurse staffing, and other resources that define the hospital environment. The data source for most structural measures is the American Hospital Association (AHA) Annual Survey. Additional resources include the National Cancer Institute’s list of Designated Cancer Centers and the American Nurses Credentialing Center’s roster of Nurse Magnet hospitals. In addition to hospitals’ inpatient volume, outpatient procedural volume is considered for certain specialties to reflect an increase in utilization of outpatient procedures.

Process is primarily determined by expert opinion surveys of board-certified physicians. We believe expert opinion can measure a hospital’s ability to develop and sustain a system that delivers high-quality care. A separate indicator of public transparency was used in four specialties. In addition, patient experience was incorporated as a separate domain. The basis for this score is the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) patient satisfaction surveys.

Assessment of outcome performance relies on patient survival (i.e., risk-adjusted mortality) and the rate at which hospitals discharge patients to home following inpatient care. The Standard Analytical Files (SAF) inpatient limited datasets (SAF data), maintained by the Centers for Medicare & Medicaid Services (CMS) and referred to as the Medicare claims files, provide detailed claims data, including mortality and discharge disposition for beneficiaries in fee-for-service Medicare. For mortality outcomes, starting with the 2024–2025 rankings, Medicare Advantage (MA) claims data found in the Medicare Provider Analysis and Review (MedPAR) datasets are also included in the analyses. In several specialties, in addition to the mortality and discharge outcomes, outpatient outcomes are evaluated. For this measure, both inpatient and outpatient SAF data were used to compute hospital-level ambulatory potentially preventable complication rates.

No application, data submission, or other action is required for Best Hospitals consideration. All facilities listed in the AHA Annual Survey Database are automatically considered whether or not they have responded to AHA’s survey.

To be eligible for ranking, hospitals must meet certain criteria based on structural characteristics and meet a volume/discharge threshold that varies by specialty. Setting discharge minimums ensures that ranking-eligible hospitals have demonstrable experience in treating a set number of complex cases in a given specialty. A hospital that does not meet the minimum requirement in a specialty is still eligible, however, if it was nominated by at least 1% of those who responded to the most recent 3 years of national physician surveys.

Starting with the 2021–2022 rankings, the project introduced inpatient rehabilitation as a data-driven ranking, which was previously based on expert opinion only. Given the unique nature of rehabilitation care, this specialty has its own eligibility requirements, which are covered in ***Section II.A. Eligibility***.

Rankings in Ophthalmology, Psychiatry, and Rheumatology are based solely on expert opinion as determined by the physician survey mentioned earlier.

For the 2025–2026 rankings, 152 of over 4,500 evaluated U.S. hospitals earned at least one top-50 ranking.

Since 1990, the Best Hospitals Honor Roll has recognized a small group of hospitals with high rankings in multiple Best Hospitals specialties. It was extensively revised in 2016–2017 to reduce the effect of the expert opinion measure and to unify the rankings and ratings by incorporating Best Hospitals: Procedures & Conditions ratings. See ***Section V. Honor Roll and Best Regional Hospitals*** for more details.

Editor's Note: *A key aspect of our journalistic approach is our openness to feedback from diverse stakeholders, including patients, healthcare professionals, and the institutions we evaluate. We receive and welcome a steady stream of suggestions via our team inbox, bbmethodology@usnews.com, and we review and carefully consider feedback. We deeply appreciate the time and thought so many correspondents have invested in formulating these suggestions over the past year and in prior years. Our mission is to serve the best interests of patients and to do so, we, like other reputable journalists, are editorially independent of our employer's business operations. A health institution's license of a "Best Hospitals" badge or its purchase of advertising or other products from U.S. News does not affect whether or how that institution is ranked, either currently or in the future.*

*Ben Harder
Managing Editor and Chief of Health Analysis
U.S. News & World Report*

Table of Contents

Executive Summary	i
I. Introduction	1
A. Data-Driven Rankings.....	2
Structure	4
Process/Expert Opinion	4
Outcomes.....	5
Patient Experience.....	6
Public Transparency.....	7
Weighting	7
B. Expert Opinion–Based Rankings	8
C. Report Outline.....	8
II. Data-Driven Rankings	9
A. Eligibility.....	9
Eligibility Requirements for Rehabilitation	15
B. Structure	16
AHA Annual Survey.....	16
External Organizations	30
Normalization.....	32
Weighting	33
C. Outcomes	34
Outcome Methodology	36
Survival Score	40
Discharge to Home Score.....	41
Prevention of Outpatient Complications	42
Normalization and Weighting.....	45
Outcomes for Rehabilitation.....	45
D. Process/Expert Opinion	46
2025 Survey Approach.....	47
Transformation	50
Normalization and Weighting.....	52
Patient Safety (Rehabilitation).....	52
E. Patient Experience Score	52
Normalization and Weighting.....	54
F. Public Transparency	54
Cardiology, Heart & Vascular Surgery.....	55
Obstetrics & Gynecology	56
Neurology & Neurosurgery.....	56
Pulmonology & Lung Surgery.....	56
G. Calculation of the Overall Score for the Data-Driven Specialties	57
Most Specialties	57

	Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; and Pulmonology & Lung Surgery.....	58
	Rehabilitation.....	59
	Adjustments for Missing IRF Care Compare Data	59
III.	Expert Opinion–Based Specialties	60
	A. Eligibility.....	60
	B. Process/Expert Opinion	60
	C. Calculation of the Rankings.....	61
IV.	Number of Ranked Hospitals.....	61
V.	Honor Roll and Best Regional Hospitals	61
VI.	Changes to the Methodology for 2025–2026	62
VII.	Future Enhancements	63
VIII.	Contact Information.....	64
References		65

List of Tables

Table 1. 2025–2026 Overall Weight, by Component	8
Table 2. Discharge Thresholds, by Specialty	10
Table 3. Number of Eligible Hospitals, by Specialty	12
Table 4. Technologies, by Specialty.....	21
Table 5. Winsorized Volume Thresholds, by Specialty.....	22
Table 6. List of PSGs for Outpatient Volume	23
Table 7. Winsorized Volume Thresholds for Rehabilitation.....	24
Table 8. Patient Services, by Specialty	29
Table 9. Structural Elements and Percentages (%) of Total Score, by Specialty	34
Table 10. Covariates Used for Risk Adjustment of RE Models	38
Table 11. Predictive Accuracy of Risk-Adjustment Models for Survival Outcomes.....	39
Table 12. Predictive Accuracy of Risk-Adjustment Models for Discharge to Home Outcomes	39
Table 13. List of PSGs for Prevention of Outpatient Complications	44
Table 14. 2023, 2024, and 2025 Expert Opinion Weights, by Survey Year.....	46
Table 15. Population Counts, by Best Hospitals Specialty	48
Table 16. Member Survey Response Rates, by Region and Specialty: 2024	49

List of Figures

Figure 1. Eligibility Process, Data-Driven Specialties (Excluding Rehabilitation)	14
Figure 2. Display of Survival Outcome on the <i>U.S. News</i> Website	40
Figure 3. Expert Opinion Data Before and After Transformation.....	51

List of Appendices

Appendix A. Structural Variable Map.....	A-1
Appendix B. 2025–2026 Diagnosis-Related Group (DRG) Groupings by Specialty.....	B-1
Appendix C. Year-by-Year History of Methodology Changes	C-1
Appendix D. 2025–2026 Best Hospitals Rankings, Data-Driven Specialties	D-1
Appendix E. 2025–2026 Best Hospitals Rankings, Expert Opinion–Based Specialties	E-1
Appendix F. 2025–2026 Best Hospitals Honor Roll.....	F-1

I. Introduction

For families facing a serious or complex medical problem, finding the right hospital is daunting but critical. Decision tools beyond a doctor’s recommendation, however, were nonexistent until 1990, when U.S. News & World Report introduced “America’s Best Hospitals.” That initial assessment was modest, only short alphabetical lists of hospitals that were rated—not ranked—in 12 specialties. In 1991 and thereafter, hospitals were ordinally ranked.

The 2025–2026 Best Hospitals rankings have been drawn from a universe of 4,467 facilities.* The defined universe was the American Hospital Association’s (AHA’s) Annual Survey of hospitals, which also provided some data for the rankings analysis. In a small number of cases, two or more AHA hospitals were combined for ranking purposes because they function as a single hospital in one or more specialties but report to AHA as separate facilities.

In 12 of the 15 adult specialty rankings, hospitals receive a composite score based on data from multiple sources. Information about both unranked and ranked hospitals, accompanied by substantive data, is published online at www.usnews.com/besthospitals/rankings.

The Best Hospitals rankings are designed to help consumers determine, together in consultation with their physicians, which hospitals provide the best care for the *most serious or complicated* medical conditions and procedures, such as pancreatic cancer, or replacement of a heart valve in an elderly patient with multiple comorbidities. Relatively commonplace conditions and procedures, such as uncomplicated heart bypass surgery, knee replacement, and heart failure are the focus of a different analysis, Best Hospitals: Procedures & Conditions.†

The underlying methodology for the Best Hospitals rankings was created by the National Opinion Research Center (NORC) at the University of Chicago in the early 1990s. NORC collected the data and compiled the rankings from 1993 to 2004. RTI International,‡ Research Triangle Park, North Carolina, has produced the rankings from 2005 to the present. Over time, the methodology has been refined and extended—for example, including measures for voluntary data transparency in Cardiology, Heart & Vascular Surgery (added in 2016–2017) and incorporating patient experience in all specialties (added in 2019). Large-scale enhancements are always under consideration, such as the change introduced in the 2019 rankings for outcomes where a new risk-adjusted mortality measure

* Military installations, federal institutions, and acute long-term care facilities and institutional hospital units (e.g., prison hospitals, college infirmaries) are excluded from the data-driven specialties.

† Best Hospitals: Procedures & Conditions was launched in May 2015 and rates hospital performance in 22 procedures and conditions.

‡ RTI International is a trade name of Research Triangle Institute. RTI and the RTI logo are U.S. registered trademarks of Research Triangle Institute.

and a measure of the rate at which hospitals discharge patients to home following inpatient care were introduced.

The roster of specialties has been revised over the years as well. HIV/AIDS care, for example, was included in 1990 but was dropped in 1998 because most HIV/AIDS care had shifted to the outpatient setting. Pediatrics was moved out of the Best Hospitals universe in 2007, when separate Best Children's Hospitals rankings were created. In the 2021–2022* rankings, Nephrology was removed from the list of Best Hospitals specialties and was replaced with a kidney failure Procedures & Conditions rating, which covered nearly all of the same hospital admissions.

The current 15 specialty rankings are as follows:

- Cancer
- Cardiology, Heart & Vascular Surgery
- Ear, Nose & Throat
- Diabetes & Endocrinology
- Gastroenterology & GI Surgery
- Geriatrics
- Neurology & Neurosurgery
- Obstetrics & Gynecology
- Ophthalmology
- Orthopedics
- Psychiatry
- Pulmonology & Lung Surgery
- Rehabilitation
- Rheumatology
- Urology

A. Data-Driven Rankings

Rankings in 12 of the 15 specialties are based largely on objective data. An overall score (i.e., the U.S. News score) is assigned to hospitals in all data-driven specialties (i.e., all specialties other than Ophthalmology, Psychiatry, and Rheumatology, in which rankings are determined solely through expert opinion).

A hospital's overall score reflects performance in three interlocked dimensions of healthcare: structure, process, and outcomes. The relationship was described by Avedis Donabedian in 1966; his model's fundamental soundness has been widely accepted.^{1–5}

* Because the rankings are released in the middle of the year, U.S. News labels them with the current and following years when referring to them. This applies to the Best Children's Hospitals rankings as well.

Structure refers to hospital resources related directly to patient care. Examples in the Best Hospitals rankings methodology include intensity of nurse staffing, availability of desirable technologies and patient services, and special status conferred by a recognized external body, such as designation as a Nurse Magnet hospital by the American Nurses Credentialing Center (ANCC) or as a National Cancer Institute (NCI) comprehensive or clinical cancer center by the National Institutes of Health (NIH).

Healthcare also is shaped by the *process* of delivering care, encompassing diagnosis, treatment, prevention, and patient education. Because many direct measures of process have limited relevance to the types of highly complex specialty care that is the focus of this project, a measure of expert opinion is used as a proxy for process quality. Specifically, process is represented by the expert opinion of a hospital to develop and sustain a system that delivers high-quality care.

The most evident *outcomes* measure is death, typically measured by *risk-adjusted mortality* (the likelihood of death when the patient's condition and the complexity of the case are taken into account). To address the role of socioeconomic factors in outcomes, the rankings include an adjustment to risk-adjusted mortality to take into account patients who are both Medicare and Medicaid eligible. Another outcome included is discharging patients to home, which focuses on the rate at which patients go home directly after inpatient care rather than being transferred to another facility for continued care. This measures how effective inpatient care delivered by hospitals is at addressing patient medical needs. Beginning with the 2023–2024 rankings, an outcome measure that evaluates hospitals' ability to reduce complications related to procedures in outpatient settings was added in selected specialties. For the 2025–2026 rankings, this outcome measure was used in three specialties: Ear, Nose & Throat; Orthopedics; and Urology.

Available metrics do not always neatly conform to a single dimension. *Patient experience*, for example, is an outcome that reflects both the patient's satisfaction with the care they received as well as how well the hospital addressed their medical needs. Although patient experience overlaps with both process and outcomes, we consider it a fourth component in the Best Hospitals methodology, evaluated separately from structure, process/expert opinion, and outcomes.

A fifth component, *public transparency*, was added to Cardiology, Heart & Vascular Surgery for the 2016–2017 rankings. Hospitals received credit for participating in certain American College of Cardiology (ACC), Society of Thoracic Surgeons (STS), or American Heart Association data-reporting initiatives if they also agreed to allow their ACC-, STS-, or American Heart Association-calculated results to be publicly reported on the organizations' websites. Beginning with the 2020–2021 rankings, hospitals that participate in and publicly report through the American Heart Association's Get With The Guidelines® (GWTG) stroke program received credit in Neurology & Neurosurgery rankings. A transparency credit was added to Obstetrics & Gynecology rankings for

the 2022–2023 rankings; hospitals received credit if they participated in the annual U.S. News Maternity Services Survey. Credit in Pulmonology & Lung Surgery was added in the 2023–2024 rankings for hospitals that participate in and publicly report via the STS General Thoracic Surgery Database (GTSD).

Many of the individual measures in the data-driven rankings come from secondary data sources such as the AHA Annual Survey Database, which provides information about various structural characteristics of hospitals.

The five major components of the data-driven rankings are briefly described as follows and in greater detail later in this report.

Structure

These elements represent volume (i.e., discharges), technology, and other features that characterize the hospital environment. Some elements such as nurse staffing, intensive care unit (ICU) specialists, and Nurse Magnet status are included in all specialties (except Rehabilitation), whereas other elements are specialty specific. The source for many of these data elements in the 2025–2026 rankings was the 2023 AHA Annual Survey, the most recent available.

The source of volume data was the Standard Analytical Files (SAF), maintained by the Centers for Medicare & Medicaid Services (CMS) and referred to as the Medicare claims files, which provide detailed claims data for all traditional (fee-for-service) Medicare beneficiaries who use hospital inpatient services. Two specialties, Obstetrics & Gynecology and Ear, Nose & Throat, included procedures performed in hospital-based outpatient departments. These procedures were identified using the Solventum™ Ambulatory Potentially Preventable Complication (AM-PPC) Methodology (the “Solventum AM-PCC Methodology”) (Solventum was formerly 3M Health Care), which assigns each episode to a Procedure Sub Group (PSG) using Healthcare Common Procedure Coding System (HCPCS) or International Statistical Classification of Diseases and Related Health Problems (ICD) codes (see **Table 6** for more details). To account for Medicare Advantage (MA) patients, volume was calculated for hospitals in each specialty using an adjustment (see the **Number of Patients** subsection under **Section II.B. Structure**). As a result, the volumes reported represent estimates rather than observed volumes of care at each hospital.

Process/Expert Opinion

The process component of the overall score is represented by experts’ opinion of a hospital. For these rankings, the concept of expert opinion speaks to an institutional ability to develop and sustain a system that delivers high-quality care to patients with especially challenging conditions.

A hospital's expert opinion score is based on the average number of nominations from the three most recent annual surveys of board-certified physicians conducted for the Best Hospitals rankings which, for the 2025–2026 rankings, were conducted in 2023, 2024, and 2025.

The 2025 sample was drawn from the Doximity Masterfile. (Doximity is the largest online professional network of U.S. physicians.) Similar to the American Medical Association (AMA) Physician Masterfile, which was used as the sampling frame prior to 2016, Doximity's comprehensive Physician Database includes nearly every practicing U.S. physician. More information on the sampling approach for the physician survey can be found in ***Section II.D. Process/Expert Opinion.***

The physician sample was stratified by census region—Northeast, Midwest, South, and West (https://www2.census.gov/geo/pdfs/maps-data/maps/reference/us_regdiv.pdf)—and by specialty to ensure appropriate representation. The final aggregated sample included both medical and osteopathic physicians in all 50 states and the District of Columbia.

The surveyed physicians were asked to nominate the hospitals in their specific field of care, leaving aside issues of expense or location, that they consider best for patients with serious or difficult conditions. They could list as many as five hospitals, and the scores were adjusted based on a physician's current affiliation. The effect of these adjustments is to give higher weight to the opinions of unaffiliated physicians than to those of affiliated physicians, particularly in cases where a hospital received a relatively large proportion of its nominations from affiliated physicians.

Outcomes

The primary outcomes measure in 11 of the 12 data-driven rankings (except Rehabilitation) is 30-day patient survival (i.e., how many patients are alive at 30 days after inpatient hospital admission). In addition to the mortality measure derived from SAF data, which encompasses patients receiving care under traditional Medicare and aged 65 or older, beginning with the 2024–2025 rankings, visits by MA-insured patients aged 65 or older and included in Medicare Provider Analysis and Review (MedPAR) data were also evaluated for survival outcomes. For each hospital and specialty, U.S. News computed an adjusted mortality rate based on the Medicare Severity Diagnosis-Related Group (MS-DRG) appearing in the SAF data for the group of MS-DRGs that appear in ***Appendix B*** for each of the specialties. This method was applied to the three most recent calendar years (CY2021, CY2022, and CY2023) of Medicare claims submitted for reimbursement to CMS that appeared in the SAF data. Likewise, a risk-adjusted mortality rate based on these MS-DRGs and specifically for MA patients appearing in the MedPAR data is computed for that hospital and specialty, although the time frame spans the duration of the three most recent fiscal years

(FY2021, FY2022, and FY2023) because of the update cycle of the MedPAR Limited Data Set (LDS) file.

Starting with the 2019–2020 rankings, a “discharging patients to home” measure was included. This measure reflects the risk-adjusted rate at which traditional Medicare patients are discharged to home rather than to another facility (e.g., skilled nursing facility [SNF], long-term acute care facility, another acute care hospital) for additional care. MA beneficiaries were not included in this measure because insurer-specific authorization practices related to post-acute care may contribute to variation in utilization.

Both of the claims-based outcomes described earlier were risk adjusted using a hierarchical logistic regression model that controlled for potential confounders, with a random intercept for hospital identity. Details on the model specified for each cohort are described in ***Section II.C. Outcomes***. In all instances, continuous variables were treated as such in our composite modeling to make maximum use of the information contained in the variable and to minimize the risk of measurement error resulting from categorization.

In Ear, Nose & Throat; Orthopedics; and Urology, an outcome measure of potentially preventable complications following certain outpatient procedures was included in the methodology. This measure is described in ***Section II.C. Outcomes***.

For inpatient rehabilitation, mortality is not a meaningful outcome because it rarely occurs, and the main focus of treatment is on functional improvement, community discharge, and avoidance of future acute care where possible. As a result, the Rehabilitation rankings include measures focused on avoiding readmissions and successful discharge to the community. These measures are described in more detail in ***Section II.C. Outcomes***.

Patient Experience

Patient experience is used to assess the patient-reported outcomes of care at hospitals eligible for the rankings. This measure reflects the patient experience of care as reported on the Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey of recently discharged patients or family members for patients who have died since hospital discharge. The rankings utilize the linear mean score rather than the HCAHPS star rating for the ranking calculation because the former is a continuous measure and provides more information for analysis. However, the star ratings are shown in the ranking tables online and in the methodology report because they provide an accessible and easy way for consumers to understand the score. The HCAHPS dataset used for analysis was dated April 1, 2023, through March 31, 2024.

Public Transparency

In the Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; and Pulmonology & Lung Surgery specialty rankings, hospitals receive a credit if they participate in and publicly report via key clinical registries or public transparency programs. A brief description of the transparency measures is provided as follows.

In the Cardiology, Heart & Vascular Surgery specialty, since 2016, hospitals have received credit worth up to 3% of the overall score for participating in transparency initiatives. This year, hospitals received credit by publicly reporting quality metrics through websites maintained by ACC (www.cardiosmart.org/find-your-heart-a-home), STS (www.sts.org), and the American Heart Association (<https://qualitynearme.heart.org/GWTGPublicReporting>). This year's rankings considered each hospital's public reporting status as of April 30, 2024, for the American Heart Association registry; December 27, 2024, for the ACC registry; July 26, 2024, for the STS Adult Cardiac Surgery Database; and January 7, 2025, for the STS TVT registry. Support for the use of this measure consists of a demonstrated association between public reporting of evidence-based hospital performance metrics with better quality of care and improved hospital performance.⁶⁻¹¹

A similar transparency measure, added in 2020, is worth 3% of the overall score for the Neurology & Neurosurgery specialty. Hospitals voluntarily reporting stroke care measures to the public through the American Heart Association's GWTG-Stroke quality improvement program (<https://www.heart.org/en/professional/quality-improvement/get-with-the-guidelines/get-with-the-guidelines-stroke>) as of April 30, 2024, received credit.

A similar transparency measure, added in 2022, is worth 3% of the overall score for the Obstetrics & Gynecology specialty. Hospitals voluntarily reporting on the U.S. News Maternity Services Survey in 2024 received credit; U.S. News uses data from the Maternity Services Survey to produce Best Hospitals for Maternity Care ratings.

A similar transparency measure, added in 2023, is worth 3% of the overall score for the Pulmonology & Lung Surgery specialty. Hospitals that submit their resection for primary lung cancer data via the STS GTSD and were publicly reporting their results by November 19, 2024, were recognized in the rankings.

Weighting

Weights are shown in *Table 1*.

Table 1. 2025–2026 Overall Weight, by Component

Component	Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; and Pulmonology & Lung Surgery	Rehabilitation	All Other Specialties
Outcomes	45%	30%	45%
Structure	35%	38%	35%
Process/expert opinion	12%	32%	15%
Patient experience	5%	0%	5%
Public transparency	3%	0%	0%

B. Expert Opinion–Based Rankings

In three specialties—Ophthalmology, Psychiatry, and Rheumatology—ranking reflects the results of the expert opinion survey alone because many structural and outcomes measures are not applicable since care is largely delivered on an outpatient basis and poses a very small risk of death. For this report, these specialties are referred to as *expert opinion–based specialties* and the associated rankings as *expert opinion–based rankings*.

C. Report Outline

The remainder of this report is structured as follows:

- ***Section II. Data-Driven Rankings*** describes the data-driven components in detail. (For a more detailed review of the foundation, development, and use of the individual measures and the composite index, see “Best Hospitals’: A Description of the Methodology for the Index of Hospital Quality.”¹²)
- ***Section III. Expert Opinion–Based Specialties*** describes the process used to develop the rankings for the three expert opinion–based specialties.
- ***Section IV. Number of Ranked Hospitals*** describes the number of hospitals ranked in at least one specialty.
- ***Section V. Honor Roll and Best Regional Hospitals*** presents the Honor Roll, an additional classification that denotes excellence across a broad range of specialties, procedures, and conditions.

- **Section VI. Changes to the Methodology for 2025–2026** summarizes changes in the methodology for the current year.
- **Section VII. Future Enhancements** describes enhancements under consideration.
- **Section VIII. Contact Information** includes contact information for the Best Hospitals research team.

II. Data-Driven Rankings

This section describes hospital eligibility criteria and the procedures used to derive the overall score for the 12 data-driven specialties.

A. Eligibility

All 4,467 community hospitals included in the FY2023 AHA universe were automatically considered for ranking*; no request, application, or other action was required. For the data-driven specialties other than Rehabilitation, the methodology involved two stages of eligibility criteria; hospitals had to satisfy the requirements of each stage to be eligible in a given specialty.

Stage 1. A hospital that met *any* of the following criteria was initially eligible:

- Member of Association of American Medical Colleges (AAMC) (formerly COTH)
- Medical school affiliation (AMA or American Osteopathic Association [AOA])
- At least 200 hospital beds set up and staffed (from the FY2023 AHA Annual Survey, variable BDTOT)
- At least 100 hospital beds set up and staffed *and* availability of at least four of eight important key technologies (see the ***Advanced Technologies*** subsection).

Hospitals that met Stage 1 criteria and responded to the AHA Annual Survey in 2021 and 2022 but not in 2023 remained eligible. For such hospitals, we used survey data from 2022. Nonresponders lacking data from the current survey and one of the previous two surveys were evaluated without AHA data. A total of 2,216 hospitals successfully passed the first stage of the eligibility process.

Stage 2. To be eligible for ranking in a specialty, a hospital had to have a specified number of discharges in a defined list of specialty-specific diagnoses submitted for CMS reimbursement in

* Military installations, federal institutions, rehabilitation acute long-term care facilities, and institutional hospital units (e.g., prison hospitals, college infirmaries) were excluded.

CY2021, CY2022, and CY2023 combined. In the Obstetrics & Gynecology and Ear, Nose & Throat specialties, outpatient procedural volume was incorporated when computing discharge minimums. Setting discharge minimums involving complex care ensures that ranking-eligible hospitals can demonstrate that they have treated adequate numbers of challenging cases in a given specialty. Minimums for all specialties will be reviewed for future rankings and adjusted as needed.

Table 2 presents the minimum volumes required for eligibility for the data-driven specialties. If a number is listed in a cell for a specialty, then it represents a threshold that applied to that type of discharge (volume) measure. In cases where a specialty lists numbers in multiple columns, this means it is an “AND” condition and the hospital must meet all of the listed criteria. Hospitals are eligible if their:

1. Inpatient + outpatient unadjusted (i.e., fee-for-service) volume is greater than or equal to the Inpatient + Outpatient Minimum (unadjusted),
2. AND inpatient unadjusted volume is greater than or equal to the Inpatient Minimum (unadjusted),
3. AND inpatient MA-adjusted (i.e., fee-for-service plus MA) volume is greater than or equal to the Inpatient Minimum (MA adjusted),
4. AND inpatient surgical MA-adjusted volume is greater than or equal to the Inpatient Surgical Minimum (MA adjusted).

Table 2. Discharge Thresholds, by Specialty

Specialty	Inpatient + Outpatient Minimum (Unadjusted)	Inpatient Minimum (unadjusted)	Inpatient Minimum (MA adjusted)	Inpatient Surgical Minimum (MA adjusted)
Cancer	—	—	205	40
Cardiology, Heart & Vascular Surgery	—	—	1,672	800
Diabetes & Endocrinology	210	—	272	—
Ear, Nose & Throat ^a	240	80	12	3
Gastroenterology & GI Surgery	—	—	483	136
Geriatrics	—	—	3,058	—
Neurology & Neurosurgery	—	—	291	26
Obstetrics & Gynecology ^a	200	67	15	4
Orthopedics	—	—	303	271
Pulmonology & Lung Surgery	—	—	1,439	—
Rehabilitation	50	—	—	—
Urology	—	—	30	18

^a Total discharge minimums for this specialty incorporate outpatient volume.

Most specialties do not have a minimum for every column in Table 2. If a hospital did not meet the volume requirements, it was still considered eligible in a specialty if its expert opinion score was 1% or greater. The total number of hospitals in each specialty that became eligible because of their expert opinion score is also shown in ***Table 3***.

A total of 2,260 hospitals met the volume criteria in at least one specialty, and 9 other hospitals became eligible because they had a 1% or higher expert opinion score in at least one specialty. In all, 2,269 unique hospitals were eligible for at least one data-driven ranking.

Table 3. Number of Eligible Hospitals, by Specialty

Specialty	Additional Eligibility Criteria	Number of Eligible Hospitals Based on Minimum Discharges	Additional Hospitals with $\geq 1\%$ Expert Opinion Score	Final Eligible Total
Cancer		878	1	879
Cardiology, Heart & Vascular Surgery	Must be eligible for Best Hospitals: Procedures & Conditions ratings in one of the cardiac surgery cohorts for the current year	819	0	819
Diabetes & Endocrinology		676	1	677
Ear, Nose & Throat		143	4	147
Gastroenterology & GI Surgery		1,514	0	1,514
Geriatrics	Must offer at least one of the following services: - Arthritis treatment center - Adult day care program - Patient representative services - Geriatric services - Meal delivery - Assisted living - Transportation to health facility - Alzheimer's center service	1,437	0	1,437
Neurology & Neurosurgery	Must have a ratio of surgical to total discharges at or above the 25th percentile	1,191	0	1,191
Obstetrics & Gynecology	Must be eligible for the U.S. News Maternity Services Survey for the current year	246	2	248
Orthopedics		1,603	0	1,603
Pulmonology & Lung Surgery	Must have a ratio of sepsis cases to all other cases that is lower than 3 standard deviations above the mean	1,619	0	1,619
Rehabilitation		1,067	3	1,070
Urology		1,491	0	1,491
Total (unique hospitals) ^a		2,260	9	2,269

^a The totals are not sums. The same hospitals may be eligible in multiple specialties. This line represents the total unique hospitals in each category across all specialties.


In Geriatrics, an additional step excluded hospitals classified in the AHA Annual Survey data as surgical hospitals or as specializing in cancer, cardiology, or orthopedics. The basis for the exclusions was that Geriatrics as defined in Best Hospitals represents a broad swath of patients across all service lines. A surgical or specialty hospital treats subsets of those patients whose clinical

needs may not be comparable. Similarly, cancer hospitals were excluded from Diabetes & Endocrinology, Orthopedics, Neurology & Neurosurgery, and Pulmonology & Lung Surgery.

We excluded from our analysis a small number of hospitals whose fee-for-service or MA claims data exhibited certain unusual patterns, such as unexpectedly high prevalence of certain rare comorbidities or combinations of comorbidities. Because coding practices at those hospitals appeared to be anomalous, we concluded that it was appropriate to exclude their claims from outcomes models and treat those hospitals as ineligible for the rankings.

We then conducted separate analyses for each specialty to rank the top 50 hospitals in each data-driven specialty and provide overall scores for all evaluated hospitals. **Figure 1** illustrates the eligibility and analysis process for the data-driven specialties, as described in the steps earlier.

Figure 1. Eligibility Process, Data-Driven Specialties (Excluding Rehabilitation)



^a To account for inconsistent reporting to the AHA Annual Survey during 2023, data used will incorporate the most recent available measures from FY2021, FY2022, or FY2023.

Eligibility Requirements for Rehabilitation

No application, data submission, or other action is required by inpatient rehabilitation facilities (IRFs) to be considered in the Rehabilitation specialty rankings. Except for military and federally owned hospitals, all facilities listed in the AHA Annual Survey Database of U.S. hospitals are automatically considered, but, as with other Best Hospitals specialty rankings, must meet a series of eligibility requirements to be evaluated in Rehabilitation. Eligibility in Rehabilitation has two paths for consideration. For the first path to eligibility, facilities are eligible if they appear in the December 2024 public use files for the CMS Care Compare reporting program under the “inpatient rehabilitation facilities” provider type (<https://www.medicare.gov/care-compare/?providerType=InpatientRehabilitation>) and have an aggregate volume of “Conditions treated” in Stroke, Brain injury (traumatic), Brain disease or condition (non-traumatic), Spinal cord injury (traumatic), Spinal cord disease or condition (non-traumatic), and Nervous system disorder (excluding stroke) of 50 or more in Care Compare. If available from the Uniform Data System for Medical Rehabilitation (UDSMR)* or American Medical Rehabilitation Providers Association’s eRehabData,[†] two key registries in rehabilitation, all-payer volumes for these conditions have been used to determine eligibility. Note that for certain conditions, a facility’s Medicare volume, as reported in Care Compare, may be substantially lower than its total volume. A total of 1,067 hospitals were eligible in Rehabilitation under these criteria.

A second path is also available for facilities that provide acute inpatient rehabilitation services but are not included in the IRF component of Care Compare reporting, including many IRFs located in Maryland (which may opt in to but are not required to participate in the IRF Prospective Payment System [PPS]) and certain specialized long-term care hospitals. Specifically, hospitals that were exempt from the IRF component of Care Compare and had an expert opinion score of 1% or higher based on the most recent 3 years of U.S. News national physician surveys in rehabilitation are eligible, regardless of whether they meet all the criteria for the first path for eligibility. An additional three hospitals qualified under this path to eligibility. In total, 1,070 hospitals were eligible to be ranked in Rehabilitation. Many, but not all, of these hospitals were also eligible in other data-driven specialties.

Being eligible for ranking does not guarantee that a hospital will be ranked. Although all eligible hospitals are assigned a score in Rehabilitation, only those achieving the highest scores are ranked as Best Hospitals (i.e., 1-50).

* <https://www.udsmr.org/>

† <https://web2.erehabdata.com/erehabdata/index.jsp>

In addition, although not being eligible, facilities listed in the AHA Annual Survey Database as having a primary service code indicating that they are a rehabilitation hospital (AHA variable: SERV=46), the AHA service of “physical rehabilitation care” (AHA variable: REHABHOS) and are located in Maryland, or have received accreditation for inpatient rehabilitation from the Commission on Accreditation of Rehabilitation Facilities (CARF International) are considered to be rehabilitation facilities and are listed in the directory on the U.S. News website but have not received scores or a rank. There were 46 such rehabilitation facilities.

B. Structure

The structural dimension defines the resources, human and otherwise, available at hospitals for treating patients. Healthcare research overwhelmingly supports the use of a structural measure to assess quality of care. No prior research, however, has identified a structural indicator that summarizes all others or that adequately represents the structural dimension construct on its own. Therefore, the structural component is represented by a composite variable consisting of different specialty-specific measures with different weights.

For the 2025–2026 rankings, the source of most structural elements was the FY2023 AHA Annual Survey Database. Additional components came from external organizations, including NCI, ANCC, Foundation for the Accreditation of Cellular Therapy (FACT), National Institute on Aging (NIA), National Association of Epilepsy Centers (NAEC), CARF, NIH, and CMS.

AHA Annual Survey

AHA has surveyed hospitals annually since 1946. The AHA Annual Survey is the most comprehensive and dependable database of information on institutional healthcare,¹³ with an average annual response rate of 75%. The database contains hospital-specific data items for more than 6,200 hospitals and healthcare systems. More than 1,300 data fields cover organizational structure, personnel, hospital facilities and services, and financial performance. (The specific mapping of Best Hospitals variables to AHA data elements is shown in *Appendix A*.)

Hospitals that did not respond to the 2023 AHA Annual Survey but responded to the 2022 survey were evaluated using their 2022 responses. Hospitals that did not respond to the AHA Annual Survey in either year were evaluated without AHA data, receiving no points for measures in the AHA Annual Survey.

The following items from the AHA Annual Survey Database provided most of the structural score for the data-driven specialties.

Advanced Technologies

The elements in this measure are reviewed every year in each specialty to remain consistent with the key technologies and advanced care expected from a “best hospital.” Credit was awarded to hospitals that (1) own or provide a specified service at the hospital or its subsidiaries, (2) provide the service through their health system (in their local community), or (3) provide the service through formal arrangements with local institutions not in their health system.

Of the 15 technologies that are relevant in one or more specialties, 8 comprise the Technology index that is one of the eligibility doorways: Hospitals that provide at least four of the eight relevant technologies and have 100 beds or more are eligible for ranking (see ***Section II.A. Eligibility***).

Brief descriptions of the technologies in the 2025–2026 index follow. The definitions are taken largely from the 2023 AHA Annual Survey, expanded as necessary:

- **Ablation of Barrett’s esophagus.** A premalignant condition that can lead to adenocarcinoma of the esophagus. The nonsurgical ablation of premalignant tissue in Barrett’s esophagus is done by the application of thermal energy or light through an endoscope passed from the mouth into the esophagus.
- **Assistive technology center.** A program providing access to specialized hardware and software, with adaptations allowing individuals greater independence with mobility, dexterity, or increased communication options.
- **Computed tomography (CT) scanner.** Computed tomographic scanner for head or whole-body scans.
- **Computer-assisted orthopedic surgery.** A group of orthopedic devices that produce three-dimensional images to assist in surgical procedures.
- **Diagnostic radioisotope services.** A procedure that uses radioactive isotopes (radiopharmaceuticals) as tracers to detect abnormal conditions or diseases.
- **Electrodiagnostic services.** Diagnostic testing services for nerve and muscle function such as nerve conduction studies and needle electromyography.
- **Endoscopic retrograde cholangiopancreatography.** A procedure in which a catheter is introduced through an endoscope into the bile and pancreatic ducts. Injection of contrast material permits detailed x-ray of these structures. The procedure is used diagnostically and therapeutically to relieve obstruction or remove stones.

- **Endoscopic ultrasound.** A specially designed endoscope that incorporates an ultrasound transducer to obtain detailed images of organs in the chest and abdomen. The endoscope can be passed through the mouth or anus. Combined with needle biopsy, the procedure can assist in diagnosis of disease and staging of cancer.
- **Full-field digital mammography.** A procedure that combines x-ray generators and tubes used in analog screen-film mammography with a detector plate that converts the x-rays into a digital signal to help diagnose breast cancer.
- **Image-guided radiation therapy.** An automated system that provides high-resolution x-ray images to pinpoint tumor sites, adjusts patient positioning as necessary, and completes treatment within the standard treatment time slot, allowing for more effective cancer treatments.
- **Intensity-modulated radiation therapy (IMRT).** A type of radiation therapy used to treat tumors. IMRT manipulates beams of radiation to the shape of the tumor. Beams of varying intensity can be used to radiate the tumor with precision. By using IMRT, physicians can focus on the tumor and avoid exposing healthy tissue to radiation, which causes a variety of negative treatment side effects.
- **Multislice spiral CT.** A procedure that uses x-rays and data processing to produce multiple narrow slices that can be recombined into detailed three-dimensional pictures of the internal anatomy.*
- **Positron emission tomography (PET)/CT scanner.** A machine that combines PET and CT capabilities in one device to provide metabolic functional information and images of physical structures in the body for diagnostics and monitoring chemotherapy, radiotherapy, and surgical planning.
- **Prosthetic and orthotic services.** Services providing comprehensive prosthetic and orthotic evaluation, fitting, and training.
- **Robot-assisted walking therapy.** A form of physical therapy that uses a robotic device to assist patients who are relearning how to walk.
- **Robotic surgery.** The use of computer-guided imaging and manipulative devices to perform surgery without the surgeon's direct intervention.
- **Shaped-beam radiation.** A noninvasive procedure that delivers a therapeutic dose of radiation to a defined area of a tumor to shrink or destroy cancerous cells.

*The indicator for multislice spiral CT includes both standard (fewer than 64 slices) and advanced (64 or more slices) versions of the technology. Hospitals can receive credit for either version.

- **Simulated rehabilitation environment.** Rehabilitation focused on retraining functional skills in a contextually appropriate environment (simulated home and community settings) or in a traditional setting (gymnasium) using motor learning principles.
- **Single-photon-emission CT.** A nuclear medicine imaging technology that combines radioactive material with CT imaging to highlight blood flow to tissues and organs.
- **Stereotactic radiosurgery.** A radiotherapy modality that delivers a high dosage of radiation to a discrete treatment area in as few as one treatment session. Variants include Gamma Knife and CyberKnife.
- **Transplant services.** Includes Medicare-approved organ transplant programs in heart, liver, lung, or kidney transplant recognized by CMS. In addition, hospitals listed as bone marrow and tissue transplant centers by AHA are recognized. Transplant services are specific to the specialty. In the Cancer specialty, transplant services include bone marrow and other tissue transplants; Gastroenterology & GI Surgery includes liver transplant; Cardiology, Heart & Vascular Surgery includes heart transplant and tissue transplant; Pulmonology & Lung Surgery includes lung transplant; and Orthopedics includes tissue transplant.

Specialty-specific mixes of key technologies are used in computing the U.S. News scores (see *Section II.G. Calculation of the Overall Score for the Data-Driven Specialties*). *Table 4* presents the complete list of key technologies considered for each specialty.

Number of Patients

This measure reflects the volume of medical and surgical discharges in indicated specialty-specific MS-DRGs submitted for CMS reimbursement in CY2021, CY2022, and CY2023 combined. The list of MS-DRGs in each specialty is displayed in *Appendix B*. Volume is part of the structural score in all 12 data-driven specialties. Volumes include all cases, including transfers, that appeared in SAF data and among MA patients in the MedPAR data for the specified MS-DRGs listed in *Appendix B*. Volume data, as described in *Section II.A. Eligibility*, include both traditional Medicare fee-for-service patients who were aged 65 or older and MA patients aged 65 and older from the MedPAR data.

For two specialties, Obstetrics & Gynecology and Ear, Nose & Throat, the MA-adjustment was made after combining inpatient and outpatient fee-for-service volume. In doing so, the cap was imposed based on a 2:1 outpatient to inpatient fee-for-service volume ratio to depress the influence of extreme outliers. The MA-adjustment factor is calculated by dividing the total inpatient volume (including both fee-for-service and MA patients from MedPAR) by the fee-for-service inpatient

volume. This calculation is done separately for each service line. MedPAR data were not available for a small number of eligible hospitals, so, for these hospitals only, we estimated the MA-adjustment based on the location of the hospital—specifically the MA penetration rate for the county where the hospital is located. The numerator for this location-based calculation was the number of fee-for-service discharges meeting the criteria for inclusion in the specialty. The denominator was the proportion of Medicare beneficiaries enrolled in fee-for-service (as opposed to MA) in the county in which the hospital is located. MA penetration data are sourced from CMS, using data from July 2022, which represents the approximate midpoint of the analysis period.

As a result of these methods, volumes for most hospitals—except those in Obstetrics & Gynecology and Ear, Nose & Throat—reflect observed inpatient care by service line. For hospitals with low volumes or lacking comprehensive MedPAR data, and for the Obstetrics & Gynecology and Ear, Nose & Throat service lines (which include fee-for-service outpatient data), reported volumes are estimates rather than observed volumes.

Table 4. Technologies, by Specialty

Technology	Technology Index	Cancer	Cardiology, Heart & Vascular Surgery ^a	Diabetes & Endocrinology	Ear, Nose & Throat	Gastroenterology & GI Surgery	Geriatrics	Neurology & Neurosurgery	Obstetrics & Gynecology	Orthopedics	Pulmonology & Lung Surgery	Rehabilitation	Urology
Ablation of Barrett's esophagus						●							
Assistive technology center												●	
CT scanner												●	
Computer-assisted orthopedic surgery										●			
Diagnostic radioisotope services	●			●		●		●			●		●
Electrodiagnostic services												●	
Endoscopic retrograde cholangiopancreatography						●							
Endoscopic ultrasound						●							
Full-field digital mammography	●	●							●				
Image-guided radiation therapy	●	●		●		●		●	●		●		●
IMRT		●											●
Multislice spiral CT	●		●								●		
PET/CT scanner	●	●	●	●				●	●		●	●	●
Prosthetic and orthotic services												●	
Robot-assisted walking therapy												●	
Robotic surgery	●	●	●						●				●
Shaped-beam radiation		●											
Simulated rehabilitation environment												●	
Single-photon-emission CT	●		●					●					
Stereotactic radiosurgery	●	●		●	●	●		●	●		●		●
Transplant services		●	●			●				●	●		
Total Elements	8	8	6	4	1	7	0	5	5	2	6	7	6

^a Five measures are listed, but hospitals can receive up to 6 points in Cardiology, Heart & Vascular Surgery because 2 points are possible for transplant services—1 point for heart transplant services and 1 point for tissue transplant services.

● Included in the measure for the specialty.

To reduce the effect of outliers, we imposed a threshold on the volume. If a hospital's MA-adjusted volume is greater than a modified Z-score of 3 in each specialty, it is winsorized and

replaced with the volume that corresponds to the minimum observed volume with a modified Z-score greater than 3.

The formula for the modified Z-score is $0.6745(xi - \tilde{x}) / (1.4826 * MAD)$, where:

xi : Hospital's own value

$\tilde{x}$: The median across all hospitals

MAD: The median absolute deviation across all hospitals

Table 5 includes the thresholds created for each of the specialties.

Table 5. Winsorized Volume Thresholds, by Specialty

Specialty	Winsorized Volume Threshold
Cancer	1,965
Cardiology, Heart & Vascular Surgery	12,723
Diabetes & Endocrinology	1,530
Ear, Nose & Throat	2,196
Gastroenterology & GI Surgery	5,142
Geriatrics	30,708
Neurology & Neurosurgery	6,156
Obstetrics & Gynecology	1,666
Orthopedics	3,873
Pulmonology & Lung Surgery	11,095
Urology	515

Outpatient Volume for Ear, Nose & Throat and Obstetrics & Gynecology

In recognition that a large proportion of care is provided on an outpatient basis, the rankings include certain outpatient procedural cases in the total volume for Ear, Nose & Throat and Obstetrics & Gynecology. To identify outpatient procedures in these specialties, we applied the Solventum AM-PPC v1.2 Methodology to Medicare hospital outpatient department claims data for 2021 to 2023. **Table 6** provides the list of PSGs for two specialties.

Table 6. List of PSGs for Outpatient Volume

Obstetrics & Gynecology		Ear, Nose & Throat	
PSG	PSG Description	PSG	PSG Description
44	Female genitourinary procedures	34	Facial and ear, nose, and throat procedures
50	Hysteroscopy	115	Cochlear device and auditory device implant procedures
144	Hysterectomy procedures	116	Tympanoplasty and other ear procedures
145	Other gynecologic procedures	134	Thyroid and parathyroid procedures
146	Uterine and adnexa procedures	135	Tonsil and adenoid procedures
147	Cystocele, rectocele, and other vaginal wall repairs	136	Cleft lip and palate repair procedures

Volume for Rehabilitation

For the Rehabilitation rankings, volume of care serves as a key indicator of quality. For the volume data, we utilize data from the IRF component of the Care Compare (IRF Care Compare) website maintained by CMS. In addition, two key rehabilitation registries (UDSMR and eRehabData) allowed hospitals to opt into public reporting with U.S. News for the Rehabilitation rankings through early January 2025.* The volume measure focuses on the patient volume for certain conditions, specifically stroke, traumatic brain injury, traumatic spinal cord injury, non-traumatic brain injury, non-traumatic spinal cord injury, and other neurological conditions. For hospitals that participate in public reporting, the rankings compare available volumes for each of the six conditions from CMS and the registries using the largest volume available for scoring purposes. Note that to qualify for use of registry data, a hospital had to appear in IRF Care Compare and meet the minimum volume requirement. For hospitals that have treated one or more cases but fewer than 11, we treat them as having a value of 10 for purposes of scoring. Each of these volume measures are scored separately relative to all other eligible hospitals and are given a weight of 3%; the six volume measures together represent a total of 18% of the overall ranking in Rehabilitation.

Table 7 includes the thresholds created for Rehabilitation.

* Note that U.S. News plans to continue working with both registries so that hospitals will be able to opt in to public reporting in the future.

Table 7. Winsorized Volume Thresholds for Rehabilitation

Rehabilitation Variable	Winsorized Volume Threshold
Brain injury (traumatic)	112
Stroke	492
Spinal cord injury (traumatic)	62
Brain disease or condition (non-traumatic)	227
Spinal cord disease or condition (non-traumatic)	124
Nervous system disorder (excluding stroke)	241

Nurse Staffing

The nurse staffing index is a ratio that reflects the combined intensity of inpatient and outpatient nursing. The numerator is the total number of on-staff registered nurses (RNs), expressed as full-time equivalents (FTEs); for example, two half-time nurses are the equivalent of one FTE. Only nurses with an RN degree from an approved nursing school and current state registration are considered. The denominator is the adjusted average daily census of patients, a variable created by AHA for U.S. News.

The measure estimates the total amount of care devoted to both inpatients and outpatients by reflecting days of inpatient care plus the estimated volume of outpatients. This index gives more weight to inpatient care while recognizing that outpatient care represents most hospital visits. The components of this index are derived from the AHA Annual Survey Database. As with volume, extreme values were similarly adjusted to reduce the influence of wide variation. To reduce the impact of outliers, the nurse staffing index is capped at a fixed threshold of 2.4 FTE nurses per 1,000 adjusted patient-days. Hospitals reporting values higher than this cap received a value of 2.4 for scoring purposes.

To address problems with missing values in the AHA dataset for several hospitals for the FTEN variable, which is the principal nursing FTE variable, the rankings impute missing FTEN values. The project selects hospitals that do not have extreme nurse staffing ratios (i.e., are not outliers) and imputes the value of FTEN using the current values of the following variables in the reference population: FTEN (FTE RNs reported), FTERN (FTE RNs estimated), ADJADC (adjusted average daily census), and BDTOT (total hospital beds set up and staffed).

Note that the nurse staffing measure is not used in Rehabilitation because there is currently no adequate measure of nurse staffing that can be specifically applied to rehabilitation facilities from the AHA data.

Trauma Center

In a past U.S. News survey of board-certified physicians, respondents ranked the presence of an emergency room and status as a Level 1 or Level 2 trauma care provider high on a list of hospital quality indicators. Physicians in nine specialties ranked trauma center status as one of the top five indicators of quality. Their recommendations and analyses showing a strong relationship with other quality factors supported inclusion of a trauma measure in Ear, Nose & Throat; Gastroenterology & GI Surgery; Cardiology, Heart & Vascular Surgery; Neurology & Neurosurgery; Orthopedics; Pulmonology & Lung Surgery; and Urology.

Two variables in the AHA Annual Survey Database provide the required data. Both must be answered. One variable indicates the presence of a state-certified trauma center in the hospital (as opposed to trauma services provided only as part of a health system or joint venture). For hospitals that received a national ranking in the prior edition of Best Hospitals and for other hospitals belonging to the same health systems, U.S. News reviewed public records to verify AHA's data; hospitals did not receive credit in several cases where U.S. News determined that the trauma center was associated with a different hospital's license. The second variable indicates trauma center level. The trauma center indicator is dichotomous. To receive a credit of 1 point, a hospital must be a Level 1 or Level 2 trauma center.* AHA defines Level 1 as "a regional resource trauma center, which is capable of providing total care for every aspect of injury and plays a leadership role in trauma research and education."¹³ Level 2 is "a community trauma center, which is capable of providing trauma care to all but the most severely injured patients who require highly specialized care."¹³

Patient Services

Patient services encompass major conveniences for patients. Among others, they include translators, advanced or especially sophisticated care, and services considered clinically essential in a comprehensive, high-quality hospital, such as cardiac rehabilitation, or reflective of forward thinking and sensitivity to community needs, such as genetic testing or counseling. All items are taken from the AHA Annual Survey.

* The highest two levels of this designation are equivalent to the top two levels of the American College of Surgeons trauma center certification and can be used by hospitals in jurisdictions that do not certify Level 1 or Level 2 trauma centers.

Brief descriptions of patient services included in the index follow. The definitions are taken from the AHA Annual Survey (and expanded as necessary).

- **Alzheimer's center.** A facility that cares for individuals with Alzheimer's disease and the patients' families through an integrated program of clinical services, research, and education. As with all items in this survey, each hospital determines whether the service is offered, based on the AHA description. This index differs from designation as an NIA Alzheimer's center, which is a higher order designation and is treated as a separate structural measure in Geriatrics and in Neurology & Neurosurgery.
- **Arthritis treatment center.** A center specifically equipped and staffed for diagnosing and treating arthritis and other joint disorders.
- **Cardiac ICU.** The unit is staffed with specially trained physicians and nursing personnel with specialty monitoring and support/treatment equipment for patients who, because of heart seizure, open-heart surgery, or other life-threatening conditions, require intensified, comprehensive observation and care.
- **Cardiac rehabilitation.** A medically supervised program to help heart patients recover quickly and improve their overall physical and mental functioning to reduce risk of another cardiac event or to keep a current heart condition from worsening.
- **Case management.** A system of assessment, treatment planning, referral, and follow-up that ensures the provision of comprehensive and continuous services and the coordination of payment and reimbursement for care.
- **Employment support services.** Services designed to support individuals with significant disabilities to seek and maintain employment.
- **Enabling services.** A program that is designed to help the patient access healthcare services by offering any of the following: transportation services or referrals to local social services agencies.
- **Fertility clinic.** A specialized program set in an infertility center that provides both counseling and education and advanced reproductive techniques.
- **Genetic testing/counseling.** A service equipped with adequate laboratory facilities and directed by a qualified physician to advise parents and prospective parents on potential problems in cases of genetic defects.
- **Health research.** Organized hospital research program in any of the following areas: basic research, clinical research, community health research, or research on innovative healthcare delivery.

- **Hemodialysis.** Provision of equipment and personnel for the treatment of renal insufficiency on an inpatient or outpatient basis.
- **Hospice.** A program that provides care (including pain relief) and supportive services for the terminally ill and their families.
- **Infection isolation room.** A single-occupancy room designed to minimize the possibility of infectious transmission, typically through the use of controlled ventilation, air pressure, and filtration.
- **Neurological services.** Services provided by the hospital dealing with the operative and nonoperative management of disorders of the central, peripheral, and autonomic nervous systems.
- **Occupational health services.** Includes services designed to protect the safety of employees from hazards in the work environment.
- **Pain-management program.** A program that provides specialized care, medications, or therapies for the management of acute or chronic pain.
- **Palliative care.** A program that provides specially trained physicians and other clinicians to relieve acute or chronic pain or to control symptoms of illness.
- **Patient-controlled analgesia.** A system that allows the patient to control intravenously administered pain medicine.
- **Patient education center.** Written goals and objectives for the patient or family related to therapeutic regimens, medical procedures, and self-care.
- **Patient representative services.** Organized hospital services providing personnel through whom patients and staff can seek solutions to institutional problems affecting the delivery of high-quality care and services.
- **Physical rehabilitation outpatient services.** Program providing medical, health-related, therapy, social, or vocational services to help people with disabilities attain or retain their maximum functional capacity.
- **Psychiatric services—psychiatric consultation/liaison services.** Provides organized psychiatric consultation/liaison services to nonpsychiatric hospital staff or departments on psychological aspects of medical care that may be generic or specific to individual patients.
- **Psychiatry–geriatric service.** A psychiatric service that specializes in the diagnosis and treatment of geriatric medical patients.

- **Social work services.** Organized services that are properly directed and sufficiently staffed by qualified individuals who provide assistance and counseling to patients and their families in dealing with social, emotional, and environmental problems associated with illness or disability, often in the context of financial or discharge planning coordination.
- **Support groups.** A hospital-sponsored program that allows a group of individuals with common experiences or issues who meet periodically to share experiences, problems, and solutions to support each other.
- **Translators.** A service provided by the hospital to assist patients who do not speak English.
- **Wound-management services.** Services for patients with chronic and non-healing wounds that often result from diabetes, poor circulation, sitting or reclining improperly, and immunocompromising conditions. The goals are to progress chronic wounds through stages of healing, reduce and eliminate infections, increase physical function to minimize complications from current wounds, and prevent future chronic wounds. Services are provided on an inpatient or outpatient basis depending on the intensity of service needed.

Between 7 and 16 services are included in each specialty. Hospitals receive 1 point for each specified service provided on or off site (1) by the hospital or its subsidiaries, (2) by the hospital's health system in the local community, or (3) by another institution in the local community through formal arrangement or joint venture. **Table 8** displays patient services by specialty.

Table 8. Patient Services, by Specialty

Service	Cancer	Cardiology, Heart & Vascular Surgery	Diabetes & Endocrinology	Ear, Nose & Throat	Gastroenterology & GI Surgery	Geriatrics	Neurology & Neurosurgery	Obstetrics & Gynecology	Orthopedics	Pulmonology & Lung Surgery	Rehabilitation	Urology
Alzheimer's center						●	●					
Arthritis treatment center						●			●			
Cardiac ICU		●										
Cardiac rehabilitation		●										
Case management											●	
Employment support services											●	
Enabling services											●	
Fertility clinic								●				●
Genetic testing/counseling	●		●	●	●		●	●		●		●
Health research											●	
Hemodialysis											●	
Hospice	●	●	●	●	●	●	●	●	●	●		●
Infection isolation room	●		●	●	●		●	●		●		●
Neurological services											●	
Occupational health services											●	
Pain-management program	●	●	●	●	●	●	●	●	●	●	●	●
Palliative care	●	●	●	●	●	●	●	●	●	●		●
Patient-controlled analgesia	●	●	●	●	●	●	●	●	●	●		●
Patient education center											●	
Patient representative services											●	
Physical rehabilitation outpatient services											●	
Psychiatric services—psychiatric consultation/liaison services											●	
Psychiatry-geriatric service						●						
Social work services											●	
Support groups											●	
Translators	●	●	●	●	●	●	●	●	●	●	●	●
Wound-management services	●	●	●	●	●	●	●	●	●	●	●	●
Total Elements	8	8	8	8	8	9	9	9	7	8	16	9

● Included in the index for the specialty.

ICU Specialists

ICU specialists are board-certified physicians with subspecialty or fellowship training in critical-care medicine. They specialize in managing critically ill patients in hospital ICUs. Recent research indicates that better outcomes are associated with the presence of ICU specialists.^{14,15} The rankings award 1 point to hospitals with at least one ICU specialist FTE, whether on staff or through another arrangement as long as at least one ICU specialist serves in an adult-focused ICU setting within the hospital. Previously, hospitals had to have at least one FTE on-staff ICU specialist. Credit was determined from the FY2023 AHA Annual Survey.

External Organizations

The following describes sources and organizations other than AHA and CMS that provided data for additional structural measures.

NCI-Designated Cancer Center

NCI, an arm of NIH, is the principal federal agency tasked with conducting and sponsoring cancer research and training and promoting research and standards of care by various means, including certification as an NCI-Designated Cancer Center. Such a center is committed to advancing cancer research and, ultimately, reducing cancer incidence and increasing the effectiveness of treatment.

NCI-Designated Cancer Centers have three classification levels. The lowest is *basic cancer center*, denoting a facility that conducts a high volume of advanced federally funded laboratory research. Credit is not awarded for this designation. A *clinical cancer center*, the second level, adds clinical (“bench-to-bedside”) research. *Comprehensive cancer center*, the highest level, adds prevention research, community outreach, and service activities.¹⁶

Hospitals designated as NCI clinical or comprehensive cancer centers (and their official, NCI-designated consortium partners) as of February 13, 2025, were awarded 1 point. Hospitals designated “basic cancer centers” did not receive credit. NCI updates the list throughout the year. The current list is at <https://cancercenters.cancer.gov/cancer-centers/cclist>.

Nurse Magnet Status

The Nurse Magnet measure is a formal designation by the Magnet Recognition Program[®]. The Magnet Recognition Program was developed by ANCC to recognize healthcare organizations that meet certain quality indicators on specific standards of nursing excellence. ANCC updates the

list of Nurse Magnet–recognized facilities throughout the year as organizations apply for designation and redesignation status. U.S. News bases credit for this measure on Magnet recognition as of April 30, 2025. U.S. News is not responsible for any omissions in the data made available by ANCC. The current list of Magnet-recognized organizations is shown at

<https://www.nursingworld.org/organizational-programs/magnet/find-a-magnet-organization/>.

Hospitals received 1 point for being recognized as a nurse magnet hospital. For hospitals that are part of a special merger* or a multicampus hospital, the primary hospital (usually the larger of two or more general acute care hospitals) is required to have Magnet Recognition status for the combination hospital to receive 1 point.

NAEC-Designated Epilepsy Center

One point was awarded to hospitals designated by NAEC as Level 4 epilepsy centers as of April 8, 2025. A Level 4 epilepsy center serves as a regional or national referral facility. These centers provide more complex forms of intensive neurodiagnostic monitoring and more extensive medical, neuropsychological, and psychosocial treatment. Level 4 centers also offer a complete evaluation for epilepsy; surgery, including intracranial electrodes; and a broad range of surgical procedures for epilepsy.¹⁷ NAEC updates its list of hospitals throughout the year. The current list is shown at <https://naec-epilepsy.org/find-a-center>.

NIA-Designated Alzheimer’s Center

Evaluation and certification are conducted by NIA, an arm of NIH that translates research advances into improved diagnosis and care of Alzheimer’s disease and conducts research on prevention and cures. Recognition means that a hospital has received significant funding for and conducts research on Alzheimer’s disease and provides a high level of care for Alzheimer’s patients. Hospitals designated as an NIA Alzheimer’s center or Exploratory center as of June 2, 2025, received 1 point. Hospitals listed as affiliated centers did not receive credit. The current list of NIA Alzheimer’s centers can be accessed at <https://www.nia.nih.gov/health/alzheimers-disease-research-centers>.

* In a special merger, two separate hospitals operate as one and their data are combined for analysis. Brigham and Women’s Hospital and Dana-Farber Cancer Institute are an example in Cancer. Specialty or secondary hospitals that are combined with the primary hospital are noted on the U.S. News website for that hospital.

FACT Accreditation

This designation indicates that as of February 13, 2025, a hospital met standards set by FACT for transplanting bone marrow or other cellular tissue to treat cancer. Two points were given if accreditation was for *allogeneic transplants*, involving cells donated by another person (allowing for a greater number and more kinds of cell transplants), regardless of other accreditations. If a hospital did not have allogeneic transplant accreditation, but it did have accreditation for either *autologous transplants*, in which a patient's own cells are removed then returned following radiation therapy, or for *immune effector cellular therapy*, it received 1 point. The current list of FACT-accredited hospitals can be accessed at <https://accredited.factglobal.org>.

CARF Accreditation

Accreditation from CARF designates a center as meeting standards of excellence in rehabilitation care. Data were obtained from CARF on March 5, 2025. The current list of CARF-accredited hospitals can be accessed at <http://www.carf.org/providerSearch.aspx>. In the Rehabilitation specialty, this accreditation is worth a total of 2.5%. Additionally, the U.S. News website notes which hospitals had certain specialty certifications from CARF.

Rehabilitation Model Systems

Designation as a Model Systems in Rehabilitation by the National Institute on Disability, Independent Living, and Rehabilitation Research (NIDILRR; see <https://msktc.org/>) indicates that a center has received federal funding to advance rehabilitation care through innovative research. Designations are available in the areas of Spinal Cord Injury (SCI), Burns (BMS), and Traumatic Brain Injury Model Systems (TBIMS). Facilities received credit if they had one or more Model Systems designations awarded by NIDILRR. Data for this element were obtained from NIDILRR on February 24, 2025. The Model Systems designation is worth a total of 2.5% of the ranking. Additionally, all hospitals with the Model Systems designation received the 2.5% associated with CARF accreditation, whether or not they were accredited by CARF (for a total of 5% of their score in the Rehabilitation specialty).

Normalization

All structural measure values were normalized prior to weighting. Normalization transforms index values into a distribution between 0 and 1 based on the range of possible values for a given measure. Normalizations were done separately for each specialty. Equation (1) is the formula for normalization:

$$\text{Normalized Value} = (X_i - \text{Minimum}_i) / (\text{Maximum}_i - \text{Minimum}_i), \quad (1)$$

where

X_i = the value for measure i ,

Maximum_i = the highest possible value for measure i , and

Minimum_i = the lowest possible value for measure i .

For example, the Advanced Technologies index for Cancer is worth a maximum of 8 points. If a given hospital received 5 of 8 points, the normalized value for the Advanced Technologies index for Cancer would be $(5-0)/(8-0) = 0.63$. For all structural measures, other than Number of Patients, the lowest *possible* value is 0, even when the lowest *observed* value is greater than 0. For Number of Patients, the lowest possible value is 1. For all structural measures except Number of Patients and Nurse Staffing, the highest possible value is set to the highest observed value. For Number of Patients and Nurse Staffing, the highest possible value is limited to a predetermined threshold described above.

Weighting

In 2012, we convened an expert panel to determine appropriate weights for each of the measures. The evaluation was done both across specialties for consistency in weighting and within specialties to identify key measures of quality in a particular specialty. Overall, weights were determined based on the importance of each measure in defining the overall structural attributes of care within hospitals. Weights for Rehabilitation, a specialty that was not discussed by the expert panel, were assigned by the project team after considering input from diverse stakeholders. **Table 9** shows the weight for each of the measures that make up the structural component of the rankings, by specialty. These weighted scores are used in the calculation of the overall raw score in **Section II.G. Calculation of the Overall Score for the Data-Driven Specialties** and that are ultimately normalized to the overall final score of 0 to 100. For all specialties, the sum of the weights is 35%, the overall weight for the structural component of the overall score.

For 2025-2026, the weight of the nurse staffing metric has been reduced in specialties that use this metric. Since the overall weight of the structural measures is being maintained, there was a slight increase to the weights of all other structural measures being evaluated for specialties that utilize the nurse staffing measure.

Table 9. Structural Elements and Percentages (%) of Total Score, by Specialty

Item	Cancer	Cardiology, Heart & Vascular Surgery	Diabetes & Endocrinology	Ear, Nose & Throat	Gastroenterology & GI Surgery	Geriatrics	Neurology & Neurosurgery	Obstetrics & Gynecology	Orthopedics	Pulmonology & Lung Surgery	Rehabilitation	Urology
Advanced technologies	5.25	6.18	6.56	6.18	6.18		5	6.56	6.18	6.18	7.5	6.18
CARF accreditation ^a											2.5	
FACT accreditation	3.5											
ICU specialists	3.5	4.12	4.38	4.12	4.12	4.38	3.33	4.38	4.12	4.12		4.12
NAEC-designated epilepsy center							3.33					
NCI-Designated Cancer Center	3.5											
NIA-designated Alzheimer's center						6.56	3.33					
Number of patients	7	8.24	8.75	8.24	8.24	8.75	6.67	8.75	8.24	8.24	18	8.24
Nurse Magnet status	3.5	4.12	4.38	4.12	4.12	4.38	3.33	4.38	4.12	4.12		4.12
Nurse staffing	5.25	6.18	6.56	6.18	6.18	6.56	5	6.56	6.18	6.18		6.18
Patient services	3.5	4.12	4.38	4.12	4.12	4.38	3.33	4.38	4.12	4.12	7.5	4.12
Rehabilitation Model Systems ^a											2.5	
Trauma center		2.06		2.06	2.06		1.67		2.06	2.06		2.06

^a All hospitals with the Model Systems designation received the 2.5% associated with CARF accreditation, whether or not they were accredited by CARF (for a total of 5% of their score in the Rehabilitation specialty).

Note: Percentages may not sum to 35% (38% in Rehabilitation) because of rounding.

C. Outcomes

The correlation between quality of care and risk-adjusted outcomes is self-evident and supported by the literature.^{18–32} Outcomes, which include specialty-specific, risk-adjusted mortality rates and rates of discharge to home, are worth 45% of the overall score in most specialties. Some specialties also include a measure of complications following outpatient surgeries and other outpatient procedures. Rehabilitation includes a unique set of outcome measures, described as follows.

When comparing outcomes such as mortality between hospitals, adjusting for differences in the patients treated at each hospital is critical. These adjustments need to take into account not only the principal condition for which the patient is being treated, but also other comorbidities and characteristics that may affect outcomes. For instance, a hospital with a 35% death rate might be superior to a hospital with a 10% death rate, if most of the patients at the first hospital are of high risk (i.e., expected to die) and most of the patients at the second hospital are of fairly low risk.

To address the differences in risk, we used multilevel logistic regression models to adjust for differences in case mix between hospitals. Multilevel models are a form of regression that allocates variance between variables on two or more levels. We used the empirical Bayes estimate of the hospital intercept as an estimate of each hospital's value for a given outcome. Multilevel modeling accounts for clustering of patient observations within hospitals and allows for more precise evaluation of hospitals with lower patient volume and fewer outcomes.

We selected covariates for inclusion in risk-adjustment models based on the literature, discussions with clinicians in relevant specialties and experience. The model indicates that an unbiased estimate of the effect of treatment at a given hospital, as compared with a hospital selected at random from among those eligible for ranking with a specialty, requires adjustment for age, sex, Elixhauser comorbidities,³³ socioeconomic status, and year of admission. We have controlled for severity of index condition via restriction of cases consistent with the subset of MS-DRGs used by the project, as described at the end of this section and *Appendix B*.

For the analyses, we used pooled SAF data (for mortality analyses, we also used MA data from the MedPAR dataset) from CY2021, CY2022, and CY2023, the latest available for analysis. SAF data are derived from reimbursement claims submitted by hospitals to Medicare. The SAF data files contain information on all fee-for-service Medicare patients' diagnoses, procedures, length of stay in the hospital, and discharge status. The MA data derived from the MedPAR data file contain information on MA beneficiaries' hospitalizations, including patient demographic information, diagnoses, procedures performed, length of stay, admission to death interval, source of admission, and discharge status. Only patients aged 65 or older at the time of care were included in the analyses.

The SAF data and the MA data include the CMS MS-DRG assigned to each case for payment purposes. Each record contains information on the patient's diagnosis, surgery (or other medical procedure), age, sex, and discharge destination.³⁴ MS-DRGs classify the ICD-10 diagnosis codes into more meaningful patient groups based on clinical and cost similarity.³⁵

Because MS-DRGs are relatively homogeneous groups of diagnoses and procedures, we use them as the basic unit for defining cases to be included in each specialty's outcome and volume measures (see *Appendix B* for the MS-DRGs used). MS-DRGs that represent challenging or critical

procedures were preferentially included. The process used to identify MS-DRGs is outlined as follows:*

1. MS-DRGs for very-low-intensity cases were excluded.
2. MS-DRGs that generally do not apply to a Medicare or elderly population were excluded.
3. Excluded and included MS-DRGs were evaluated on their embedded diagnoses.
4. Excluded and included categorizations were refined based on within-MS-DRG variation in diagnostic complexity.
5. MS-DRGs not assigned to a specific specialty were evaluated to determine whether they should be categorized more specifically.
6. MS-DRGs were attributed to multiple specialties if patients assigned to the MS-DRGs are commonly treated by physicians in multiple specialties, or specific diagnoses or procedures were assigned to specific specialties based on principal diagnosis or procedures.
7. A final evaluation for clinical consistency was performed.

Outcome Methodology

Starting with the 2019–2020 rankings, the project has used a risk-adjustment approach for the Survival and Discharge to Home outcomes that involves “random effect” (RE) models, which can be thought of as a hospital-level off-set. (Previously, the rankings used observed-to-expected ratios [OERs] instead.) An RE represents the risk difference between a hospital and all hospitals in a given specialty, discounted by the reliability of that difference. The reliability is based on the volume of cases in a hospital, which means that if a hospital has 500 cases and 0 deaths, it would have a better RE, and thus a better mortality score, than a hospital with 50 cases and 0 deaths; previously, these hospitals would have had the same OER of 0. The rationale for this is that in hospitals where there are more observations, there is higher certainty that the observed results are real and not the result of statistical noise. The inclusion of information on certainty is the most important difference between the OER and the RE. A list and brief description of the covariates used in the risk-adjustment model is located in *Table 10*.

Prior to risk modeling, certain cases are excluded to enhance the homogeneity of the study population. For example, to mitigate the impact of COVID-19 pandemic–associated disruptions on outcome measures, several exclusions and adjustments were applied to visits that took place in 2020

* For a more detailed review of these procedures, see the 2005 Best Hospitals Ranking Methodology Report at <https://www.rti.org/impact/best-hospitals-and-best-childrens-hospitals-rankings>.

or later. First, for both fee-for-service and MA, visits in 2020 where a patient was diagnosed with COVID-19 were excluded. However, patients with a COVID-19 diagnosis starting from 2021 and onward were not excluded; instead, they were risk adjusted in the outcome statistical models. Second, for each hospital, fee-for-service visits that occurred in December 2020 were excluded if the hospital's COVID-19 hospitalization rate exceeded the national average for that month or exceeded 15%, whichever was less. We did not exclude any visits with COVID-19 diagnosis when computing the volume.

Identification and exclusion of inpatient transfers. Since 2007, all patients identified as transferred into a hospital have been excluded from the hospital's outcome calculations. This was done to help avoid mortality rates that might be inflated by transfers of severely ill patients to tertiary care hospitals. Research has shown that because of their location, some tertiary care hospitals are particularly vulnerable to “dumping.”³⁶ This exclusion means that some patients were lost to analysis, but it is more important to ensure that each hospital's mortality numbers are not affected by transfers of very sick patients from hospitals unable to properly care for them.

As with the 2024-2025 rankings, inpatient-to-inpatient transfers in fee-for-service Medicare data were identified by chronologically consecutive claims for a given beneficiary that showed they were discharged from one hospital and admitted to another hospital within 1 day.* The “admission source” variable in Medicare claims data, which previously was also used to identify transfers, is no longer used for that purpose in fee-for-service data because of variability in how hospitals code that variable. Because longitudinal tracking of beneficiaries is not possible in MedPAR LDS data, the admission source code (“4”) signifying “Transfer from hospital (Different Facility)” was used to identify transfers of MA beneficiaries.

Exclusion of emergency department (ED) transfers. Patients transferred from one hospital's ED to another hospital represent a population that is generally higher acuity. Consequently, hospitals that receive a large volume of transfers from outside EDs may appear to have worse outcomes. Starting with the 2024–2025 rankings, to avoid penalizing hospitals for accepting these patients, we excluded ED transfers from the outcome analysis in all specialties. This approach is applied only to fee-for-service data because longitudinal tracking of beneficiaries is not possible in the MedPAR LDS data. Using inpatient and outpatient fee-for-service claims, ED transfers were identified when a patient was discharged from a hospital's ED (as indicated by revenue codes 0450–0459 [Emergency room] and 0981 [Professional fees-Emergency room]) and

* Visits with admit codes (D, E, 5) or preceding discharge codes (1, 3, 4, 6, 8, 21, 50, 51, 61, 62, 63, 64, 65, 70, 81, 83, 84, 86, 87, 89, 90, 91, 92, 93, 95) indicating that the patient was received from or discharged to any location other than another acute care facility were excluded from transfer status.

arrived at a different hospital either as an inpatient admission or to the receiving hospital's ER before being admitted to an inpatient unit within 1 day.

Table 10. Covariates Used for Risk Adjustment of RE Models

Risk-Adjustment Variables	Description
Patient age at admission	Patient age as a linear variable (included in risk-adjustment models for MA patients as a categorical variable).
MS-DRG roll-up	Rolled-up MS-DRGs that include the variations with MCC, with CC, and without CC/MCC for medical and surgical treatment covered by the project (as shown in the tables in Appendix B).
Sex	Male or female.
Year of hospital admission	Quality of care tends to improve over time. This means the risk of adverse outcomes is less year to year. For that reason, year of admission is included as a risk factor.
Elixhauser comorbidities	We controlled for the 38 comorbidities identified by criteria from the Elixhauser Comorbidity Software Refined for ICD-10-CM (v2025.1) as being predictive of healthcare outcomes.
Medicare status code	The reason or reasons the patient is eligible for Medicare: age, or age plus end-stage renal failure. This is a proxy for comorbidities.
Socioeconomic status	Patients with lower incomes are typically sicker when they arrive at the hospital and may face more challenges in obtaining or managing their care after they are discharged. This can affect their risk of death, readmission, and complications. When hospitals differ by the socioeconomic status of their patients, this can create bias in comparing outcomes. Our risk models include "dual eligibility" as a measure of socioeconomic background. Patients who are eligible for both Medicare and Medicaid are treated as a separate risk group (not included in risk-adjustment models for MA patients because of the lack of unique patient identifiers in the MedPAR LDS file).
COVID-19 diagnosis	Patients diagnosed with COVID-19 in 2021 and onward.

CC = complication or comorbidity; MCC = major complication or comorbidity; RE = random effect.

The accuracy of risk-adjustment models is measured by two statistics, the C-statistic and the Hosmer-Lemeshow goodness-of-fit statistic. The C-statistic estimates the probability that if one subject who experienced an outcome (e.g., death) and another who did not are drawn randomly from the data, the model will assign a higher probability of death to the person who died. When interpreting the results of a C-statistic calculation, a value of .50 indicates that the model has no better than random chance at predicting the outcome. A C-statistic in the .60–.69 range indicates limited discrimination, .70–.79 indicates acceptable discrimination, and above .80 indicates good discrimination.

As shown in **Tables 11** and **12**, the C-statistic for risk-adjustment models implemented using clinical data ranges from approximately .77 to .91. The new model for some of the outcome measures—Survival and Discharge to Home—was generally of similar predictive quality as models based on clinical data. The Hosmer-Lemeshow test assesses model goodness of fit within subgroups of the data and is generally not considered informative for samples over 25,000. We used a

procedure designed to evaluate Hosmer-Lemeshow fit in large samples, in which multiple Hosmer-Lemeshow tests are conducted on small samples of the data. A Hosmer-Lemeshow test results in a p-value, which below 0.05 indicates a bad fit; the closer to 1 the mean p-value is across all of the sample Hosmer-Lemeshow tests, the better fit. Overall, the results of the analyses show that the models have acceptable to good discrimination for all of the specialties.

Table 11. Predictive Accuracy of Risk-Adjustment Models for Survival Outcomes

Specialty	Standard Analytical Files from CMS		Medicare Advantage	
	C-Statistic	Mean (min, max) of Large-Sample Hosmer-Lemeshow Tests	C-Statistic	Mean (min, max) of Large-Sample Hosmer-Lemeshow Tests
Cancer	0.792	0.46 (0.03,0.92)	0.781	0.53 (0.17,0.77)
Cardiology, Heart & Vascular Surgery	0.787	0.55 (0.04,0.92)	0.775	0.52 (0.13,0.92)
Diabetes & Endocrinology	0.796	0.53 (0.16,0.90)	0.805	0.49 (0.01,0.94)
Ear, Nose & Throat	0.860	0.39 (0.00,0.80)	0.847	0.61 (0.02,0.93)
Gastroenterology & GI Surgery	0.809	0.50 (0.11,0.89)	0.808	0.35 (0.08,0.71)
Geriatrics	0.789	0.11 (0.00,0.52)	0.794	0.52 (0.07,1.00)
Neurology & Neurosurgery	0.801	0.37 (0.02,0.89)	0.795	0.58 (0.23,0.95)
Obstetrics & Gynecology	0.912	0.59 (0.14,0.92)	0.911	0.62 (0.17,0.95)
Orthopedics	0.852	0.64 (0.19,0.99)	0.836	0.60 (0.25,0.90)
Pulmonology & Lung Surgery	0.772	0.41 (0.01,0.85)	0.779	0.46 (0.05,0.99)
Urology	0.858	0.50 (0.00,0.96)	0.856	0.69 (0.47,0.91)

Table 12. Predictive Accuracy of Risk-Adjustment Models for Discharge to Home Outcomes

Specialty	Standard Analytical Files from CMS	
	C-Statistic	Mean (min, max) of Large-Sample Hosmer-Lemeshow Tests
Cancer	0.803	0.40 (0.02,0.96)
Cardiology, Heart & Vascular Surgery	0.770	0.44 (0.14,0.93)
Diabetes & Endocrinology	0.750	0.52 (0.14,0.80)
Ear, Nose & Throat	0.825	0.25 (0.01,0.77)
Gastroenterology & GI Surgery	0.769	0.61 (0.05,0.98)
Geriatrics	0.779	0.22 (0.01,0.98)
Neurology & Neurosurgery	0.794	0.25 (0.02,0.60)
Obstetrics & Gynecology	0.852	0.47 (0.14,0.82)
Orthopedics	0.872	0.25 (0.00,0.58)
Pulmonology & Lung Surgery	0.765	0.41 (0.10,0.71)
Urology	0.824	0.43 (0.00,0.91)


Additional analyses were conducted to evaluate the validity of the Best Hospitals rankings and the component measures that are used to produce the rankings. In the Cardiology, Heart & Vascular Surgery specialty, we evaluated ranking differences between hospitals with heart transplant programs against those without. We performed similar analyses in the Cancer specialty (for bone marrow transplant centers) and Gastroenterology & GI Surgery (liver transplant). We also looked at how hospitals with specialized AHA service codes performed on outcomes in related specialties (e.g., service code 41-cancer for the Cancer specialty, service code 47-orthopedic for the Orthopedics specialty, service codes 13 (surgical) and 42 (heart) for the Cardiology, Heart & Vascular Surgery specialty). Last, we performed similar analyses to understand whether hospitals operating trauma centers attained higher ranks in each specialty. In each case, the results of the risk-adjusted mortality and discharge to home scores were consistent with expectations.

Survival Score

The rankings present mortality results through the use of a survival score. Survival scores are used to convey performance on outcome measures so that users of the rankings can quickly see how hospitals perform relative to each other. As described below, the survival (and discharge) scores represent a range of performance rather than a precise point estimate of performance based on the RE. This is used for display purposes in the rankings only.

We published survival scores as integer values ranging from 1 to 5. See an example of a survival score of 3, indicating performance not statistically different from expected, in *Figure 2*.

Figure 2. Display of Survival Outcome on the U.S. News Website



Beginning with the 2024–2025 rankings, the survival score shifted to a combined score calculated from both SAF and MA data. The combined survival score is a weighted average of the hospital’s risk-adjusted survival scores in traditional Medicare and in MA beneficiaries by service line, with more or less emphasis on the hospital’s MA outcomes depending on its proportion of MA claims. The formula for the combined survival score is as follows:

$$\text{Survival outcome score} = O_{FFS} \times W_{FFS} + O_{MA} \times W_{MA},$$

where O_{FFS} and O_{MA} refer to the hospital's survival outcome score in traditional Medicare and in MA, respectively; W_{FFS} and W_{MA} refer to the hospital's specialty-specific proportion of traditional Medicare and MA claims, and the sum of W_{FFS} and W_{MA} is equal to 1. As a result of this calculation, a hospital's performance in traditional Medicare patients had more influence on its final survival score if it treated more traditional Medicare patients, whereas performance in MA patients had progressively greater impact for a hospital with a higher proportion of MA patients. W_{MA} was capped at 0.5; therefore, W_{FFS} was at least 0.5 for each hospital. Consequently, hospitals that treated more MA patients than traditional Medicare patients received values of 0.5 for both W_{FFS} and W_{MA} .

Our approach to determining each hospital's survival score falls under the general rubric of statistical significance testing. The cutoffs are different for each hospital. The survival score is reflective of a hospital's combined estimated risk-adjusted value (RE) on the survival outcome compared with other hospitals, its traditional Medicare claims volume and MA claims volume, and the incidence of that outcome. We compare each hospital's combined risk-adjusted outcome value with a normal distribution, taking into account how a hospital compares with other hospitals and uncertainty in the weighted average. For rare outcomes, such as death in Orthopedics, relatively few hospitals will have a rate that would designate it as above or below average. It is important to keep in mind that the bands displayed provide a heuristic for the RE, which is the underlying continuous metric that is used in calculating the rankings. Consequently, two hospitals with the same displayed survival score—but different underlying REs—may receive different rankings even if they have identical data on all other measures.

The display scores place hospitals into one of five scores reflecting their performance and our level of certainty about it. This takes into account the adjusted RE values, along with measures of variability in the population of eligible hospitals to assign to one of five groups based on how much they deviate from the mean. The center of the distribution, a score of 3, is defined as being less than 75% confidence in difference from the mean. A score of 4 represents hospitals that are better than average with 75% confidence, and a score of 5 represents hospitals that are better than average with 90% confidence. Scores of 1 and 2 are the inverse of 5 and 4, respectively. Given that ranked hospitals are a subset of all hospitals that generally perform better on patient outcomes, there will be more ranked hospitals with scores of 4 and 5.

Discharge to Home Score

The discharge to home measure assesses how well a hospital does at managing to discharge patients to home rather than sending them on to another acute or post-acute care setting following hospitalization. It is an outcome measure, not a measure of process. In other words, discharging patients with certain functional impairments to institutional post-acute care is appropriate from a

process perspective. But in general, patients who are well enough to be discharged home have achieved better functional outcomes than patients who require discharge to an institutional care setting.

The denominator for this measure includes only patients who have been discharged following a qualifying inpatient admission; visits with inbound transfer status are excluded from the measure. The discharge status codes used in this measure come from the claims evaluated in the CMS SAF data. Hospitalizations with discharge status codes of 07 (left against medical advice or discontinued care), 20 (expired, did not recover—Christian Science), 21 (discharged to court/law enforcement), 30 (still a patient), 40 (expired at home, hospice claim), 41 (expired in facility, hospice claim), 42 (expired place unknown, hospice claim), 50 (home hospice), 62 (discharged/transferred to an IRF including distinct parts units of a hospital), or 87 (discharged to court/law enforcement with planned readmission) are excluded from the numerator and denominator, as are hospitalizations with a missing or invalid discharge status code and those with admission source code 8 (admitted upon direction of a court or law enforcement) or 5 (admitted from a nursing facility). Similarly, visits that were determined to have been admissions from an SNF, because in Medicare SNF claims data, the patient was observed in an SNF immediately prior to being admitted to a hospital, were excluded.

Discharge codes 01 (home/self-care), 06 (home with care of organized home health service organization), 81 (home/self-care with planned readmission), and 86 (home with care of organized home health service organization with planned readmission) are included as a successful discharge to home. Discharge to a location other than home is indicated by one of the following patient discharge status codes: 02, 03, 04, 05, 09, 43, 51, 61, 63, 64, 65, 66, 69, 70, 82, 83, 84, 85, 88, 89, 90, 91, 92, 93, 94, or 95.

Similar to the survival score, the discharge to home score was determined by statistical significance testing and is expressed as an integer from 1 to 5.

Prevention of Outpatient Complications

This measure evaluates the ability of hospitals to prevent complications related to procedures conducted on an outpatient basis. In some surgical specialties, outpatient procedures have long been routine. In others, surgeries that historically involved admitting patients to an inpatient setting are now increasingly performed on an outpatient basis. To reflect the growing role of outpatient procedural care, measures of outpatient procedural outcomes are included in Ear, Nose & Throat; Orthopedics; and Urology. (Analogous measures may be added to other specialties in future editions of the rankings.)

To identify outpatient procedures in these three specialties, potentially preventable complication rates for outpatient procedures were produced using the Solventum AM-PPC v1.2 Methodology. We applied the Solventum AM-PCC grouper software to Medicare hospital fee-for-service outpatient claims and inpatient claims from 2021 to 2023. The AM-PPC grouper software assigns qualifying outpatient visits to one of several defined procedure groups or PSGs, which are roughly analogous to MS-DRGs but apply to outpatient procedures.

The Solventum AM-PPC v1.2 Methodology also identifies potentially preventable complications, which are harmful events or negative outcomes (e.g., infections, mechanical complications, bleeding/clotting, pneumonia/pulmonary) that develop and are discovered during emergency room visits or inpatient stays following an elective outpatient procedure. Although AM-PPCs can also identify potentially preventable complications that present during postprocedural outpatient visits, the U.S. News measures did not include these events because of limitations in the completeness of the available Medicare data.

The measure evaluates the ability of hospitals to successfully perform procedures without complications using an observed-to-expected ratio of potentially preventable complications. Each hospital's observed complication count is calculated as the total number of outpatient procedures with a clinically relevant complication of care occurring within 30 days across all PSGs assigned to the specialty. **Table 13** provides the list of PSGs assigned to the Ear, Nose & Throat; Orthopedics; and Urology specialties.

Table 13. List of PSGs for Prevention of Outpatient Complications

Ear, Nose & Throat		Orthopedics		Urology	
PSG	PSG Description	PSG	PSG Description	PSG	PSG Description
34	Facial and ear, nose, and throat procedures	1	Shoulder and elbow arthroscopy	43	Male genital system procedures
115	Cochlear Device and Auditory Device Implant Procedures	2	Hand and wrist arthroscopy	90	Extracorporeal shock wave lithotripsy
116	Tympanoplasty and other ear procedures	3	Knee arthroscopy	91	Cystoscopy (Dx) & Minor Urological Procedures
134	Thyroid and parathyroid procedures	4	Hip arthroscopy	93	Cystoscopy with Excision, Incision, or Obstruction Removals
135	Tonsil and adenoid procedures	5	Ankle arthroscopy	94	Endourological Procedures with Stent or Guidewire
136	Cleft lip and palate repair procedures	6	Foot arthroscopy procedures	95	Percutaneous Change/Removal of Upper Urinary Tract Catheter
		7	Shoulder and elbow arthroplasty	96	Percutaneous Placement of Upper Urinary Tract Catheter
		9	Shoulder and elbow arthroplasty revision	97	Cystostomy and Other Open Procedures
		10	Hand and wrist arthroplasty	98	Laparoscopic Urological Procedures
		11	Hip arthroplasty	101	Prostate biopsy procedures
		12	Hip arthroplasty revision	183	Prostatectomy
		13	Knee arthroplasty	184	Transurethral resection of prostate (TURP)
		14	Knee arthroplasty revision	185	Other Prostate Procedures
		15	Foot and ankle arthroplasty		
		16	Cervical spine fusion		
		17	Cervical spine procedures		
		19	Lumbar and sacral spine fusion		
		20	Lumbar and sacral spine procedures		
		21	Thoracic spine fusion		
		22	Thoracic spine procedures		
		23	Open hand and wrist procedures		
		24	Open shoulder procedures		
		25	Open elbow procedures		
		26	Foot (mid/fore) procedures		
		27	Foot (hind/ankle) and lower leg procedures		
		28	Open knee fracture repair and ligament procedures		
		29	Other knee and soft tissue procedures		
		30	Open hip fracture repair and other bone procedures		
		31	Hip extra-articular and soft tissue procedures		
		32	Open hip intra-articular procedures		

To calculate the expected complication count for each hospital, each at-risk encounter is first assigned a complication risk rate, which is calculated for each age group (65–74, 75–84, and 85 or older) in each PSG assigned to the specialty. These complication risk rates are calculated by dividing the nationwide sum of all procedures with complications by the nationwide sum of all at-risk procedures within each age category and PSG. Then, all complication risk rates for a given hospital in a given specialty are summed to generate the hospital-level expected complication counts for that specialty. Last, the observed complication count was divided by the expected complication count to generate a hospital-level, specialty-specific OER.

Because OERs have a skewed distribution with a small number of extremely high values, OER values were winsorized at the 99th percentile of the OERs in each specialty before being normalized, weighted, and combined with the other outcome measures in the model. Raw PPC OERs range from 0 to a theoretical maximum of infinity, with lower values indicating better than expected performance, and higher values indicating worse-than-expected performance on the measure. However, for public display, we flip the direction of AM-PPC OER values to match the orientation of other quality measures that we publish, in which higher values indicate better performance. We display categorical values from 1 to 5 on each hospital's scorecard, based on the quintile of the flipped and adjusted OER values. For Best Hospitals: Procedures & Conditions, we use predefined thresholds to define the 5 categories, rather than quintiles. These bands are meant to help users of rankings quickly compare how hospitals perform relative to each other.

Normalization and Weighting

As with structural measures, the outcome measures were normalized before being weighted and combined. The normalization formula can be found in **Section II.B. Structure**. Once normalized, the normalized survival and discharge to home values (and outpatient potentially preventable complications values) were weighted. These weighted scores are used in the calculation of the overall raw score in **Section II.G. Calculation of the Overall Score for the Data-Driven Specialties** and are ultimately normalized to the overall final score of 0 to 100. For all specialties, the sum of the weights is 45%, the overall weight for the outcomes component of the overall score. In Ear, Nose & Throat; Orthopedics; and Urology, survival received a weight of 32%; discharge to home, 8%; and outpatient complications, 5%. In all other data-driven specialties except for Rehabilitation, survival received a weight of 36% and discharge to home a weight of 9%.

Outcomes for Rehabilitation

Death is not an informative outcome measure in rehabilitation care because the focus of care is patient functional improvement, community discharge, and avoidance of future acute care where

possible. This domain of the rankings is defined by outcomes available from IRF Care Compare, including the following:

- Preventing potentially avoidable 30-day hospital readmissions after IRF discharge
- Preventing potentially avoidable hospital readmissions during rehabilitation care
- Successful discharge to home and community

Data from the two readmission measures have been converted from a rate of readmissions to a rate of successful avoidance of readmissions, whereas data from the discharge measure were taken as provided in IRF Care Compare. All three outcome measures are treated as continuous variables to maximize use of the information contained in the variable and to minimize the risk of measurement error resulting from categorization. Each of these measures is worth 10%, for a total of 30% of the final ranking.

D. Process/Expert Opinion

The process/expert opinion component was worth 15% of the overall score in all specialties except for Cardiology, Heart & Vascular Surgery; Neurology & Neurosurgery; Obstetrics & Gynecology; and Pulmonology & Lung Surgery, in which it was worth 12%; and Rehabilitation, in which it was worth 30%.

The process/expert opinion dimension of the Donabedian paradigm reflects care decisions in the hospital setting, such as making choices about admission, diagnostic tests, course of treatment, choice of medication, and length of stay. It is extremely difficult to obtain national measurements of process. We contend that an appropriately qualified physician who identifies a hospital as among the “best” is, in essence, endorsing the process choices made at that hospital, and we regard the nomination of hospitals by board-certified specialists as a reasonable proxy measure.

To collect these nominations, a survey of board-certified physicians across the country is conducted each year. The rankings used nominations from the most recent 3 years of physician surveys (2023, 2024, and 2025). Scores were calculated separately in each year and averaged such that each year’s scores are given equal weighting in the final expert opinion score as shown in *Table 14*.

Table 14. 2023, 2024, and 2025 Expert Opinion Weights, by Survey Year

Sample Source	Expert Opinion Weight
2023 Physician Survey	33.3%
2024 Physician Survey	33.3%
2025 Physician Survey	33.3%

The following sections describe the 2025 survey. The approaches used for the 2023 and 2024 surveys are described in the corresponding methodology reports for those years, available at <https://www.rti.org/impact/best-hospitals-and-best-childrens-hospitals-rankings>.

Expert opinion scores were calculated in the same manner for both data-driven and expert opinion–based specialties. The following description therefore applies to both.

2025 Survey Approach

Sample Selection

The sample for the 2025 physician survey was selected from a database of all practicing U.S. physicians compiled by Doximity. Doximity’s comprehensive Physician Database includes every practicing U.S. physician, identified by National Provider Identifier (NPI) number. Sources include the U.S. Department of Health and Human Services NPI Registry, state medical boards, and specialty boards (e.g., the American Board of Medical Specialties, the American Board of Surgery, and AOA). Doximity’s proprietary database is augmented by more than 750,000 registered and verified physician members who review and update their profiles to provide another set of primary data. U.S. News & World Report holds an equity interest in Doximity.

Table 15 provides the population counts of specialists in the Doximity database.

Data Collection Procedures

The Doximity member survey was sent to 315,362 physicians across the 15 specialties and was conducted from February to March 2025. Physicians received an initial email invitation with a link to the survey. The survey asked physicians to supply the names of up to five hospitals in their specialty that provide the best care to patients with serious conditions, without considering location or expense. Nonresponding physicians received one follow-up email reminder with a link to the survey. In addition, eligible Doximity members (i.e., those who were board certified in a relevant specialty) received alerts upon logging in to Doximity.com or using the Doximity app inviting them to participate.

Table 15. Population Counts, by Best Hospitals Specialty

Specialty	Subspecialties Included (based on board certification)	Doximity Members
Cancer	Hematology, gynecologic oncology, interventional radiology, ^a radiation oncology (ABMS and AOA) Medical oncology, complex general surgical oncology, surgical oncology, musculoskeletal oncology, therapeutic radiology (ABMS) Oncology, radiation therapy (AOA)	26,185
Cardiology, Heart & Vascular Surgery	Clinical cardiac electrophysiology, thoracic, cardiac, or cardiothoracic surgery ^b ; interventional cardiology; vascular surgery; advanced heart failure and transplant; interventional radiology ^a (ABMS and AOA) Cardiovascular diseases, adult congenital heart disease (ABMS) Vascular and interventional radiology ^a (AOA)	38,054
Diabetes & Endocrinology	Endocrinology, diabetes, metabolism (ABMS and AOA)	7,985
Ear, Nose & Throat	Otolaryngology, plastic surgery (facial, head, neck) (ABMS and AOA)	11,259
Gastroenterology & GI Surgery ^c	Gastroenterology (ABMS and AOA) Colon and rectal surgery, transplant hepatology (ABMS)	28,922
Geriatrics	Geriatric medicine (ABMS and AOA)	10,295
Neurology & Neurosurgery	Neurology, neurological surgery, neuroradiology, interventional radiology ^a (ABMS and AOA)	27,225
Obstetrics & Gynecology	Obstetrics and gynecology (ABMS and AOA)	40,325
Ophthalmology	Ophthalmology (ABMS and AOA)	17,924
Orthopedics	Orthopedic surgery, sports medicine, ^d interventional radiology ^a (ABMS and AOA) Hand surgery (AOA)	27,147
Psychiatry	Psychiatry (ABMS and AOA) Geriatric psychiatry (AOA)	33,759
Pulmonology & Lung Surgery	Pulmonary diseases, thoracic surgery ^e (ABMS and AOA)	17,729
Rehabilitation	Physical medicine and rehabilitation, sports medicine ^d (ABMS and AOA)	10,686
Rheumatology	Rheumatology (ABMS and AOA)	6,298
Urology	Interventional radiology ^a (ABMS and AOA) Urology (ABMS) Urological surgery (AOA)	11,569

^a Interventional radiologists identified by the Society of Interventional Radiology as having >50% of clinical volume in this specialty area.

^b Except thoracic surgeons identified by U.S. News as subspecializing in surgical care of thoracic cancer.

^c General surgeons certified by the American Board of Surgery (ABMS) or Board of Surgery (AOA) identified by U.S. News as subspecializing in surgical care of gastrointestinal cancer were also eligible.

^d Physicians board certified as sports medicine from the American Board of Physical Medicine and Rehabilitation (ABMS or AOA) were eligible in Rehabilitation. All other sports medicine physicians were eligible in Orthopedics.

^e Thoracic surgeons identified by U.S. News as subspecializing in surgical care of thoracic cancer.

Response Rates

Of the 315,362 Doximity members identified as eligible in 1 of the 15 specialties in 2025, 26,555 completed the web survey. The final response rate was 8.4% using American Association for Public Opinion Research (AAPOR) Standard Response Rate 5. **Table 16** shows response rates by region and specialty.

The overall response rate for the 2023, 2024, and 2025 surveys was 9.5% using AAPOR Standard Response Rate 5.*

Table 16. Member Survey Response Rates, by Region and Specialty: 2025

Specialty	Midwest (%)	Northeast (%)	South (%)	West (%)	Total (%)
Cancer	11.8	15.5	8.5	10.3	11.3
Cardiology, Heart & Vascular Surgery	10.1	13.9	7.8	6.4	9.5
Diabetes & Endocrinology	11.3	15.0	5.7	7.6	9.7
Ear, Nose & Throat	14.5	17.4	10.1	10.6	12.5
Gastroenterology & GI Surgery	7.3	11.5	4.6	5.2	6.8
Geriatrics	4.6	10.1	3.1	6.3	6.0
Neurology & Neurosurgery	12.7	18.7	8.5	9.8	12.0
Obstetrics & Gynecology	4.1	9.5	3.2	3.3	4.7
Ophthalmology	12.3	10.5	7.0	10.6	9.6
Orthopedics	5.6	15.2	5.2	4.8	7.1
Psychiatry	3.5	9.5	2.8	2.2	4.7
Pulmonology & Lung Surgery	9.9	14.6	5.9	7.1	9.0
Rehabilitation	16.4	18.8	11.8	8.9	13.8
Rheumatology	8.4	15.4	5.4	6.8	8.8
Urology	11.7	16.3	6.8	8.2	10.1
Overall response rate	8.8	13.4	6.1	6.5	8.4

Note: Response rates are rounded.

* AAPOR Standard Response Rate 5 was used to calculate response rates. Definitions are available online at <https://aapor.org/wp-content/uploads/2023/05/Standards-Definitions-10th-edition.pdf>.

Survey Response Weighting

The weighting approach for the 2025 survey is described as follows. The approaches used for previous surveys are provided in the corresponding methodology reports for those years, which are available at <https://www.rti.org/impact/best-hospitals-and-best-childrens-hospitals-rankings>.

For the 2025 Doximity member survey, we used poststratification weights for age by gender (55 or older male, younger than 55 male, and female*) and census region. Weights were constructed and applied to each physician's survey response to make nominations representative of all Doximity members nationally. Because all eligible Doximity members were surveyed, weights were used to adjust for differences in nonresponse only by region and demographics. Additionally, scores were adjusted based on a physician's current affiliation. Data from multiple sources were used to determine whether a physician is currently affiliated with each hospital they nominated. Then, certain adjustments were performed that resulted in nominations from unaffiliated physicians being weighted higher than those from physicians who have a current relationship with the hospital they nominated. The effect of these adjustments is to give higher weight to the opinions of unaffiliated physicians than to those of affiliated physicians, particularly in cases where a hospital received a relatively large proportion of its nominations from affiliated physicians. To ensure the integrity of the physician survey and weighting procedures for the expert opinion score, no additional methodological detail about this new adjustment will be made public.

Transformation

The rankings display weighted 3-year expert opinion values. Before incorporating the values into the scoring for the 12 data-driven specialties, however, the values were first capped at 25% (i.e., values exceeding 25% were set to 25%), then log transformation was implemented to adjust for the skewed distribution. These transformations were not applied in the three expert opinion–based specialties.

By its nature, a survey that solicits recommendations for “bests” will generate data that do not follow a normal distribution. Relatively few hospitals will receive even one “best” recommendation. Of those that do, even fewer will receive a significant number. The distribution of responses will inevitably be highly skewed. Because outcome and structural data are not similarly skewed, expert opinion would have a disproportionate impact if the extreme skewness was not addressed.

* Age categories were collapsed for females because there were too few female physicians older than 55 in the sample.


Log transformation in the data-driven rankings reshapes the distribution to match expert opinion data more closely to those of the other components. Transformation is applied to the weighted expert opinion data using the formula $\log(R_X + 10) - 1$, where R_X is the weighted expert opinion score for hospital X . Adding a constant of 10 moderates the effect of the transformation.

The transformed data are then normalized. **Figure 3** demonstrates the impact of the transformation. Transformed expert opinion scores are higher than untransformed scores, but the impact is greater on low scores than on high scores, as illustrated by these examples:

- An untransformed score of 1% has a transformed value of 1.9.
- An untransformed score of 12.5% has a transformed value of 16.2.
- An untransformed score of 20% has a transformed value of 21.9.

Skewness is reduced, and the overall effect of the expert opinion score on hospitals' final standing in the rankings is diminished.

Figure 3. Expert Opinion Data Before and After Transformation



Normalization and Weighting

As with structural and outcome measures, expert opinion data were normalized before being combined with other metrics. In Diabetes & Endocrinology, expert opinion scores were normalized into a distribution from 0 to 1, with the lowest observed score being normalized to 0 and the highest observed score being normalized to 1. In other specialties, normalization transformed index values into a distribution between 0 and 1 based on a measure's range of *possible* (as opposed to observed) values between 0% and the previously mentioned cap at 25%. A hospital's normalized expert opinion score, after log transformation, was given a component weight of 12 in Cardiology, Heart & Vascular Surgery; Neurology & Neurosurgery; Obstetrics & Gynecology; and Pulmonology & Lung Surgery, 30 in Rehabilitation, and 15 in all other data-driven specialties. This weighted score is used in the calculation of the overall raw score in ***Section II.G. Calculation of the Overall Score for the Data-Driven Specialties*** and is ultimately normalized to the overall final score of 0 to 100.

Patient Safety (Rehabilitation)

A patient safety measure is drawn from IRF Care Compare and focuses on flu vaccination rates of healthcare personnel, an important risk factor for patient safety within a healthcare setting. Hospitals with vaccination rates of 90% or greater received full credit for this measure. Below 90%, vaccination rate was scored as a continuous variable to maximize use of the information contained in the data and to minimize the risk of measurement error due to categorization. This measure is worth 2% of the final ranking.

E. Patient Experience Score

The rankings include a patient experience score based on data from the HCAHPS Survey.* For this measure, a hospital's linear mean overall score from HCAHPS (variable name H_HSP_RATING_LINEAR_SCORE) was used to calculate the patient experience score. The data file from HCAHPS used for the rankings is from April 1, 2023 (measure start date), through March 31, 2024 (measure end date). For the 11 Cancer specialty hospitals exempt from the CMS IRF PPS, analogous data from the PPS-exempt Cancer Hospital (PCH) HCAHPS dataset were used, if available. If a hospital had information from both sources, we used the PPS-exempt data for the Cancer specialty only. Otherwise, we used the information provided in either the standard or PCH HCAHPS for all specialties. HCAHPS scores in both datasets could range from 0 to 100.

In Orthopedics, an adjustment was applied to account for the fact that HCAHPS scores tend to be higher at specialty hospitals than at general acute care hospitals. Based on our own

* <https://www.medicare.gov/hospitalcompare/Data/Overview.html>

research and feedback from the medical community, we believe this is the result of different characteristics in the patient population and not wholly the result of different outcomes. The group mean adjustment we are introducing brings the mean HCAHPS scores at specialty hospitals closer to those at general hospitals to ensure that scores are comparable across hospital service categories. Our adjustment formula is as follows:

$$y_q = \max\left(0, x_q - \left(\frac{1-x_q}{1-\bar{x}_q}\right) * (\bar{x}_q - \bar{x}_p)\right),$$

where y_q and x_q refer to a specialty hospital's adjusted and unadjusted HCAHPS scores, respectively; $\bar{x}_q$ is the mean score at all specialty hospitals; and $\bar{x}_p$ is the mean score at all general hospitals. As a result of this adjustment, a specialty hospital with a perfect unadjusted score will receive a perfect adjusted score, whereas a specialty hospital with an unadjusted score equal to the mean score among specialty hospitals will receive an adjusted score equal to the mean score among general hospitals.

For hospitals with multiple Medicare Provider Numbers (MPNs) in the standard HCAHPS data, we average their HCAHPS scores for inclusion in the rankings. If a hospital is missing entirely from the HCAHPS data, we rank the hospital in each specialty without regard to HCAHPS. This is done by first calculating the overall score in each specialty for all eligible hospitals minus the HCAHPS measure. Then, the overall score is computed for all hospitals with HCAHPS values (and including the HCAHPS measure). Finally, the overall score for hospitals missing HCAHPS is derived based on their overall score value from the first calculation (the score without HCAHPS). This ensures that their overall score in the version including HCAHPS aligns with their score in the version not including HCAHPS.

Note that although we use a weighted version of the HCAHPS scores in the overall rankings for each of the 12 data-driven specialties (see ***Section II.G. Calculation of the Overall Score for the Data-Driven Specialties***), hospital profiles on <http://www.usnews.com/> show the CMS star ratings as a score ranging from 1 to 5. The star ratings are easier for consumers to make comparisons between hospitals and are more easily understood than the HCAHPS score. Note that in cases where multiple scores are available and have been averaged, we display the star value associated with the hospital's main MPN.

Note that patient experience data for rehabilitation facilities are not widely available, and the HCAHPS score is currently not incorporated into the Rehabilitation rankings. We hope to be able to use a rehabilitation-specific CAHPS score or patient-reported outcomes in the future.

Normalization and Weighting

The patient experience scores are normalized before being combined with other metrics for the final ranking. The normalization formula is based on the theoretical minimum and maximum values of 0 and 100. This effectively results in the observed score being converted into a decimal between 0 and 1. A hospital's normalized patient experience score is then given a weight of 5 in all other data-driven specialties. This weighted score is used in the calculation of the overall raw score in *Section II.G. Calculation of the Overall Score for the Data-Driven Specialties* and is ultimately normalized to the overall final score of 0 to 100.

F. Public Transparency

Specialty-specific indicators of public transparency have been added to the rankings over time, as various clinical registries (or U.S. News itself) have commenced voluntary public reporting of relevant specialty-specific performance measures. Public transparency indicators are now part of the rankings in Cardiology, Heart & Vascular Surgery (added in 2016); Neurology & Neurosurgery (2020); Obstetrics & Gynecology (2022); and Pulmonology & Lung Surgery (2023).

For many years, clinicians in various medical specialties have collaborated with their counterparts at other hospitals to create clinical registries to foster quality improvement. More recently, public transparency has been identified as an important additional application for registry-based quality measurement. STS initiated voluntary public reporting for Adult Cardiac Surgery Database (ACSD)-participating hospitals in 2010. In 2015, ACC began a similar program for 2 of the 10 registries that comprise the National Cardiovascular Data Registry (NCDR), the CathPCI Registry, and the ICD Registry; it has since added public reporting from its Chest Pain - MI Registry. In 2019, the American Heart Association GWTG* quality improvement programs started voluntary public reporting.

Transparency via clinical registries and other public transparency programs can facilitate informed decision making by patients, which in turn may boost patients' engagement in their healthcare. Transparency also creates opportunities for researchers to externally validate or critically evaluate the results of hospital rankings such as Best Hospitals. Moreover, it demonstrates a public commitment on the part of the participating hospitals to the process of pursuing quality improvement.

* <https://www.heart.org/en/professional/quality-improvement/get-with-the-guidelines/get-with-the-guidelines-stroke/get-with-the-guidelines-stroke-overview>

Cardiology, Heart & Vascular Surgery

This measure rewards hospitals for voluntarily reporting cardiac-care performance data to the public through at least one of three important clinical registries: NCDR, maintained by ACC; ACSD, maintained by STS; and GWTG, maintained by the American Heart Association.

Hospitals received a score of 0 to 3 for participating in public reporting with ACC or GWTG and STS regardless of the specific ratings or performance scores each registry reported. For 2025–2026, a hospital got full credit for publicly reporting (a score of 3) if it reported data in the ACC or GWTG registries and reported data in the STS registry. A hospital that reported data in STS but did not report in ACC or GWTG received 2 points; hospitals that reported in ACC or GWTG but not STS also received 2 points. Hospitals received zero points if they did not publicly report in any of these three registries. Only publicly reporting in these three registries earned hospitals a score on the measure. Hospitals that submitted data to these registries but did not allow the information to be made public did not receive credit. No normalization or weighting was done to this measure. The final public transparency score is used in the calculation of the overall raw score in *Section II.G. Calculation of the Overall Score for the Data-Driven Specialties*.

Details of Participation Requirements (ACC)

To receive credit for ACC public reporting, hospitals must have participated in either the ICD Registry, the CathPCI Registry, or the Chest Pain - MI Registry and voluntarily agreed to allow data from these registries to be posted on the ACC registry website, www.CardioSmart.org/find-your-heart-a-home. To receive credit, the hospital had to have a public reporting status of “Participating with ACC” for at least one of those registries as of December 27, 2024.

Details of Participation Requirements (STS)

To receive credit for STS public reporting, STS ACSD participants had to have their data publicly reported on the STS Public Reporting website (<https://publicreporting.sts.org/search/acsd>) as of July 26, 2024. STS Public Reporting currently includes outcomes for the following surgeries:

- Coronary artery bypass graft (isolated CABG)
- Aortic valve replacement (isolated AVR)
- AVR plus CABG surgeries (AVR+CABG)

Details of Participation Requirements (American Heart Association)

To receive credit for American Heart Association public reporting, hospitals must have participated and agreed to publicly report their data in at least one of the following GWTG registries:

- GWTG-AFib
- GWTG-Coronary Artery Disease
- GWTG-Heart Failure
- GWTG-Resuscitation

A hospital's data must have been displayed on the GWTG public reporting website (<https://qualitynearme.heart.org/GWTGPublicReporting>) as of April 30, 2024, to be awarded credit for these registries.

Obstetrics & Gynecology

The transparency measure rewards hospitals for voluntarily reporting maternity care volume, outcomes, and structural program data on the annual U.S. News Maternity Services Survey. Hospitals received a score worth 3% of their total ranking for this metric if they completed the U.S. News Maternity Services Survey during the prior calendar year. No normalization or weighting was done to this measure.

Neurology & Neurosurgery

The transparency measure rewards hospitals for voluntarily reporting stroke care to the public through the GWTG-Stroke quality improvement program from the American Heart Association. To receive credit, hospitals had to submit an opt-in form to the GWTG-Stroke registry by April 30, 2024. Hospitals received a score of 3 points for participating in public reporting, whereas hospitals that did not choose to be transparent through GWTG-Stroke received no credit. No normalization or weighting was done to this measure.

Pulmonology & Lung Surgery

The transparency measure rewards hospitals for voluntarily reporting resection for primary lung cancer data via the STS GTSD quality improvement program. To receive credit, hospitals had to submit an opt-in form to the registry by November 19, 2024. Hospitals received a score of 3

points for participating in public reporting, whereas hospitals that did not choose to be transparent through STS GTSD received no credit. No normalization or weighting was done to this measure.

The final public transparency score is used in the calculation of the overall raw score in *Section II.G. Calculation of the Overall Score for the Data-Driven Specialties*.

G. Calculation of the Overall Score for the Data-Driven Specialties

Most Specialties

For all specialties except Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; Pulmonology & Lung Surgery; and Rehabilitation, the U.S. News ranking score reflects the following weights for each of the major components:

- Structure = 35%
- Process/expert opinion = 15%
- Outcomes = 45%
- Patient experience = 5%

Individual measure weights can be found in the component-specific sections earlier.

Rankings by U.S. News score for the top 50 hospitals in each specialty are shown in *Appendix D*. Hospitals were recognized as High Performing in a specialty, for the Best Regional Hospitals lists, if they were not ranked in the top 50 but received a score in the top 10% of all hospitals receiving a score in that specialty.

Equation (2) shows the formula for calculating the raw overall score for each specialty. A hospital's raw score in a specialty can be thought of as a simple sum of the four weighted ranking components, shown as follows:

$$Raw\ score = \{(\sum_{i=1}^{n_s} S_i) + P + (\sum_{i=1}^{n_o} O_i) + PE\}, \quad (2)$$

where

- S_i = normalized and weighted value for structural measure i ,
- P = normalized and weighted value for process/expert opinion score,
- O_i = normalized and weighted value for outcome measure i , and

PE = normalized and weighted hospital-wide patient experience score.

This formula is illustrative only. It *cannot* be used to calculate the U.S. News score for an individual hospital or replicate a published score.

For presentation purposes, raw scores were transformed to a scale that assigns a U.S. News score of 100 to the top hospital. The formula for the transformation is shown in Equation (3):

$$U.S. News Score = (raw score - minimum) / range. \quad (3)$$

Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; and Pulmonology & Lung Surgery

For Cardiology, Heart & Vascular Surgery; Obstetrics & Gynecology; Neurology & Neurosurgery; and Pulmonology & Lung Surgery, the U.S. News score included a fifth component—public transparency—which accounts for 3% of the overall score. To accommodate this component, process/expert opinion weight was reduced to 12%. The U.S. News score for these four specialties reflects the following weights for each major component:

- Structure = 35%
- Process/expert opinion = 12%
- Outcomes = 45%
- Patient experience = 5%
- Public transparency = 3%

The formula for calculating the raw score for these four specialties is shown in Equation (4), shown as follows:

$$Raw\ score = \{(\sum_{i=1}^{n_s} S_i) + P + (\sum_{i=1}^{n_o} O_i) + PE + PT\}, \quad (4)$$

where

S_i = normalized and weighted value for structural measure i ,

P = normalized and weighted value for process/expert opinion score,

O_i = normalized and weighted value for outcome measure i ,

PE = normalized and weighted hospital-wide patient experience score, and

PT = public transparency score.

As with the other specialties, raw scores were transformed to a scale that assigned a score of 100 to the top hospital.

Rehabilitation

For inpatient rehabilitation, the U.S. News score represents a mix of structure, process (including patient safety), and outcomes but does not include patient experience or public transparency at this point in time. Because the Rehabilitation specialty was defined solely by expert opinion prior to the 2022–2023 ranking, a higher weight for this component has been used to maintain the continuity with past rankings. For the 2025–2026 rankings, the expert opinion measure is worth 30% of the total ranking. The other measures have been adjusted to reflect the availability and quality of the measures currently available.

The U.S. News score for Rehabilitation ranking reflects the following weights for each major component:

- Structure = 38%
- Process (including expert opinion and patient safety) = 32%
- Outcomes = 30%

The formula for calculating the raw score for Rehabilitation is shown in Equation (5), shown as follows:

$$Raw\ score = \{(\sum_{i=1}^{n_s} S_i) + P + (\sum_{i=1}^{n_o} O_i)\}, \quad (5)$$

where

- S_i = normalized and weighted value for Rehabilitation structural measure i ,
- P = normalized and weighted value for Rehabilitation process/expert opinion score, and
- O_i = normalized and weighted value for Rehabilitation outcome measure i .

As with the other specialties, raw scores were transformed to a scale that assigned a score of 100 to the top hospital.

Adjustments for Missing IRF Care Compare Data

Some hospitals meet the eligibility requirements but do not have IRF Care Compare data, such as certain long-term acute care hospitals and IRFs located in Maryland, which are exempt from CMS’s standard IRF reporting requirements. These hospitals are ranked without regard to the

missing IRF Care Compare data. This is done by calculating the overall Rehabilitation U.S. News score in two ways. First, an overall score was calculated for all eligible hospitals (including those missing the IRF Care Compare measures) using a measure weight of zero for all IRF Care Compare measures and the measure weights described earlier for all other measures. Then, the overall score was computed again for all hospitals that have IRF Care Compare data, this time using the measure weights described earlier for all measures, including those derived from IRF Care Compare. For hospitals without IRF Care Compare data, the rank from the first calculation was used. The rank from the second calculation was used for all other hospitals. The U.S. News score for hospitals missing IRF Care Compare data represents the value equivalent to that rank from among hospitals that are not missing IRF Care Compare data. This ensures that eligible hospitals missing key data points are ranked relative to other rehabilitation hospitals only on the basis of the data available for all rehabilitation hospitals.

III. Expert Opinion–Based Specialties

Available data for the three expert opinion–based specialties are significantly limited. Life-threatening conditions and procedures are more uncommon in Ophthalmology and Psychiatry, rendering mortality irrelevant as a primary outcome. Inpatient volume in Rheumatology is also extremely low, making calculation of mortality unreliable. Reliable structural measures also are unavailable in these three specialties in most cases. Therefore, expert opinion alone determines the ranking in these specialties. This section describes the eligibility and procedures used to develop the rankings for these three specialties.

A. Eligibility

In specialties driven solely by expert opinion, hospitals have never had to meet the same eligibility standards as in the data-driven specialties. Ranked hospitals are those with an expert opinion score of at least 5% across the last 3 years. Hospitals with a score of at least 3% and less than 5% are recognized as High Performing in the Best Regional Hospitals lists. Hospitals with a score of at least 1% are considered eligible and are listed in the specialty directory on the U.S. News website.

B. Process/Expert Opinion

The data-driven specialties and expert opinion–based specialties share the same process/expert opinion component (see *Section II.D. Process/Expert Opinion* for more information).

C. Calculation of the Rankings

As described earlier, scores for the expert opinion–based specialties of Ophthalmology, Psychiatry, and Rheumatology must be calculated differently from scores for the data-driven specialties because of the unavailability of structural and outcome measures. Thus, we rank hospitals in these specialties solely by expert opinion (see *Appendix E*).

IV. Number of Ranked Hospitals

This year, 152 hospitals were ranked in at least one data-driven or expert opinion–based Best Hospitals specialty. Another 19 specialty hospitals that closely coordinate care with a partner hospital shared one or two specialty-specific rankings with that partner.

V. Honor Roll and Best Regional Hospitals

Since 1990, the Honor Roll has recognized excellence across a broad range of inpatient services. Since 2016, the Honor Roll methodology has factored in both the Best Hospitals specialty rankings and the Procedures & Conditions ratings (described in a separate methodology report issued by U.S. News). The Honor Roll, which appears in *Appendix F*, was determined as follows:

1. In Rehabilitation, the No. 1–ranked hospital received 10 Honor Roll points, and lower ranked hospitals progressively received 1 less point down to 1 point for all hospitals ranked 10–50. Hospitals that do not offer inpatient rehabilitation on site received points earned by a nearby affiliated hospital belonging to the same health system, if that affiliated hospital was ranked in Rehabilitation and earned fewer total points toward the Honor Roll from all other specialties combined.
2. In each of the other 11 data-driven specialty rankings, the No. 1–ranked hospital received 25 Honor Roll points, and lower ranked hospitals progressively received 1 less point down to 6 points for No. 20. All hospitals ranked 21–50 received 5 points. A hospital ranked No. 1 in all other 11 data-driven specialties would have received $25 \times 11 = 275$ points.
3. In each of the three expert opinion–based specialties, the No. 1–ranked hospital received 10 Honor Roll points, the No. 2 hospital received 9 points, and lower ranked hospitals progressively received 1 less point. Hospitals that did not receive an ordinal ranking received no Honor Roll points. A hospital ranked No. 1 in all three expert opinion–based specialties would have received 30 points.

In 20 of the 22 procedures and conditions for which U.S. News published ratings,* hospitals received 12 points for each rating of High Performing. Only 6 points were awarded for each High Performing rating in two procedures related to structural heart disease (aortic valve surgery and transcatheter aortic valve replacement). If a hospital were rated High Performing in all 22 procedures and conditions, it would receive 252 points.

The Honor Roll recognizes the 20 hospitals that earned the most points out of the possible total of 567 across the 15 specialties and 22 procedures and conditions. In 2025–2026, hospitals that earned 311 points or more are recognized.

Because it is often not advisable to travel long distances to receive hospital-based care, U.S. News ranks hospitals regionally in both states and major metropolitan areas. Within a state or metropolitan area, regional hospital rank is determined by a hospital's performance in the Best Hospitals specialty rankings and by its Procedures & Conditions ratings. Details of the scoring methodology for the Best Regional Hospitals listings by state and metropolitan areas are available at <http://health.usnews.com/health-care/best-hospitals/articles/faq-how-and-why-we-rank-and-rate-hospitals>.

VI. Changes to the Methodology for 2025–2026

Methodological evolution is necessary because healthcare itself is constantly evolving.

A brief description of changes made in past years can be found in *Appendix C*. For complete information on changes made in previous years, we recommend reviewing the project methodology reports for those years, which are available online at <https://www.rti.org/impact/best-hospitals-and-best-childrens-hospitals-rankings>. A review of the changes to the methodology for this year of the Best Hospitals rankings is provided as follows:

- **Reduce the weight of Nurse Staffing relative to other structural measures.** In all specialties that utilize the nurse staffing metric, the weight of the measure has been reduced. Since the overall weight of the structural measures is being maintained, this will result in a slight increase to the weights of all other structural measures being evaluated in these other specialties. For a detailed breakdown of the weights for all structural elements, please see Table 9.
- **Lower cap on Nurse Staffing, resulting in higher normalized scores for most hospitals.** Hospitals that reported 2.4 or more FTE registered nurses on staff per 1,000 adjusted patient-days received the maximum normalized score (i.e., full credit)

*Chronic obstructive pulmonary disease; congestive heart failure; heart attack; stroke; diabetes; kidney failure; pneumonia; hip replacement; knee replacement; back surgery; hip fracture; abdominal aortic aneurysm repair; heart bypass surgery (CABG); aortic valve surgery; transcatheter aortic valve replacement; colon cancer surgery; lung cancer surgery; prostate cancer surgery; gynecological cancer surgery; and leukemia, lymphoma, and myeloma.

on this measure, and hospitals that reported less than the new cap of 2.4 FTE nurses per 1,000 days received higher normalized scores than under the prior methodology. Previously, the cap was approximately 3.0 FTE nurses per 1,000 days. The lower cap makes full credit more attainable for many hospitals and reduces the influence of high outlier values that were reported by a small proportion of hospitals.

- **Refining volume calculations.** Used MedPAR to determine MA volume. For all service lines except for Ear, Nose & Throat and Obstetrics & Gynecology, total volume is the summation of fee-for-service and MA volume by specialty. For two service lines with outpatient volume, total volume is based on fee-for-service inpatient and outpatient data, adjusted using an MA factor derived from fee-for-service and MA comparisons.
- **Refining survival outcome measures.** Updated the weighting method for combining survival scores of traditional Medicare and MA patients. Weights were calculated at the service line rather than at the hospital level.
- **Risk adjustment.** Using criteria from the Elixhauser Comorbidity Software Refined for ICD-10-CM (version v2025.1), risk adjustment of all inpatient outcome measures in all specialties employed a set of 38 comorbidities. Documentation describing v2025.1 of the Elixhauser software is publicly available at https://hcup-us.ahrq.gov/toolssoftware/comorbidityicd10/comorbidity_icd10.jsp
- **Refining inclusion/exclusion criteria in specialties.** Updates to ICD-10 and MS-DRG codes are detailed in *Appendix B*. Most updates reflect CMS's introduction of new DRGs or the reassignment of existing ICD codes and DRGs.
- **Updates to outpatient complication prevention measure.** Implemented version 1.2 of Solventum's Ambulatory Potentially Preventable Complications (PPC) logic, including corresponding updates to PSG and AM-PPC methodologies. Further details are provided at <https://www.solventum.com/en-us/home/health-information-technology/solutions/am-ppc/>.

VII. Future Enhancements

The Best Hospitals methodology is reexamined and refined each year. As always, RTI will closely monitor the potential of new data sources and measures. We describe several methodological enhancements that are being considered:

- **Evaluate additional outcome measures for possible inclusion.** We will continue to evaluate new and alternative outcome measures that may provide unique information on performance of hospitals in caring for patients.

- **Further refine the risk adjustment of the outcome measures.** We will continue to evaluate additional risk-adjustment refinements that may provide more precise adjustment for patient mix factors, including social determinants of health.
- **Add objective data to expert opinion–based specialties.** We are examining opportunities to add structural data and outcome measures to the current expert opinion–based specialties.
- **Evaluate transparency measures for other specialties.** We will continue to evaluate new measures for transparency of outcomes, similar to the ACC, STS, and American Heart Association public transparency measures used in Cardiology, Heart & Vascular Surgery; the American Heart Association public transparency measure used in Neurology & Neurosurgery; and the STS public transparency measure used in Pulmonology & Lung Surgery.
- **Review external data sources.** We will investigate additional and new sources of data that offer quality measures for all hospitals.

VIII. Contact Information

We welcome suggestions and questions. Readers and users are encouraged to contact the Best Hospitals research team at the following email address. This report, and all others from 2005 forward, can be viewed or downloaded from the RTI website at <https://www.rti.org/impact/best-hospitals-and-best-childrens-hospitals-rankings>. Specific questions or comments about this report can be sent to BestHospitals@rti.org.

References

1. Donabedian A. Evaluating the quality of medical care. *Milbank Mem Fund Q*. 1966;44:166–203.
2. Donabedian A. Promoting quality through evaluating the process of patient care. *Med Care*. 1968;6:181.
3. Donabedian A. The quality of care: How can it be assessed? *JAMA*. 1988;260:1743–1748.
4. Donabedian A. The seven pillars of quality. *Arch Pathol Lab Med*. 1990;114:1115–1118.
5. Donabedian A. The role of outcomes in quality assessment and assurance. *QRB Qual Rev Bull*. 1992;18(11):356–360.
6. Hibbard JH, Stockard J, Tusler M. Does publicizing hospital performance stimulate quality improvement efforts? *Health Aff*. 2003;22:84–94.
7. Hibbard JH, Stockard J, Tusler M. Hospital performance reports: impact on quality, market share, and reputation. *Health Aff*. 2005;24:1150–1160.
8. Fung CH, Lim YW, Mattke S, et al. Systematic review: the evidence that publishing patient care performance data improves quality of care. *Ann Intern Med*. 2008;148:111–123.
9. Hollenbeck CS, Gorton CP, Tabak YP, et al. Reductions in mortality associated with intensive public reporting of hospital outcomes. *Am J Med Qual*. 2008;23:279–286.
10. Guru V, Fries SE, Naylor CD, et al. Public versus private institutional performance reporting: what is mandatory for quality improvement? *Am Heart J*. 2006;152:573–578.
11. Lindenauer PK, Remus D, Roman S, et al. Public reporting and pay for performance in hospital quality improvement. *N Engl J Med*. 2007;356:486–496.
12. Hill CA, Winfrey KL, Rudolph BA. ‘Best Hospitals’: A description of the methodology for the index of hospital quality. *Inquiry*. 1997;34:80–90.
13. American Hospital Association (AHA). *Annual Survey of Hospitals Database Documentation Manual*. Chicago, IL: American Hospital Association; 2005.
14. Pronovost PJ, Holzmueller CG, Clattenburg L, et al. Team care: beyond open and closed intensive care units. *Curr Opin Crit Care*. 2006;12(6):604–608.
15. Sapirstein A, Needham DM, Pronovost PJ. 24-hour intensivist staffing: balancing benefits and costs. *Crit Care Med*. 2008;36(1):367–368.

16. Cancer Centers Branch of the National Cancer Institute. *Policies and guidelines relating to the cancer-center support grant*. Washington, DC: National Cancer Institute; 2000.
17. National Association of Epilepsy Centers. Guidelines for essential services, personnel, and facilities in specialized epilepsy centers in the United States. *Epilepsia*. 2001;42(6).
18. Bowen OR, Roper WL. *Medicare hospital mortality information* (HCFA Publication 01-002). Washington, DC: U.S. Government Printing Office; 1987.
19. Blumberg MS. Comments on HCFA hospital death rate statistical outliers. *Health Serv Res*. 1987;21:715–740.
20. Dubois RW, Brook RH, Rogers WH. Adjusted hospital death rates: a potential screen for quality of medical care. *Am J Public Health*. 1987;77:1162–1166.
21. Gillis KD, Hixson JS. Efficacy of statistical outlier analysis for monitoring quality of care. *J Bus Econ Stat*. 1991;9:241–252.
22. Green J, Wintfield N, Sharkey P, Passman LJ. The importance of severity of illness in assessing hospital mortality. *JAMA*. 1990;263:241–246.
23. Green J, Passman LJ, Wintfield N. Analyzing hospital mortality: the consequences of diversity in patient mix. *JAMA*. 1991;265:1849–1853.
24. Greenfield S, Aronow HU, Elashoff RM, Watanabe D. Flaws in mortality data: the hazards of ignoring comorbid disease. *JAMA*. 1988;260:2253–2257.
25. Rosen HM, Green BA. The HCFA excess mortality lists: a methodological critique. *Hosp Health Serv Adm*. 1987;2:119–124.
26. Flood AB, Scott WR. Conceptual and methodological issues in measuring the quality of care in hospitals. In: *Hospital Structure and Performance*. Johns Hopkins University Press; 1987.
27. Iezzoni LI, Ash AS, Coffman GA, Moskowitz MA. Predicting in-hospital mortality: a comparison of severity measurement approaches. *Med Care*. 1992;30:347–359.
28. Kanters AE, Nikolian VC, Kamdar NS, Regenbogen SE, Hendren SK, Suwanabol PA. Academic hospitals discharge fewer patients to postacute care facilities after colorectal resection. *Dis Colon Rectum*. 2019;62(4):483–490.
29. Tian W. *An All-Payer View of Hospital Discharge to Postacute Care, 2013: Statistical Brief #205*. Healthcare Cost and Utilization Project (HCUP) Statistical Briefs. Agency for Healthcare Research and Quality; 2016.

30. Vochteloo AJ, van Vliet-Koppert ST, Maier AB, et al. Risk factors for failure to return to the pre-fracture place of residence after hip fracture: a prospective longitudinal study of 444 patients. *Arch Orthop Trauma Surg.* 2012;132(6):823–830.
31. Konda SR, Saleh H, Lott A, Egol KA. Predicting discharge location among low-energy hip fracture patients using the score for trauma triage in the geriatric and middle-aged (STTGMA). *Adv Orthop.* 2018;9793435.
32. Hayashi H, Iwai M, Matsuoka H, et al. Factors affecting the discharge destination of hip fracture patients who live alone and have been admitted to an inpatient rehabilitation unit. *J Phys Ther Sci.* 2016;28(4):1228–1232.
33. Elixhauser A, Steiner C, Harris DR, Coffey RM. Comorbidity measures for use with administrative data. *Med Care.* 1998;36(1):8–27.
34. Centers for Medicare & Medicaid Services (CMS). *Medicare Provider Analysis and Review (MEDPAR)*. Baltimore, MD: Centers for Medicare & Medicaid Services. Available at <http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Trends-and-Reports/MedicareFeeforSvcPartsAB/MEDPAR.html>. Accessed April 30, 2013.
35. National Center for Health Statistics. *The International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)*. Hyattsville, MD: National Center for Health Statistics; 2018. Available at <https://www.cdc.gov/nchs/icd/icd10cm.htm>. Accessed April 30, 2018.
36. Cromwell J, Adamache WO, Bernard S, et al. *Specialty hospital evaluation*. Final report prepared for the Centers for Medicare & Medicaid Services (CMS Contract No. 500-00-0024, T.O. 12). Waltham, MA: RTI International; 2005.

Appendix A

Structural Variable Map

The following variables, used to construct structural elements of the 2025-2026 data-driven rankings, were taken from the 2023 Annual Survey of Hospitals Database published by the American Hospital Association, unless otherwise specified. Hospitals did not receive more than one point for any one service.

Key Technologies (8 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
FFDMHOS, FFDMSYS or FFDMVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
MSCTHOS MSCTSYS, MSCTVEN, MSCTGHOS, MSCTGSYS or MSCTGVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
ROBOHOS, ROBOSYS or ROBOVEN=1
SPECTHOS, SPECTSYS or SPECTVEN=1
SRADHOS, SRADSYS or SRADVEN=1

Cancer Advanced Technologies (8 points possible)

1 point awarded if...
FFDMHOS, FFDMSYS or FFDMVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
IMRTHOS, IMRTSYS or IMRTVEN=1
ROBOHOS, ROBOSYS or ROBOVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
BEAMHOS, BEAMSYS or BEAMVEN=1
SRADHOS, SRADSYS or SRADVEN=1
OTBONHOS, OTBONSYS or OTBONVEN=1

Cardiology, Heart & Vascular Surgery Advanced Technologies (6 points possible)

1 point awarded if...
MSCTHOS MSCTSYS, MSCTVEN, MSCTGHOS, MSCTGSYS or MSCTGVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
ROBOHOS, ROBOSYS or ROBOVEN=1
SPECTHOS, SPECTSYS, SPECTVEN=1
TISUHOS, TISUSYS or TISUVEN=1
CMS Heart Transplant Center=1

Diabetes & Endocrinology Advanced Technologies (4 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
SRADHOS, SRADSYS or SRADVEN=1

Ear, Nose & Throat Advanced Technologies (1 point possible)

1 point awarded if...
SRADHOS, SRADSYS or SRADVEN=1

Gastroenterology & GI Surgery Advanced Technologies (7 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
ENDOAHOS, ENDOASYS or ENDOAVEN=1
ENDORHOS, ENDORSYS or ENDORVEN=1
ENDOUHOS, ENDOUSYS or ENDOUVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
SRADHOS, SRADSYS or SRADVEN=1
CMS Liver Transplant Center=1

Obstetrics & Gynecology Advanced Technologies (5 points possible)

1 point awarded if...
FFDMHOS, FFDMSYS or FFDMVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
ROBOHOS, ROBOSYS or ROBOVEN=1
SRADHOS, SRADSYS or SRADVEN=1

Neurology & Neurosurgery Advanced Technologies (5 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
SPECTHOS, SPECTSYS or SPECTVEN=1
SRADHOS, SRADSYS or SRADVEN=1

Orthopedics Advanced Technologies (2 points possible)

1 point awarded if...
CAOSHOS, CAOSSYS or CAOSVEN=1
TISUHOS, TISUSYS or TISUVEN=1

Pulmonology & Lung Surgery Advanced Technologies (6 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
MSCTHOS, MSCTSYS, MSCTVEN, MSCTGHOS, MSCTGSYS or MSCTGVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
SRADHOS, SRADSYS or SRADVEN=1
CMS Lung Transplant Center=1

Rehabilitation Advanced Technologies (7 points possible)

1 point awarded if...
RASTHOS, RASTSYS, or RASTVEN=1
REDSHOS, REDSSYS, or REDSVEN=1
RPRSHOS, RPRSSYS, or RPRSVEN=1
RBOTHOS, RBOTSYS, or RBOTVEN=1
RSIMHOS, RSIMSYS, or RSIMVEN=1
CTSCNHOS, CTSCNSYS, or CTSCNVEN=1
PETCTHOS, PETCTSYS, or PETCTVEN=1

Urology Advanced Technologies (6 points possible)

1 point awarded if...
DRADFHOS, DRADFSYS or DRADFVEN=1
IGRTHOS, IGRTSYS or IGRTVEN=1
IMRTHOS, IMRTSYS or IMRTVEN=1
PETCTHOS, PETCTSYS or PETCTVEN=1
ROBOHOS, ROBOSYS or ROBOVEN=1
SRADHOS, SRADSYS or SRADVEN=1

Nurse Staffing

Index equals:

Calculation for hospitals with no onsite skilled nursing: Full-time Equivalent Registered Nurses (FTEN) divided by Adjusted Average Daily Census (ADJADC)*. In cases where FTEN is missing the value is imputed using a sample of hospitals with non-extreme ratios with the following data: FTEN (Full time equivalent registered nurses reported), FTERN (Full time equivalent registered nurses estimated), ADJADC (Adjusted Average Daily Census) BDTOT (total hospital beds set up and staffed).

Calculation for hospitals with onsite skilled nursing: If a hospital has a nursing home type of long-term care unit (SUNITS=1) and reports registered nurse FTEs for this facility (FTERNLT>0), then calculate the ratio by dividing the Registered Nurses FTEs (FTEN) – the Registered Nurses FTEs assigned to the nursing facility (FTERNLT) by the modified Adjusted Average Daily Census (ADJADCH). Note that the ADJADCH is provided by the AHA directly to the project.

Trauma Center

"Yes" if...

TRAUML90=1 or 2 and TRAUMHOS=1

Cancer Patient Services (8 points possible)

1 point awarded if...

GNTCHOS, GNTCSYS or GNTCVEN=1

HOSPCCHOS, HOSPCSYS or HOSPCVEN=1

PAINHOS, PAINSYS or PAINVEN=1

PALHOS, PALSYS or PALVEN=1

PCAHOS, PCASYS or PCAVEN=1

LINGHOS, LINGSYS or LINGVEN=1

AIRBHOS, AIRBSYS or AIRBVEN=1

WMGTHOS, WMGTSYS or WMGTVEN=1

Cardiology, Heart & Vascular Surgery Patient Services (8 points possible)

1 point awarded if...

CHABHOS, CHABSYS or CHABVEN=1

HOSPCCHOS, HOSPCSYS or HOSPCVEN=1

PAINHOS, PAINSYS or PAINVEN=1

PALHOS, PALSYS or PALVEN=1

PCAHOS, PCASYS or PCAVEN=1

LINGHOS, LINGSYS or LINGVEN=1

WMGTHOS, WMGTSYS or WMGTVEN=1

* Based on the AHA documentation, the ADJADC is derived by first multiplying the number of inpatient days by the ratio of outpatient revenue per outpatient visit to inpatient revenue per inpatient day (to get the number of patient days attributable to outpatient services), then adding that to the number of inpatient days.

Diabetes & Endocrinology Patient Services (8 points possible)

1 point awarded if...
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Ear, Nose & Throat Patient Services (8 points possible)

1 point awarded if...
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Gastroenterology & GI Surgery Patient Services (8 points possible)

1 point awarded if...
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Geriatric Care Patient Services (9 points possible)

1 point awarded if...
ALZHOS, ALZSYS or ALZVEN=1
ARTHCHOS, ARTHCSYS or ARTHCVEN=1
HOSPCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
PSYGRHOS, PSYGRSYS or PSYGRVEN=1
LINGHOS, LINGSYS or LINGVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Obstetrics & Gynecology Patient Services (9 points possible)

1 point awarded if...
FRTCHOS, FRTCSYS or FRTCVEN=1
CICHOS, CICSYS or CICVEN=1
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Neurology & Neurosurgery Patient Services (9 points possible)

1 point awarded if...
ALZHOS, ALZSYS or ALZVEN=1
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Orthopedics Patient Services (7 points possible)

1 point awarded if...
ARTHCHOS, ARTHCSYS or ARTHCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Pulmonology & Lung Surgery Patient Services (8 points possible)

1 point awarded if...
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

Rehabilitation Patient Services (16 points possible)

1 point awarded if...
CMNGTHOS, CMNGTSYS, or CMNGTVEN=1
ENBHOS, ENBSYS, or ENBVEN=1
LINGHOS, LINGSYS, or LINGVEN=1
NEROHOS, NEROSYS, or NEROVEN=1
OCCHSHOS, OCCHSSYS, or OCCHSVEN=1
PAINHOS, PAINSYS, or PAINVEN=1
PATRPHOS, PATRPSYS, or PATRPVEN=1
RHBOPHOS, RHBOPSYS, or RHBOPVEN=1
PSYLSHOS, PSYLSSYS, or PSYLSVEN=1
SOCWKHOS, SOCWKSYS, or SOCWKVEN=1
WMGTHOS, WMGTSYS, or WMGTVEN=1
HLTRHOS, HLTRSYS, or HLTRVEN=1
HEMOHOS, HEMOSYS, or HEMOVEN=1
EMSSHOS, EMSSSYS, or EMSSVEN=1
PATEDHOS, PATEDSYS, or PATEDVEN=1
SUPPGHOS, SUPPGSYS, or SUPPGVEN=1

Urology Patient Services (9 points possible)

1 point awarded if...
FRTCHOS, FRTCSYS or FRTCVEN=1
GNTCHOS, GNTCSYS or GNTCVEN=1
HOSPCHOS, HOSPCSYS or HOSPCVEN=1
PAINHOS, PAINSYS or PAINVEN=1
PALHOS, PALSYS or PALVEN=1
PCAHOS, PCASYS or PCAVEN=1
LINGHOS, LINGSYS or LINGVEN=1
AIRBHOS, AIRBSYS or AIRBVEN=1
WMGTHOS, WMGTSYS or WMGTVEN=1

ICU Specialists

1 point awarded if...
if (FTEINT>0 or TPINT>0 or INTCAR>0 or FTEMSI>0 or FTECIC>0 or FTEOIC>0) then intens=1; if FTEINT>0 and FTEINT=sum(of FTENIC FTEPIC) then intens=0;

Appendix B

2025–2026 Diagnosis-Related Group (DRG)

Groupings by Specialty

Cancer

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Allogeneic bone marrow transplant	014	Include all
S	Autologous bone marrow transplant	016	Include all
		017	Include all
S	Chimeric Antigen Receptor (CAR) t-cell immunotherapy	018	Include all
S	Craniotomy with major device implant or acute complex Central Nervous System (CNS) principal diagnosis with MCC or chemotherapy implant or epilepsy with neurostimulator	023	Include procedures: 3E0Q005, 00H004Z
M	Nervous system neoplasms	054	Include all
		055	Include all
M	Ear, nose, mouth & throat malignancy	146	Include all
		147	Include all
		148	Include all
M	Respiratory neoplasms	180	Include all
		181	Include all
		182	Include all
M	Digestive malignancy	374	Include all
		375	Include all
		376	Include all
M	Malignancy of hepatobiliary system or pancreas	435	Include all
		436	Include all
		437	Include all
S	Spinal fusion except cervical with spinal curvature/malignancy/infection or extensive fusions	456	Include diagnoses: C41.2, C79.51, C79.52, C7B.03
		457	See MS-DRG 456
		458	See MS-DRG 456

Cancer (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Pathological fractures & musculoskeletal & connective tissue malignancy		Exclude diagnoses: M30.1, M31.2, M31.30, M31.31, M48.40XA, M48.41XA, M48.42XA, M48.43XA, M48.44XA, M48.45XA, M48.46XA, M48.47XA, M48.48XA, M48.50XA, M48.51XA, M48.52XA, M48.53XA, M48.54XA, M48.55XA, M48.56XA, M48.57XA, M48.58XA, M80.00XA, M80.0B1A, M80.0B2A, M80.0B9A, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A, M80.029A, M80.031A, M80.032A, M80.039A, M80.041A, M80.042A, M80.049A, M80.051A, M80.052A, M80.059A, M80.061A, M80.062A, M80.069A, M80.071A, M80.072A, M80.079A, M80.8B1A, M80.8B2A, M80.8B9A, M80.08XA, M80.0AXA, M80.80XA, M80.811A, M80.812A, M80.819A, M80.821A, M80.822A, M80.829A, M80.831A, M80.832A, M80.839A, M80.841A, M80.842A, M80.849A, M80.851A, M80.852A, M80.859A, M80.861A, M80.862A, M80.869A, M80.871A, M80.872A, M80.879A, M80.88XA, M80.8AXA, M84.30XA, M84.311A, M84.312A, M84.319A, M84.321A, M84.322A, M84.329A, M84.331A, M84.332A, M84.333A, M84.334A, M84.339A, M84.341A, M84.342A, M84.343A, M84.344A, M84.345A, M84.346A, M84.350A, M84.351A, M84.352A, M84.353A, M84.359A, M84.361A, M84.362A, M84.363A, M84.364A, M84.369A, M84.371A, M84.372A, M84.373A, M84.374A, M84.375A, M84.376A, M84.377A, M84.378A, M84.379A, M84.38XA, M84.40XA, M84.411A, M84.412A, M84.419A, M84.421A, M84.422A, M84.429A, M84.431A, M84.432A, M84.433A, M84.434A, M84.439A, M84.441A, M84.442A, M84.443A, M84.444A, M84.445A, M84.446A, M84.451A, M84.452A, M84.453A, M84.454A, M84.459A, M84.461A, M84.462A, M84.463A, M84.464A, M84.469A, M84.471A, M84.472A, M84.473A, M84.474A, M84.475A, M84.476A, M84.477A, M84.478A, M84.479A, M84.48XA, M84.50XA, M84.511A, M84.512A, M84.519A, M84.521A, M84.522A, M84.529A, M84.531A, M84.532A, M84.533A, M84.534A, M84.539A, M84.541A, M84.542A, M84.549A, M84.550A, M84.551A, M84.552A, M84.553A, M84.559A, M84.561A, M84.562A, M84.563A, M84.564A, M84.569A, M84.571A, M84.572A, M84.573A, M84.574A, M84.575A, M84.576A, M84.58XA, M84.60XA, M84.611A, M84.612A, M84.619A, M84.621A, M84.622A, M84.629A, M84.631A, M84.632A, M84.633A, M84.634A, M84.639A, M84.641A, M84.642A, M84.649A, M84.650A, M84.651A, M84.652A, M84.653A, M84.659A, M84.661A, M84.662A, M84.663A, M84.664A, M84.669A, M84.671A, M84.672A, M84.673A, M84.674A, M84.675A, M84.676A, M84.68XA, M84.750A, M84.751A, M84.752A, M84.753A, M84.754A, M84.755A, M84.756A, M84.757A, M84.758A, M84.759A
		542	
		543	See MS-DRG 542
S	Mastectomy for malignancy	544	See MS-DRG 542
		582	Include all
		583	Include all

Cancer (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Major skin disorders	595	Include diagnoses: C43.0, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C4A.0, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C4A.71, C4A.72, C4A.8, C4A.9, D03.0, D03.20, D03.21, D03.22, D03.30, D03.39, D03.4, D03.51, D03.52, D03.59, D03.60, D03.61, D03.62, D03.70, D03.71, D03.72, D03.8, D03.9
		596	See MS-DRG 595
M	Malignant breast disorders	597	Include all
		598	Include all
		599	Include all
S	Kidney & ureter procedures for neoplasm	656	Include all
		657	Include all
		658	Include all
M	Kidney & urinary tract neoplasms	686	Include all
		687	Include all
		688	Include all
S	Other male reproductive system O.R. procedures for malignancy	715	Include all
		716	Include all
M	Malignancy, male reproductive system	722	Include all
		723	Include all
		724	Include all
S	Uterine & adnexa procedures for ovarian or adnexal malignancy	736	Include all
		737	Include all
		738	Include all
S	Uterine & adnexa proc for non-ovarian/adnexal malignancy	739	Include all
		740	Include all
		741	Include all
M	Malignancy, female reproductive system	754	Include all
		755	Include all
		756	Include all
M	Major hematological/immunological diagnoses except sickle cell crisis & coagulation disorders	808	Include diagnoses: T86.00, T86.01, T86.02, T86.03, T86.09
		809	See MS-DRG 808
		810	See MS-DRG 808
S	Lymphoma & leukemia with major O.R. procedures	820	Include all
		821	Include all
		822	Include all
S	Lymphoma & non-acute leukemia with other O.R. procedures	823	Include all
		824	Include all
		825	Include all

Cancer (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Myeloproliferative disorders or poorly differentiated neoplasms with major O.R. procedures	826	Exclude diagnoses: Z85.00, Z85.01, Z85.020, Z85.028, Z85.030, Z85.038, Z85.040, Z85.048, Z85.05, Z85.060, Z85.068, Z85.07, Z85.09, Z85.110, Z85.118, Z85.12, Z85.20, Z85.21, Z85.22, Z85.230, Z85.238, Z85.29, Z85.3, Z85.40, Z85.41, Z85.42, Z85.43, Z85.44, Z85.45, Z85.46, Z85.47, Z85.48, Z85.49, Z85.50, Z85.51, Z85.520, Z85.528, Z85.53, Z85.54, Z85.59, Z85.6, Z85.71, Z85.72, Z85.79, Z85.810, Z85.818, Z85.819, Z85.820, Z85.821, Z85.828, Z85.830, Z85.831, Z85.840, Z85.841, Z85.848, Z85.850, Z85.858, Z85.89, Z85.9, Z87.410
		827	See MS-DRG 826
		828	See MS-DRG 826
S	Myeloproliferative disorders or poorly differentiated neoplasms with other O.R. procedures	829	See MS-DRG 826
		830	See MS-DRG 826
M	Acute leukemia w/o major O.R. procedures	834	Include all
		835	Include all
		836	Include all
M	Chemotherapy with acute leukemia as secondary diagnosis or with high dose chemotherapy agent	837	Include all
		838	Include all
		839	Include all
M	Lymphoma & non-acute leukemia	840	Include all
		841	Include all
		842	Include all
M	Other myeloproliferative disorders or poorly differentiated neoplastic diagnoses	843	See MS-DRG 826
		844	See MS-DRG 826
		845	See MS-DRG 826
M	Chemotherapy w/o acute leukemia as secondary diagnosis	846	Include all
		847	Include all
		848	Include all

Cardiology, Heart & Vascular Surgery

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Heart transplant or implant of heart assist system	001	Include all
		002	Include all
S	Major chest procedures	163	Include procedures: 025N0ZZ, 025N3ZZ, 025N4ZZ, 025P0ZZ, 025P3ZZ, 025P4ZZ, 025Q0ZZ, 025Q3ZZ, 025Q4ZZ, 025R0ZZ, 025R3ZZ, 025R4ZZ, 025S0ZZ, 025S3ZZ, 025S4ZZ, 025T0ZZ, 025T3ZZ, 025T4ZZ, 025V0ZZ, 025V3ZZ, 025V4ZZ, 025W0ZZ, 025W3ZZ, 025W4ZZ, 025X0ZZ, 025X3ZZ, 025X4ZZ, 02BN0ZX, 02BN0ZZ, 02BN3ZX, 02BN3ZZ, 02BN4ZX, 02BN4ZZ, 02BP0ZZ, 02BP3ZZ, 02BP4ZZ, 02BQ0ZZ, 02BQ3ZZ, 02BQ4ZZ, 02BR0ZZ, 02BR3ZZ, 02BR4ZZ, 02BS0ZZ, 02BS3ZZ, 02BS4ZZ, 02BT0ZZ, 02BT3ZZ, 02BT4ZZ, 02BV0ZZ, 02BV3ZZ, 02BV4ZZ, 02BW3ZZ, 02BX3ZZ, 02CN0ZZ, 02CN3ZZ, 02CN4ZZ, 02CP0ZZ, 02CP3ZZ, 02CP4ZZ, 02CQ0ZZ, 02CQ3ZZ, 02CQ4ZZ, 02CR0ZZ, 02CR3ZZ, 02CR4ZZ, 02CS0ZZ, 02CS3ZZ, 02CS4ZZ, 02CT0ZZ, 02CT3ZZ, 02CT4ZZ, 02CV0ZZ, 02CV3ZZ, 02CV4ZZ, 02HN00Z, 02HN02Z, 02HN30Z, 02HN40Z, 02HN42Z, 02NN0ZZ, 02NN3ZZ, 02NN4ZZ, 02QA0ZZ, 02RP07Z, 02RP08Z, 02RP0JZ, 02RP0KZ, 02RP47Z, 02RP48Z, 02RP4JZ, 02RP4KZ, 02RQ07Z, 02RQ08Z, 02RQ0JZ, 02RQ0KZ, 02RQ47Z, 02RQ48Z, 02RQ4JZ, 02RQ4KZ, 02RR07Z, 02RR08Z, 02RR0JZ, 02RR0KZ, 02RR47Z, 02RR48Z, 02RR4JZ, 02RR4KZ, 02RS07Z, 02RS08Z, 02RS0JZ, 02RS0KZ, 02RS47Z, 02RS48Z, 02RS4JZ, 02RS4KZ, 02RT07Z, 02RT08Z, 02RT0JZ, 02RT0KZ, 02RT47Z, 02RT48Z, 02RT4JZ, 02RT4KZ, 02RV07Z, 02RV08Z, 02RV0JZ, 02RV0KZ, 02RV47Z, 02RV48Z, 02RV4JZ, 02RV4KZ, 02RW07Z, 02RW08Z, 02RW0JZ, 02RW0KZ, 02RW47Z, 02RW48Z, 02RW4JZ, 02RW4KZ, 02RX07Z, 02RX08Z, 02RX0JZ, 02RX0KZ, 02RX47Z, 02RX48Z, 02RX4JZ, 02RX4KZ, 02TN0ZZ, 02TN3ZZ, 02TN4ZZ, 03500ZZ, 03503ZZ, 03504ZZ, 03510ZZ, 03513ZZ, 03514ZZ, 03520ZZ, 03523ZZ, 03524ZZ, 03530ZZ, 03533ZZ, 03534ZZ, 03540ZZ, 03543ZZ, 03544ZZ, 03B00ZZ, 03B03ZZ, 03B04ZZ, 03B10ZZ, 03B13ZZ, 03B14ZZ, 03B20ZZ, 03B23ZZ, 03B24ZZ, 03B30ZZ, 03B33ZZ, 03B34ZZ, 03B40ZZ, 03B43ZZ, 03B44ZZ, 03C00ZZ, 03C03ZZ, 03C04ZZ, 03C10ZZ, 03C13ZZ, 03C14ZZ, 03C20ZZ, 03C23ZZ, 03C24ZZ, 03C30ZZ, 03C33ZZ, 03C34ZZ, 03C40ZZ, 03C43ZZ, 03C44ZZ, 03L20CZ, 03L20DZ, 03L20ZZ, 03L23CZ, 03L23DZ, 03L23ZZ, 03L24CZ, 03L24DZ, 03L24ZZ, 03L30CZ, 03L30DZ, 03L30ZZ, 03L33CZ, 03L33DZ, 03L33ZZ, 03L34CZ, 03L34DZ, 03L34ZZ, 03L40CZ, 03L40DZ, 03L40ZZ, 03L43CZ, 03L43DZ, 03L43ZZ, 03L44CZ, 03L44DZ, 03L44ZZ, 03R007Z, 03R00JZ, 03R00KZ, 03R047Z, 03R04JZ, 03R04KZ, 03R107Z, 03R10JZ, 03R10KZ, 03R147Z, 03R14JZ, 03R14KZ, 03R207Z, 03R20JZ, 03R20KZ, 03R247Z, 03R24JZ, 03R24KZ, 03R307Z, 03R30JZ, 03R30KZ, 03R347Z, 03R34JZ, 03R34KZ, 03R407Z, 03R40JZ, 03R40KZ, 03R447Z, 03R44JZ, 03R44KZ, 05500ZZ, 05503ZZ, 05504ZZ, 05510ZZ, 05513ZZ,

Cardiology, Heart & Vascular Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major chest procedures (cont.)	163 (cont.)	05514ZZ, 05530ZZ, 05533ZZ, 05534ZZ, 05540ZZ, 05543ZZ, 05544ZZ, 05550ZZ, 05553ZZ, 05554ZZ, 05560ZZ, 05563ZZ, 05564ZZ, 05B00ZZ, 05B03ZZ, 05B04ZZ, 05B10ZZ, 05B13ZZ, 05B14ZZ, 05B30ZZ, 05B33ZZ, 05B34ZZ, 05B40ZZ, 05B43ZZ, 05B44ZZ, 05B50ZZ, 05B53ZZ, 05B54ZZ, 05B60ZZ, 05B63ZZ, 05B64ZZ, 05C00ZZ, 05C04ZZ, 05C10ZZ, 05C14ZZ, 05C30ZZ, 05C34ZZ, 05C40ZZ, 05C44ZZ, 05C50ZZ, 05C54ZZ, 05C60ZZ, 05C64ZZ, 05L30CZ, 05L30DZ, 05L30ZZ, 05L33CZ, 05L33DZ, 05L33ZZ, 05L34CZ, 05L34DZ, 05L34ZZ, 05L40CZ, 05L40DZ, 05L40ZZ, 05L43CZ, 05L43DZ, 05L43ZZ, 05L44CZ, 05L44DZ, 05L44ZZ, 05L50CZ, 05L50DZ, 05L50ZZ, 05L53CZ, 05L53DZ, 05L53ZZ, 05L54CZ, 05L54DZ, 05L54ZZ, 05L60CZ, 05L60DZ, 05L60ZZ, 05L63CZ, 05L63DZ, 05L63ZZ, 05L64CZ, 05L64DZ, 05L64ZZ, 05R007Z, 05R00JZ, 05R00KZ, 05R047Z, 05R04JZ, 05R04KZ, 05R107Z, 05R10JZ, 05R10KZ, 05R147Z, 05R14JZ, 05R14KZ, 05R307Z, 05R30JZ, 05R30KZ, 05R347Z, 05R34JZ, 05R34KZ, 05R407Z, 05R40JZ, 05R40KZ, 05R447Z, 05R44JZ, 05R44KZ, 05R507Z, 05R50JZ, 05R50KZ, 05R547Z, 05R54JZ, 05R54KZ, 05R607Z, 05R60JZ, 05R60KZ, 05R647Z, 05R64JZ, 05R64KZ, 0W9D00Z, 0W9D00ZX, 0W9D0ZZ, 0WCD0ZZ, 0WCD3ZZ, 0WCD4ZZ, 0WHD03Z, 0WHD0YZ, 0WHD33Z, 0WHD3YZ, 0WHD43Z, 0WHD4YZ, 0WPD00Z, 0WPD01Z, 0WPD03Z, 0WPD0YZ, 0WPD30Z, 0WPD31Z, 0WPD33Z, 0WPD3YZ, 0WPD40Z, 0WPD41Z, 0WPD43Z, 0WPD4YZ, 0WWD00Z, 0WWD01Z, 0WWD03Z, 0WWD0YZ, 0WWD30Z, 0WWD31Z, 0WWD33Z, 0WWD3YZ, 0WWD40Z, 0WWD41Z, 0WWD43Z, 0WWD4YZ, X2CY3T7, X2RX0N7
		164	See MS-DRG: 163
		165	See MS-DRG: 163
S	Concomitant aortic and mitral value procedures	212	Include all
S	Other heart assist system implant	215	Include all
S	Cardiac valve & other major cardiothoracic procedures with cardiac catheterization	216	Include all
		217	Include all
		218	Include all
S	Cardiac valve & other major cardiothoracic procedures w/o cardiac catheterization	219	Include all
		220	Include all
		221	Include all
S	Cardiac defibrillator implant with cardiac catheterization with AMI/HF/shock	222	Include all
		223	Include all
S	Cardiac defibrillator implant with cardiac catheterization w/o AMI/HF/shock	224	Include all
		225	Include all
S	Cardiac defibrillator implant w/o cardiac catheterization	226	Include all
		227	Include all
S	Other cardiothoracic procedures	228	Include all
		229	Include all
S	Coronary bypass with PTCA	231	Include all
		232	Include all
S	Coronary bypass with cardiac catheterization	233	Include all
		234	Include all
S	Coronary bypass w/o cardiac catheterization	235	Include all
		236	Include all

Cardiology, Heart & Vascular Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Permanent cardiac pacemaker implant	242	Include all
		243	Include all
		244	Include all
S	AICD generator procedures	245	Include all
S	Percutaneous cardiovascular procedures with drug-eluting stent	246	Include all
		247	Include all
S	Percutaneous cardiovascular procedures with non-drug-eluting stent	248	Include all
		249	Include all
S	Percutaneous cardiovascular procedures w/o coronary artery stent	250	Include all
		251	Include all
S	Other vascular procedures	252	Include all
		253	Include all
		254	Include all
S	Cardiac pacemaker revision except device replacement	260	Include all
		261	Include all
		262	Include all
S	AICD lead procedures	265	Include all
S	Endovascular cardiac valve replacement and supplement procedures	266	Include all
		267	Include all
S	Aortic and heart assist procedures except pulsation balloon	268	Include all
		269	Include all
S	Other major cardiovascular procedures	270	Include all
		271	Include all
		272	Include all
S	Percutaneous and other intracardiac procedures	273	Include all
		274	Include all
S	Cardiac defibrillator implant with cardiac catheterization	275	Include all
		276	Include all
		277	Include all
S	Ultrasound accelerated and other thrombolysis of peripheral vascular structures	278	Include all
		279	Include all
M	Acute myocardial infarction, discharged alive	280	Include all
		281	Include all
		282	Include all
M	Acute myocardial infarction, expired	283	Include all
		284	Include all
		285	Include all
M	Circulatory disorders except AMI, with cardiac catheterization	286	Include all
		287	Include all
M	Acute & subacute endocarditis	288	Include all
		289	Include all
		290	Include all
M	Heart failure & shock	291	Include all
		292	Include all
		293	Include all
M	Cardiac congenital & valvular disorders	306	Include all
M	Cardiac arrhythmia & conduction disorders	308	Include all
		309	Include all

Cardiology, Heart & Vascular Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Other circulatory system diagnoses*	314	Include all
		315	Include all
		316	Include all
S	Other endovascular cardiac valve procedures	319	Include all
		320	Include all
S	Percutaneous cardiovascular procedures with intraluminal device	321	Include all
		322	Include all
S	Coronary intravascular lithotripsy with intraluminal device	323	Include all
		324	Include all
S	Coronary intravascular lithotripsy w/o intraluminal device	325	Include all

Diabetes & Endocrinology

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Adrenal & pituitary procedures	614	Include all
		615	Include all
S	O.R. procedures for obesity	619	Include all
		620	Include all
		621	Include all
S	Skin grafts & wound debridement for endocrine, nutritional & metabolic disorders	622	Include all
		623	Include all
		624	Include all
S	Thyroid, parathyroid & thyroglossal procedures	625	Include all
		626	Include all
		627	Include all
S	Other endocrine, nutritional & metabolic O.R. procedures	628	Include all
		629	Include all
		630	Include all
M	Diabetes	637	Include all
		638	Include all
		639	Include all
M	Miscellaneous disorders of nutrition, metabolism, fluids/electrolytes	640	Exclude diagnosis: P92.6
M	Endocrine disorders	643	Include all
		644	Include all

*Exclude principal diagnosis: T80.21XX (central-line-associated bloodstream infections)

Ear, Nose & Throat

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Tracheostomy for face, mouth & neck diagnoses	011	Exclude diagnosis: Z51.5
		012	See MS-DRG: 011
		013	See MS-DRG: 011
S	Craniotomy and endovascular intracranial procedures	025	Include diagnosis: D33.3
		026	See MS-DRG: 025
		027	See MS-DRG: 025
S	Major head & neck procedures	129	Include all
		130	Include all
S	Cranial/Facial Procedures	131	Include all
		132	Include all
S	Other ear, nose, mouth & throat O.R. procedures	133	Include all
		134	Include all
S	Salivary gland procedures	139	Include all
S	Major head and neck procedures	140	Include all
		141	Include all
		142	Include all
S	Other ear, nose, mouth, & throat O.R. procedures	143	Include all
		144	Include all
		145	Include all
M	Ear, nose, mouth & throat malignancy	146	Include all
		147	Include all
		148	Include all
M	Otitis media & URI	152	Include all
M	Other ear, nose, mouth and throat diagnosis	154	Include all
		155	Include all
		156	Include all

Gastroenterology & GI Surgery

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Stomach, esophageal & duodenal procedures	326	Include all
		327	Include all
		328	Include all
S	Major small & large bowel procedures	329	Include all
		330	Include all
		331	Include all
S	Rectal resection	332	Include all
		333	Include all
		334	Include all
S	Peritoneal adhesiolysis	335	Include all
		336	Include all
		337	Include all
S	Minor small & large bowel procedures	344	Include procedures: 0D580ZZ, 0D583ZZ, 0D584ZZ, 0D587ZZ, 0D588ZZ, 0D5A0ZZ, 0D5A3ZZ, 0D5A4ZZ, 0D5A7ZZ, 0D5A8ZZ, 0D5B0ZZ, 0D5B3ZZ, 0D5B4ZZ, 0D5B7ZZ, 0D5B8ZZ, 0D5C0ZZ, 0D5C3ZZ, 0D5C4ZZ, 0D5C7ZZ, 0D5C8ZZ, 0D5E0ZZ, 0D5E3ZZ, 0D5E7ZZ, 0D5F0ZZ, 0D5F3ZZ, 0D5F7ZZ, 0D5G0ZZ, 0D5G3ZZ, 0D5G7ZZ, 0D5H0ZZ, 0D5H3ZZ, 0D5H7ZZ, 0D5K0ZZ, 0D5K3ZZ, 0D5K7ZZ, 0D5L0ZZ, 0D5L3ZZ, 0D5L7ZZ, 0D5M0ZZ, 0D5M3ZZ, 0D5M7ZZ, 0D5N0ZZ, 0D5N3ZZ, 0D5N7ZZ, 0D9800Z, 0D980ZX, 0D980ZZ, 0D9840Z, 0D984ZZ, 0D9870Z, 0D987ZZ, 0D9880Z, 0D988ZZ, 0D990ZX, 0D9A00Z, 0D9A0ZX, 0D9A0ZZ, 0D9A40Z, 0D9A4ZZ, 0D9A7ZZ, 0D9A8ZZ, 0D9B00Z, 0D9B0ZX, 0D9B0ZZ, 0D9B40Z, 0D9B4ZZ, 0D9B7ZZ, 0D9B8ZZ, 0D9C00Z, 0D9C0ZX, 0D9C0ZZ, 0D9C40Z, 0D9C4ZZ, 0D9C70Z, 0D9C7ZZ, 0D9C80Z, 0D9C8ZZ, 0D9E00Z, 0D9E0ZX, 0D9E0ZZ, 0D9E40Z, 0D9E4ZZ, 0D9E7ZZ, 0D9E8ZZ, 0D9F00Z, 0D9F0ZX, 0D9F0ZZ, 0D9F40Z, 0D9F4ZZ, 0D9F7ZZ, 0D9F8ZZ, 0D9G00Z, 0D9G0ZX, 0D9G0ZZ, 0D9G40Z, 0D9G4ZZ, 0D9G7ZZ, 0D9G8ZZ, 0D9H00Z, 0D9H0ZX, 0D9H0ZZ, 0D9H40Z, 0D9H4ZZ, 0D9H7ZZ, 0D9H8ZZ, 0D9K00Z, 0D9K0ZX, 0D9K0ZZ, 0D9K40Z, 0D9K4ZZ, 0D9K7ZZ, 0D9K8ZZ, 0D9L00Z, 0D9L0ZX, 0D9L0ZZ, 0D9L40Z, 0D9L4ZZ, 0D9L7ZZ, 0D9L8ZZ, 0D9M00Z, 0D9M0ZX, 0D9M0ZZ, 0D9M40Z, 0D9M4ZZ, 0D9M7ZZ, 0D9M8ZZ, 0D9N00Z, 0D9N0ZX, 0D9N0ZZ, 0D9N40Z, 0D9N4ZZ, 0D9N7ZZ, 0D9N8ZZ, 0D9P0ZX, 0D9P0ZZ, 0D9P4ZZ, 0D9P7ZZ, 0D9P8ZZ, 0DB80ZX, 0DB90ZX, 0DBA0ZX, 0DBB0ZX, 0DBC0ZX, 0DBE0ZX, 0DBF0ZX, 0DBG0ZX, 0DBH0ZX, 0DBK0ZX, 0DBL0ZX, 0DBM0ZX, 0DBN0ZX, 0DBP0ZX, 0DC80ZZ, 0DC83ZZ, 0DC84ZZ, 0DCA0ZZ, 0DCA3ZZ, 0DCA4ZZ, 0DCB0ZZ, 0DCB3ZZ, 0DCB4ZZ, 0DCC0ZZ, 0DCC3ZZ, 0DCC4ZZ, 0DCE0ZZ, 0DCE3ZZ, 0DCE4ZZ, 0DCF0ZZ, 0DCF3ZZ, 0DCF4ZZ, 0DCG0ZZ, 0DCG3ZZ, 0DCG4ZZ, 0DCH0ZZ, 0DCH3ZZ, 0DCH4ZZ, 0DCK0ZZ, 0DCK3ZZ, 0DCK4ZZ, 0DCL0ZZ, 0DCL3ZZ, 0DCL4ZZ, 0DCM0ZZ, 0DCM3ZZ, 0DCM4ZZ, 0DCN0ZZ, 0DCN3ZZ, 0DCN4ZZ, 0DCP0ZZ, 0DCP3ZZ, 0DCP4ZZ, 0DH80ZZ, 0DH803Z, 0DH832Z, 0DH833Z, 0DH842Z, 0DH843Z, 0DHA02Z, 0DHA03Z, 0DHA32Z, 0DHA33Z, 0DHA42Z, 0DHA43Z, 0DHB02Z, 0DHB03Z, 0DHB32Z, 0DHB33Z, 0DHB42Z, 0DHB43Z,

Gastroenterology & GI Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Minor small & large bowel procedures (cont.)		ODP000Z, ODP002Z, ODP003Z, ODP007Z, ODP00CZ, ODP00DZ, ODP00JZ, ODP00KZ, ODP00UZ, ODP00YZ, ODP030Z, ODP032Z, ODP033Z, ODP037Z, ODP03CZ, ODP03DZ, ODP03JZ, ODP03KZ, ODP03UZ, ODP03YZ, ODP040Z, ODP042Z, ODP043Z, ODP047Z, ODP04CZ, ODP04DZ, ODP04JZ, ODP04KZ, ODP04UZ, ODP077Z, ODP07CZ, ODP07JZ, ODP07KZ, ODP087Z, ODP08CZ, ODP08JZ, ODP08KZ, ODPD00Z, ODPD02Z, ODPD03Z, ODPD07Z, ODPD0CZ, ODPD0DZ, ODPD0JZ, ODPD0KZ, ODPD0UZ, ODPD0YZ, ODPD30Z, ODPD32Z, ODPD33Z, ODPD37Z, ODPD3CZ, ODPD3DZ, ODPD3JZ, ODPD3KZ, ODPD3UZ, ODPD40Z, ODPD42Z, ODPD43Z, ODPD47Z, ODPD4CZ, ODPD4DZ, ODPD4JZ, ODPD4KZ, ODPD4UZ, ODPD77Z, ODPD7CZ, ODPD7JZ, ODPD7KZ, ODPD87Z, ODPD8CZ, ODPD8JZ, ODPD8KZ, ODPP01Z, ODPP31Z, ODPP41Z, ODS90ZZ, ODS94ZZ, ODS97ZZ, ODS98ZZ, ODSA0ZZ, ODSA4ZZ, ODSA7ZZ, ODSA8ZZ, ODSK0ZZ, ODSK4ZZ, ODSK7ZZ, ODSK8ZZ, ODSL0ZZ, ODSL4ZZ, ODSL7ZZ, ODSL8ZZ, ODSM0ZZ, ODSM4ZZ, ODSM7ZZ, ODSM8ZZ, ODSN0ZZ, ODSN4ZZ, ODSN7ZZ, ODSN8ZZ, ODW000Z, ODW002Z, ODW003Z, ODW007Z, ODW00CZ, ODW00DZ, ODW00JZ, ODW00KZ, ODW00UZ, ODW00YZ, ODW030Z, ODW032Z, ODW033Z, ODW037Z, ODW03CZ, ODW03DZ, ODW03JZ, ODW03KZ, ODW03UZ, ODW040Z, ODW042Z, ODW043Z, ODW047Z, ODW04CZ, ODW04DZ, ODW04JZ, ODW04KZ, ODW04YZ, ODW070Z, ODW072Z, ODW073Z, ODW077Z, ODW07CZ, ODW07DZ, ODW07JZ, ODW07KZ, ODW07UZ, ODW080Z, ODW082Z, ODW083Z, ODW087Z, ODW08CZ, ODW08DZ, ODW08JZ, ODW08KZ, ODW08UZ, ODWD00Z, ODWD02Z, ODWD03Z, ODWD07Z, ODWD0CZ, ODWD0DZ, ODWD0JZ, ODWD0KZ, ODWD0UZ, ODWD0YZ, ODWD30Z, ODWD32Z, ODWD33Z, ODWD37Z, ODWD3CZ, ODWD3DZ, ODWD3JZ, ODWD3KZ, ODWD3UZ, ODWD40Z, ODWD42Z, ODWD43Z, ODWD47Z, ODWD4CZ, ODWD4DZ, ODWD4JZ, ODWD4KZ, ODWD4UZ, ODWD4YZ, ODWD70Z, ODWD72Z, ODWD73Z, ODWD77Z, ODWD7CZ, ODWD7DZ, ODWD7JZ, ODWD7KZ, ODWD7UZ, ODWD80Z, ODWD82Z, ODWD83Z, ODWD87Z, ODWD8CZ, ODWD8DZ, ODWD8JZ, ODWD8KZ, ODWD8UZ, OTQB0ZZ, OTQB3ZZ, OTQB4ZZ, OTQB7ZZ, OTQB8ZZ, OWQFXZ2
		344 (cont.)	
		345	See MS-DRG 344
S	Other digestive system O.R. procedures	346	See MS-DRG 344
		356	Include all
		357	Include all
M	Major esophageal disorders	358	Include all
		368	Include all
		369	Include all
M	Major gastrointestinal disorders & peritoneal infections	370	Include all
		371	Include all
		372	Include all
		373	Include all

Gastroenterology & GI Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Digestive malignancy	374	Include all
		375	Include all
		376	Include all
M	G.I. hemorrhage	377	Include all
		378	Include all
		379	Include all
M	Complicated peptic ulcer	380	Include all
		381	Include all
		382	Include all
M	Uncomplicated peptic ulcer	383	Include all
M	Inflammatory bowel disease	385	Include all
		386	Include all
		387	Include all
M	G.I. obstruction	388	Include all
		389	Include all
M	Esophagitis, gastroenteritis & miscellaneous digestive disorders	391	Include all
M	Other digestive system diagnoses	393	Include all
		394	Include all
S	Pancreas, liver & shunt procedures	405	Include all
		406	Include all
		407	Include all
S	Biliary tract procedures except only cholecystectomy with or w/o c.d.e.	408	Include all
		409	Include all
		410	Include all
S	Cholecystectomy with c.d.e.	411	Include all
		412	Include all
		413	Include all
S	Cholecystectomy except by laparoscope w/o c.d.e.	414	Include all
		415	Include all
S	Laparoscopic cholecystectomy w/o c.d.e.	417	Include all
		418	Include all
S	Hepatobiliary diagnostic procedures	420	Include all
		421	Include all
		422	Include all
S	Other hepatobiliary or pancreas O.R. procedures	423	Include all
		424	Include all
		425	Include all
M	Cirrhosis & alcoholic hepatitis	432	Include all
		433	Include all
		434	Include all
M	Malignancy of hepatobiliary system or pancreas	435	Include all
		436	Include all
		437	Include all
M	Disorders of pancreas except malignancy	438	Include all
		439	Include all
		440	Include all
M	Disorders of liver except malignancy, cirrhosis, or alcoholic hepatitis	441	Exclude diagnosis: R94.5
		442	See MS-DRG 441

Geriatrics

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Heart transplant or implant of heart assist system	001	Include all
		002	Include all
S	ECMO or tracheostomy with MV 96+ hrs or principal diagnosis except face, mouth & neck with major O.R. procedures	003	Include all
S	Tracheostomy with MV 96+ hrs or principal diagnosis except face, mouth & neck w/o major O.R. procedures	004	Include all
S	Liver transplant	005	Include all
		006	Include all
S	Lung transplant	007	Include all
S	Simultaneous pancreas/kidney transplant	008	Include all
S	Pancreas transplant	010	Include all
S	Tracheostomy for face, mouth & neck diagnoses or laryngectomy	011	Exclude diagnosis: Z51.5
		012	See MS-DRG 011
		013	See MS-DRG 011
S	Allogeneic bone marrow transplant	014	Include all
S	Autologous bone marrow transplant	016	Include all
		017	Include all
S	Chimeric Antigen Receptor (CAR) t-cell immunotherapy	018	Include all
S	Simultaneous pancreas and kidney transplant with hemodialysis	019	Include all
S	Intracranial vascular procedures with principal diagnosis hemorrhage	020	Include all
		021	Include all
		022	Include all
S	Craniotomy w major device implant/acute complex CNS principal diagnosis	023	Include all
		024	Include all
S	Craniotomy & endovascular intracranial procedures	025	Include all
		026	Include all
		027	Include all
S	Spinal procedures	028	Include all
		029	Include all
		030	Include all
S	Ventricular shunt procedures	031	Include all
		032	Include all
		033	Include all
S	Carotid artery stent procedures	034	Include all
		035	Include all
		036	Include all
S	Extracranial procedures	037	Include all
		038	Include all
		039	Include all
S	Peripheral, cranial nerve & other nervous system procedures	040	Include all
		041	Include all
		042	Include all
M	Spinal disorders & injuries	052	Include all
		053	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Nervous system neoplasms	054	Include all
		055	Include all
M	Degenerative nervous system disorders	056	Include all
		057	Include all
M	Multiple sclerosis & cerebellar ataxia	058	Include all
		059	Include all
		060	Include all
M	Ischemic Stroke, Precerebral Occlusion or Transient Ischemia with Thrombolytic Agent	061	Include all
		062	Include all
		063	Include all
M	Intracranial hemorrhage or cerebral infarction	064	Include all
		065	Include all
		066	Include all
M	Nonspecific CVA & precerebral occlusion w/o infarction	067	Include all
		068	Include all
M	Transient ischemia w/o thrombolytic	069	Include all
M	Nonspecific cerebrovascular disorders	070	Include all
		071	Include all
		072	Include all
M	Cranial & peripheral nerve disorders	073	Include all
		074	Include all
M	Viral meningitis	075	Include all
		076	Include all
M	Hypertensive encephalopathy	077	Include all
		078	Include all
		079	Include all
M	Nontraumatic stupor & coma	080	Include all
		081	Include all
M	Traumatic stupor & coma, coma >1 hr	082	Include all
		083	Include all
		084	Include all
M	Traumatic stupor & coma, coma <1 hr	085	Include all
		086	Include all
		087	Include all
M	Concussion	088	Include all
		089	Include all
		090	Include all
M	Other disorders of nervous system	091	Include all
		092	Include all
		093	Include all
M	Bacterial & tuberculous infections of nervous system	094	Include all
		095	Include all
		096	Include all
M	Non-bacterial infection of nervous system except viral meningitis	097	Include all
		098	Include all
		099	Include all
M	Seizures	100	Include all
		101	Include all
M	Headaches	102	Include all
		103	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Orbital procedures	113	Include all
		114	Include all
S	Extraocular procedures except orbit	115	Include all
S	Intraocular procedures	116	Include all
		117	Include all
M	Acute major eye infections	121	Include all
		122	Include all
M	Neurological eye disorders	123	Include all
M	Other disorders of the eye	124	Include all
		125	Include all
S	Major head & neck procedures	129	Include all
		130	Include all
S	Cranial/facial procedures	131	Include all
		132	Include all
S	Other ear, nose, mouth & throat O.R. procedures	133	Include all
		134	Include all
S	Sinus & mastoid procedures	135	Include all
		136	Include all
S	Mouth procedures	137	Include all
		138	Include all
S	Salivary gland procedures	139	Include all
S	Major head & neck procedures	140	Include all
		141	Include all
		142	Include all
S	Other ear, nose, mouth & throat O.R. procedures	143	Include all
		144	Include all
		145	Include all
M	Ear, nose, mouth & throat malignancy	146	Include all
		147	Include all
		148	Include all
M	Dysequilibrium	149	Include all
M	Epistaxis	150	Include all
		151	Include all
M	Otitis media & URI	152	Include all
		153	Include all
M	Other Ear, Nose, Mouth, and Throat Diagnoses	154	Include all
		155	Include all
		156	Include all
M	Dental & Oral Diseases	157	Include all
		158	Include all
		159	Include all
S	Major chest procedures	163	Include all
		164	Include all
		165	Include all
S	Other respiratory system O.R. procedures	166	Include all
		167	Include all
		168	Include all
S	Ultrasound accelerated & other thrombolysis with principal diagnosis pulmonary embolism	173	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Pulmonary embolism	175	Include all
		176	Include all
M	Respiratory infections & inflammations	177	Include all
		178	Include all
		179	Include all
M	Respiratory neoplasms	180	Include all
		181	Include all
		182	Include all
M	Major chest trauma	183	Include all
		184	Include all
		185	Include all
M	Pleural effusion	186	Include all
		187	Include all
		188	Include all
M	Pulmonary edema & respiratory failure	189	Include all
M	Chronic obstructive pulmonary disease	190	Include all
		191	Include all
		192	Include all
M	Simple pneumonia & pleurisy	193	Include all
		194	Include all
		195	Include all
M	Interstitial lung disease	196	Include all
		197	Include all
		198	Include all
M	Pneumothorax	199	Include all
		200	Include all
		201	Include all
M	Bronchitis & asthma	202	Include all
		203	Include all
M	Respiratory signs & symptoms	204	Include all
M	Other respiratory system diagnoses	205	Include all
		206	Include all
M	Respiratory system diagnosis with ventilator support	207	Include all
		208	Include all
S	Concomitant aortic & mitral valve procedures	212	Include all
S	Other heart assist system implant	215	Include all
S	Cardiac valve & other major cardiothoracic procedures with cardiac catheterization	216	Include all
		217	Include all
		218	Include all
S	Cardiac valve & other major cardiothoracic procedures w/o cardiac catheterization	219	Include all
		220	Include all
		221	Include all
S	Cardiac defibrillator implant with cardiac catheterization with AMI/HF/shock	222	Include all
		223	Include all
S	Cardiac defibrillator implant with cardiac catheterization w/o AMI/HF/shock	224	Include all
		225	Include all
S	Cardiac defibrillator implant w/o cardiac catheterization	226	Include all
		227	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other cardiothoracic procedures	228	Include all
		229	Include all
S	Coronary bypass w PTCA	231	Include all
		232	Include all
S	Coronary bypass with cardiac catheterization	233	Include all
		234	Include all
S	Coronary bypass w/o cardiac catheterization	235	Include all
		236	Include all
S	Amputation for circulatory system disorders except upper limb & toe	239	Include all
		240	Include all
		241	Include all
S	Permanent cardiac pacemaker implant	242	Include all
		243	Include all
		244	Include all
S	AICD generator procedures	245	Include all
S	Percutaneous cardiovascular procedures with drug-eluting stent	246	Include all
		247	Include all
S	Percutaneous cardiovascular procedures with non-drug-eluting stent	248	Include all
		249	Include all
S	Percutaneous cardiovascular procedures w/o coronary artery stent	250	Include all
		251	Include all
S	Other vascular procedures	252	Include all
		253	Include all
		254	Include all
S	Upper limb & toe amputation for circulatory system disorders	255	Include all
		256	Include all
		257	Include all
S	Cardiac pacemaker device replacement	258	Include all
		259	Include all
S	Cardiac pacemaker revision except device replacement	260	Include all
		261	Include all
		262	Include all
S	Vein ligation & stripping	263	Include all
S	Other circulatory system O.R. procedures	264	Include all
S	AICD lead procedures	265	Include all
S	Endovascular cardiac valve replacement & supplement procedures	266	Include all
		267	Include all
S	Aortic and heart assist procedures except pulsation balloon	268	Include all
		269	Include all
S	Other major cardiovascular procedures	270	Include all
		271	Include all
		272	Include all
S	Percutaneous & other intracardiac procedures	273	Include all
		274	Include all
S	Cardiac defibrillator implant with cardiac catheterization	275	Include all
S	Cardiac defibrillator implant	276	Include all
		277	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Ultrasound accelerated and other thrombolysis of peripheral vascular structures	278	Include all
		279	Include all
M	Acute myocardial infarction, discharged alive	280	Include all
		281	Include all
		282	Include all
M	Acute myocardial infarction, expired	283	Include all
		284	Include all
		285	Include all
M	Circulatory disorders except AMI, with cardiac catheterization	286	Include all
		287	Include all
M	Acute & subacute endocarditis	288	Include all
		289	Include all
		290	Include all
M	Heart failure & shock	291	Include all
		292	Include all
		293	Include all
M	Deep vein thrombophlebitis	294	Include all
		295	Include all
M	Cardiac arrest, unexplained	296	Include all
		297	Include all
		298	Include all
M	Peripheral vascular disorders	299	Include all
		300	Include all
		301	Include all
M	Atherosclerosis	302	Include all
		303	Include all
M	Hypertension	304	Include all
		305	Include all
M	Cardiac congenital & valvular disorders	306	Include all
		307	Include all
M	Cardiac arrhythmia & conduction disorders	308	Include all
		309	Include all
		310	Include all
M	Angina pectoris	311	Include all
M	Syncope & collapse	312	Include all
M	Chest pain	313	Include all
M	Other circulatory system diagnoses*	314	Include all
		315	Include all
		316	Include all
S	Other endovascular cardiac valve procedures	319	Include all
		320	Include all
S	Percutaneous cardiovascular procedures with intraluminal device	321	Include all
		322	Include all
S	Coronary intravascular lithotripsy with intraluminal device	323	Include all
		324	Include all
S	Coronary intravascular lithotripsy w/o intraluminal device	325	Include all
S	Stomach, esophageal & duodenal procedures	326	Include all
		327	Include all
		328	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major small & large bowel procedures	329	Include all
		330	Include all
		331	Include all
S	Rectal resection	332	Include all
		333	Include all
		334	Include all
S	Peritoneal adhesiolysis	335	Include all
		336	Include all
		337	Include all
S	Appendectomy with complicated principal diagnosis	338	Include all
		339	Include all
		340	Include all
S	Appendectomy w/o complicated principal diagnosis	341	Include all
		342	Include all
		343	Include all
S	Minor small & large bowel procedures	344	Include all
		345	Include all
		346	Include all
S	Anal & stomal procedures	347	Include all
		348	Include all
		349	Include all
S	Inguinal & femoral hernia procedures	350	Include all
		351	Include all
		352	Include all
S	Hernia procedures except inguinal & femoral	353	Include all
		354	Include all
		355	Include all
S	Other digestive system O.R. procedures	356	Include all
		357	Include all
		358	Include all
M	Major esophageal disorders	368	Include all
		369	Include all
		370	Include all
M	Major gastrointestinal disorders & peritoneal infections	371	Include all
		372	Include all
		373	Include all
M	Digestive malignancy	374	Include all
		375	Include all
		376	Include all
M	G.I. hemorrhage	377	Include all
		378	Include all
		379	Include all
M	Complicated peptic ulcer	380	Include all
		381	Include all
		382	Include all
M	Uncomplicated peptic ulcer	383	Include all
		384	Include all
M	Inflammatory bowel disease	385	Include all
		386	Include all
		387	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	G.I. obstruction	388	Include all
		389	Include all
		390	Include all
M	Esophagitis, gastroenteritis & miscellaneous digestive disorders	391	Include all
		392	Include all
M	Other digestive system diagnoses	393	Include all
		394	Include all
		395	Include all
S	Appendix procedures	397	Include all
		398	Include all
		399	Include all
S	Pancreas, liver & shunt procedures	405	Include all
		406	Include all
		407	Include all
S	Biliary tract procedures except only cholecystectomy with or w/o c.d.e.	408	Include all
		409	Include all
		410	Include all
S	Cholecystectomy w c.d.e.	411	Include all
		412	Include all
		413	Include all
S	Cholecystectomy except by laparoscope w/o c.d.e.	414	Include all
		415	Include all
		416	Include all
S	Laparoscopic cholecystectomy w/o c.d.e.	417	Include all
		418	Include all
		419	Include all
S	Hepatobiliary diagnostic procedures	420	Include all
		421	Include all
		422	Include all
S	Other hepatobiliary or pancreas O.R. procedures	423	Include all
		424	Include all
		425	Include all
M	Cirrhosis & alcoholic hepatitis	432	Include all
		433	Include all
		434	Include all
M	Malignancy of hepatobiliary system or pancreas	435	Include all
		436	Include all
		437	Include all
M	Disorders of pancreas except malignancy	438	Include all
		439	Include all
		440	Include all
M	Disorders of liver except malignancy, cirrhosis, or alcoholic hepatitis	441	Include all
		442	Include all
		443	Include all
M	Disorders of the biliary tract	444	Include all
		445	Include all
		446	Include all
S	Combined anterior/posterior spinal fusion	453	Include all
		454	Include all
		455	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Spinal fusion except cervical with spinal curvature/malignancy/infection or extensive fusions	456	Include all
		457	Include all
		458	Include all
S	Spinal fusion except cervical	459	Include all
		460	Include all
S	Bilateral or multiple major joint procedures of lower extremity	461	Include all
		462	Include all
S	Wound debridement & skin graft except hand for musculoskeletal and connective tissue disorders	463	Include all
		464	Include all
		465	Include all
S	Revision of hip or knee replacement	466	Include all
		467	Include all
		468	Include all
S	Major Hip and Knee Joint Replacement or Reattachment of Lower Extremity with MCC or Total Ankle Replacement	469	Include all
S	Cervical spinal fusion	471	Include all
		472	Include all
		473	Include all
S	Amputation for musculoskeletal system & connective tissue disorders	474	Include all
		475	Include all
		476	Include all
S	Biopsies of musculoskeletal system & connective tissue	477	Include all
		478	Include all
		479	Include all
S	Hip & femur procedures except major joint	480	Include all
		481	Include all
		482	Include all
S	Major joint & limb reattachment procedures of upper extremities	483	Include all
S	Knee procedures with principal diagnosis of infection	485	Include all
		486	Include all
		487	Include all
S	Knee procedures w/o principal diagnosis of infection	488	Include all
		489	Include all
S	Lower extremity & humerus procedures except hip, foot, and femur	492	Include all
		493	Include all
		494	Include all
S	Local excision & removal of internal fixation devices except hip & femur	495	Include all
		496	Include all
		497	Include all
S	Local excision & removal of internal fixation devices of hip & femur	498	Include all
		499	Include all
S	Soft tissue procedures	500	Include all
		501	Include all
		502	Include all
S	Foot procedures	503	Include all
		504	Include all
		505	Include all
S	Major thumb or joint procedures	506	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major shoulder or elbow joint procedures	507	Include all
		508	Include all
S	Arthroscopy	509	Include all
S	Shoulder, elbow, or forearm procedures, except major joint procedures	510	Include all
		511	Include all
		512	Include all
S	Hand or wrist procedures, except major thumb or joint procedures	513	Include all
		514	Include all
S	Other musculoskeletal system & connective tissue O.R. procedures	515	Include all
		516	Include all
		517	Include all
S	Back & Neck Procedures Except Spinal Fusion	518	Include all
		519	Include all
		520	Include all
S	Hip replacement with principal diagnosis of hip fracture	521	Include all
		522	Include all
M	Fractures of femur	533	Include all
		534	Include all
M	Fractures of hip & pelvis	535	Include all
		536	Include all
M	Sprains, strains, & dislocations of hip, pelvis & thigh	537	Include all
		538	Include all
M	Osteomyelitis	539	Include all
		540	Include all
		541	Include all
M	Pathological fractures & musculoskeletal & connective tissue malignancy	542	Include all
		543	Include all
		544	Include all
M	Connective tissue disorders	545	Include all
		546	Include all
		547	Include all
M	Septic arthritis	548	Include all
		549	Include all
		550	Include all
M	Medical back problems	551	Include all
		552	Include all
M	Bone diseases & arthropathies	553	Include all
		554	Include all
M	Signs & symptoms of musculoskeletal system & connective tissue	555	Include all
		556	Include all
M	Tendonitis, myositis & bursitis	557	Include all
		558	Include all
M	Aftercare, musculoskeletal system & connective tissue	559	Include all
		560	Include all
		561	Include all
M	Fracture, sprain, strain & dislocation except femur, hip, pelvis & thigh	562	Include all
		563	Include all
M	Other musculoskeletal sys & connective tissue diagnoses	564	Include all
		565	Include all
		566	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Skin debridement	570	Include all
		571	Include all
		572	Include all
S	Skin graft for skin ulcer or cellulitis	573	Include all
		574	Include all
		575	Include all
S	Skin graft except for skin ulcer or cellulitis	576	Include all
		577	Include all
		578	Include all
S	Other skin, subcutaneous tissue & breast procedures	579	Include all
		580	Include all
		581	Include all
S	Mastectomy for malignancy	582	Include all
		583	Include all
S	Breast biopsy, local excision & other breast procedures	584	Include all
		585	Include all
M	Skin ulcers	592	Include all
		593	Include all
		594	Include all
M	Major skin disorders	595	Include all
		596	Include all
M	Malignant breast disorders	597	Include all
		598	Include all
		599	Include all
M	Non-malignant breast disorders	600	Include all
		601	Include all
M	Cellulitis	602	Include all
		603	Include all
M	Trauma to the skin, subcutaneous tissue & breast	604	Include all
		605	Include all
M	Minor skin disorders	606	Include all
		607	Include all
S	Adrenal & pituitary procedures	614	Include all
		615	Include all
S	Amputation of lower limb for endocrine, nutritional, & metabolic disorders	616	Include all
		617	Include all
		618	Include all
S	O.R. procedures for obesity	619	Include all
		620	Include all
		621	Include all
S	Skin grafts & wound debridement for endocrine, nutritional & metabolic disorders	622	Include all
		623	Include all
		624	Include all
S	Thyroid, parathyroid & thyroglossal procedures	625	Include all
		626	Include all
		627	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other endocrine, nutritional & metabolic O.R. procedures	628	Include all
		629	Include all
		630	Include all
M	Diabetes	637	Include all
		638	Include all
		639	Include all
M	Miscellaneous disorders of nutrition, metabolism, fluids/electrolytes	640	Include all
		641	Include all
M	Inborn and other disorders of metabolism	642	Include all
M	Endocrine disorders	643	Include all
		644	Include all
		645	Include all
S	Kidney transplant with hemodialysis	650	Include all
S	Kidney transplant	651	Include all
		652	Include all
		653	Include all
S	Major bladder procedures	654	Include all
		655	Include all
		656	Include all
S	Kidney & ureter procedures for neoplasm	657	Include all
		658	Include all
		659	Include all
S	Kidney & ureter procedures for non-neoplasm	660	Include all
		661	Include all
		662	Include all
S	Minor bladder procedures	663	Include all
		664	Include all
		665	Include all
S	Prostatectomy	666	Include all
		667	Include all
		668	Include all
S	Transurethral procedures	669	Include all
		670	Include all
		671	Include all
S	Urethral procedures	672	Include all
		673	Include all
		674	Include all
S	Other kidney & urinary tract procedures	675	Include all
		682	Include all
		683	Include all
M	Renal failure	684	Include all
		686	Include all
		687	Include all
M	Kidney & urinary tract neoplasms	688	Include all
		689	Include all
		690	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Urinary stones	693	Include all
		694	Include all
M	Kidney & urinary tract signs & symptoms	695	Include all
		696	Include all
M	Urethral stricture	697	Include all
M	Other kidney & urinary tract diagnoses**	698	Include all
		699	Include all
		700	Include all
S	Major male pelvic procedures	707	Include all
		708	Include all
S	Penis procedures	709	Include all
		710	Include all
S	Testes procedures	711	Include all
		712	Include all
S	Transurethral prostatectomy	713	Include all
		714	Include all
S	Other male reproductive system O.R. procedures for malignancy	715	Include all
		716	Include all
S	Other male reproductive system O.R. procedures except malignancy	717	Include all
		718	Include all
M	Malignancy, male reproductive system	722	Include all
		723	Include all
		724	Include all
M	Benign prostatic hypertrophy	725	Include all
		726	Include all
M	Inflammation of the male reproductive system	727	Include all
		728	Include all
M	Other male reproductive system diagnoses	729	Include all
		730	Include all
S	Pelvic evisceration, radical hysterectomy & radical vulvectomy	734	Include all
		735	Include all
S	Uterine & adnexa procedures for ovarian or adnexal malignancy	736	Include all
		737	Include all
		738	Include all
S	Uterine & adnexa procedures for non-ovarian/adnexal malignancy	739	Include all
		740	Include all
		741	Include all
S	Uterine & adnexa procedures for non-malignancy	742	Include all
		743	Include all
S	D&C, conization, laparoscopy & tubal interruption	744	Include all
		745	Include all
S	Vagina, cervix & vulva procedures	746	Include all
		747	Include all
S	Female reproductive system reconstructive procedures	748	Include all
S	Other female reproductive system O.R. procedures	749	Include all
		750	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Malignancy, female reproductive system	754	Include all
		755	Include all
		756	Include all
M	Infections, female reproductive system	757	Include all
		758	Include all
		759	Include all
M	Menstrual & other female reproductive system disorders	760	Include all
		761	Include all
S	Splenectomy	799	Include all
		800	Include all
		801	Include all
S	Other O.R. procedures of the blood & blood forming organs	802	Include all
		803	Include all
		804	Include all
M	Major hematological/immunological diagnoses except sickle cell crisis & coagulation disorders	808	Include all
		809	Include all
		810	Include all
M	Red blood cell disorders	811	Include all
		812	Include all
M	Coagulation disorders	813	Include all
M	Reticuloendothelial & immunity disorders	814	Include all
		815	Include all
		816	Include all
S	Lymphoma & leukemia with major O.R. procedures	820	Include all
		821	Include all
		822	Include all
S	Lymphoma & non-acute leukemia with other O.R. procedures	823	Include all
		824	Include all
		825	Include all
S	Myeloproliferative disorders or poorly differentiated neoplasms with major O.R. procedures	826	Include all
		827	Include all
		828	Include all
S	Myeloproliferative disorders or poorly differentiated neoplasms with other O.R. procedures	829	Include all
		830	Include all
M	Acute leukemia w/o major O.R. procedures	834	Include all
		835	Include all
		836	Include all
M	Chemotherapy with acute leukemia as secondary diagnosis or with high dose chemotherapy agent	837	Include all
		838	Include all
		839	Include all
M	Lymphoma & non-acute leukemia	840	Include all
		841	Include all
		842	Include all
M	Other myeloproliferative disorders or poorly differentiated neoplastic diagnoses	843	Include all
		844	Include all
		845	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Chemotherapy w/o acute leukemia as secondary diagnosis	846	Include all
		847	Include all
		848	Include all
M	Radiotherapy	849	Include all
S	Infectious & parasitic diseases with O.R. procedures	853	Include all
		854	Include all
		855	Include all
S	Postoperative or post-traumatic infections with O.R. procedures	856	Include all
		857	Include all
		858	Include all
M	Postoperative & post-traumatic infections	862	Include all
		863	Include all
M	Fever and inflammatory conditions	864	Include all
M	Viral illness	865	Include all
		866	Include all
M	Other infectious & parasitic diseases diagnoses	867	Include all
		868	Include all
		869	Include all
M	Septicemia or severe sepsis with MV 96+ hours	870	Include all
M	Septicemia or severe sepsis w/o MV 96+ hours	871	Include all
		872	Include all
S	O.R. procedures with principal diagnoses of mental illness	876	Include all
M	Acute adjustment reaction & psychosocial dysfunction	880	Include all
M	Depressive neuroses	881	Include all
M	Neuroses except depressive	882	Include all
M	Disorders of personality & impulse control	883	Include all
M	Organic disturbances & intellectual disability	884	Include all
M	Psychoses	885	Include all
M	Behavioral & developmental disorders	886	Include all
M	Other mental disorder diagnoses	887	Include all
M	Alcohol/drug abuse or dependence with rehabilitation therapy	895	Include all
M	Alcohol/drug abuse or dependence w/o rehabilitation therapy	896	Include all
		897	Include all
S	Wound debridements for injuries	901	Include all
		902	Include all
		903	Include all
S	Skin grafts for injuries	904	Include all
		905	Include all
S	Hand procedures for injuries	906	Include all
S	Other O.R. procedures for injuries	907	Include all
		908	Include all
		909	Include all
M	Traumatic injury	913	Include all
		914	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Geriatrics (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Allergic reactions	915	Include all
		916	Include all
M	Poisoning & toxic effects of drugs	917	Include all
		918	Include all
M	Complications of treatment	919	Include all
		920	Include all
		921	Include all
M	Other injury, poisoning & toxic effect diagnoses	922	Include all
		923	Include all
S	Extensive burns or full thickness burns w MV 96+ hrs with skin graft	927	Include all
S	Full thickness burn w skin graft or inhalation injury	928	Include all
		929	Include all
M	Extensive burns or full thickness burns with MV 96+ hrs w/o skin graft	933	Include all
M	Full thickness burn w/o skin graft or inhalation injury	934	Include all
M	Non-extensive burns	935	Include all
S	O.R. proc w diagnoses of other contact with health services	939	Include all
		940	Include all
		941	Include all
M	Rehabilitation	945	Include all
		946	Include all
M	Signs & symptoms	947	Include all
		948	Include all
M	Aftercare	949	Include all
		950	Include all
M	Other factors influencing health status	951	Include all
S	Craniotomy for multiple significant trauma	955	Include all
S	Limb reattachment, hip & femur procedures for multiple significant trauma	956	Include all
S	Other O.R. procedures for multiple significant trauma	957	Include all
		958	Include all
		959	Include all
M	Other multiple significant trauma	963	Include all
		964	Include all
		965	Include all
S	HIV with extensive O.R. procedures	969	Include all
		970	Include all
M	HIV with major related condition	974	Include all
		975	Include all
		976	Include all
M	HIV w or w/o other related condition	977	Include all
S	Extensive O.R. procedure unrelated to principal diagnosis	981	Include all
		982	Include all
		983	Include all
S	Non-extensive O.R. proc unrelated to principal diagnosis	987	Include all
		988	Include all
		989	Include all

*Exclude principal diagnoses: T80.21XX (central-line-associated bloodstream infections)

**Exclude principal diagnoses: T83.51XX (catheter-associated urinary tract infections)

Neurology & Neurosurgery

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Intracranial vascular procedures with primary diagnosis hemorrhage	020	Include all
		021	Include all
		022	Include all
S	Craniotomy with major device implant/acute complex CNS principal diagnosis	023	Include all
		024	Include all
S	Craniotomy & endovascular intracranial procedures	025	Include all
		026	Include all
		027	Include all
S	Ventricular shunt procedures	031	Include all
		032	Include all
		033	Include all
S	Carotid artery stent procedures	034	Include all
		035	Include all
		036	Include all
S	Extracranial procedures	037	Include all
		038	Include all
		039	Include all
S	Peripheral & cranial nerve & other nervous system procedures	040	Include all
		041	Include all
		042	Include all
M	Spinal disorders & injuries	052	Include all
		053	Include all
M	Nervous system neoplasms	054	Include all
		055	Include all
M	Degenerative nervous system disorders	056	Include all
		057	Include all
M	Multiple sclerosis & cerebellar ataxia	058	Include all
		059	Include all
		060	Include all
M	Ischemic stroke, precerebral occlusion or transient ischemia with thrombolytic agent	061	Include all
		062	Include all
		063	Include all
M	Intracranial hemorrhage or cerebral infarction	064	Include all
		065	Include all
		066	Include all
M	Nonspecific CVA & precerebral occlusion w/o infarction	067	Include all
		068	Include all
M	Transient ischemia without thrombolytic	069	Include all

Neurology & Neurosurgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Nonspecific cerebrovascular disorders	070	Include all
		071	Include all
M	Cranial & peripheral nerve disorders	073	Include all
		074	Include all
M	Viral meningitis	075	Include all
		076	Include all
M	Hypertensive encephalopathy	077	Include all
		078	Include all
		079	Include all
M	Nontraumatic stupor & coma	080	Include all
		081	Include all
M	Traumatic stupor & coma, coma >1 hr	082	Include all
		083	Include all
		084	Include all
M	Traumatic stupor & coma, coma <1 hr	085	Include all
		086	Include all
		087	Include all
M	Other disorders of nervous system	091	Include all
		092	Include all
		093	Include all
M	Bacterial & tuberculous infections of nervous system	094	Include all
		095	Include all
		096	Include all
M	Non-bacterial infection of nervous system except viral meningitis	097	Include all
		098	Include all
		099	Include all
M	Seizures with MCC	100	Include all
S	Craniotomy for multiple significant trauma	955	Include all

Obstetrics & Gynecology

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Pelvic evisceration, radical hysterectomy & radical vulvectomy	734	Include all
		735	Include all
S	Uterine & adnexa procedures for ovarian or adnexal malignancy	736	Include all
		737	Include all
		738	Include all
S	Uterine & adnexa procedures for non-ovarian/adnexal malignancy	739	Include all
		740	Include all
		741	Include all
S	Uterine & adnexa procedures for non-malignancy	742	Include all
		743	Include all
S	Vagina, cervix & vulva procedures	746	Include all
		747	Include all
S	Other female reproductive system O.R. procedures	749	Include all
		750	Include all
M	Malignancy, female reproductive system	754	Include all
		755	Include all
		756	Include all
M	Infections, female reproductive system	757	Include all
		758	Include all
		759	Include all
M	Menstrual & other female reproductive system disorders	760	Include all
		761	Include all

Orthopedics*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Spinal procedures	028	Exclude procedures: 001U074, 001U076, 001U077, 001U079, 001U0J4, 001U0J6, 001U0J7, 001U0J9, 001U0K4, 001U0K6, 001U0K7, 001U0K9, 001U374, 001U376, 001U377, 001U379, 001U3J4, 001U3J6, 001U3J7, 001U3J9, 001U3K4, 001U3K6, 001U3K7, 001U3K9, 001U474, 001U476, 001U477, 001U479, 001U4J4, 001U4J6, 001U4J7, 001U4J9, 001U4K4, 001U4K6, 001U4K7, 001U4K9, 005T0ZZ, 005T3ZZ, 005T4ZZ, 005W0ZZ, 005W3ZZ, 005W4ZZ, 005X0ZZ, 005X3ZZ, 005X4ZZ, 005Y0ZZ, 005Y3ZZ, 005Y4ZZ, 008W0ZZ, 008W3ZZ, 008W4ZZ, 008X0ZZ, 008X3ZZ, 008X4ZZ, 008Y0ZZ, 008Y3ZZ, 008Y4ZZ, 009T00Z, 009T0ZX, 009T0ZZ, 009T40Z, 009T4ZX, 009T4ZZ, 009U00Z, 009U0ZX, 009U0ZZ, 009W00Z, 009W0ZX, 009W0ZZ, 009W40Z, 009W4ZX, 009W4ZZ, 009X00Z, 009X0ZX, 009X0ZZ, 009X40Z, 009X4ZX, 009X4ZZ, 009Y00Z, 009Y0ZX, 009Y0ZZ, 009Y40Z, 009Y4ZX, 009Y4ZZ, 00BT0ZX, 00BT0ZZ, 00BT3ZX, 00BT3ZZ, 00BT4ZX, 00BT4ZZ, 00BW0ZX, 00BW0ZZ, 00BW3ZX, 00BW3ZZ, 00BW4ZX, 00BW4ZZ, 00BX0ZX, 00BX0ZZ, 00BX3ZX, 00BX3ZZ, 00BX4ZX, 00BX4ZZ, 00BY0ZX, 00BY0ZZ, 00BY3ZX, 00BY3ZZ, 00BY4ZX, 00BY4ZZ, 00CT0ZZ, 00CT3ZZ, 00CT4ZZ, 00CU0ZZ, 00CU3ZZ, 00CU4ZZ, 00CW0ZZ, 00CW3ZZ, 00CW4ZZ, 00CX0ZZ, 00CX3ZZ, 00CX4ZZ, 00CY0ZZ, 00CY3ZZ, 00CY4ZZ, 00DT0ZZ, 00DT3ZZ, 00DT4ZZ, 00FU0ZZ, 00FU3ZZ, 00FU4ZZ, 00FUXZZ, 00HU01Z, 00HU02Z, 00HU0MZ, 00HU0YZ, 00HU32Z, 00HU3MZ, 00HU3YZ, 00HU41Z, 00HU42Z, 00HU4MZ, 00HU4YZ, 00HV01Z, 00HV02Z, 00HV0MZ, 00HV0YZ, 00HV31Z, 00HV3MZ, 00HV3YZ, 00HV41Z, 00HV42Z, 00HV4MZ, 00HV4YZ, 00JU0ZZ, 00JU4ZZ, 00JV0ZZ, 00JV4ZZ, 00NT0ZZ, 00NT3ZZ, 00NT4ZZ, 00NW0ZZ, 00NW3ZZ, 00NW4ZZ, 00NX0ZZ, 00NX3ZZ, 00NX4ZZ, 00NY0ZZ, 00NY3ZZ, 00NY4ZZ, 00PU00Z, 00PU02Z, 00PU03Z, 00PU0JZ, 00PU0MZ, 00PU0YZ, 00PU3JZ, 00PU3MZ, 00PU40Z, 00PU42Z, 00PU43Z, 00PU4JZ, 00PU4MZ, 00PV00Z, 00PV0MZ, 00PV0YZ, 00PV3MZ, 00PV4MZ, 00QT0ZZ, 00QT3ZZ, 00QT4ZZ, 00QW0ZZ, 00QW3ZZ, 00QW4ZZ, 00QX0ZZ, 00QX3ZZ, 00QX4ZZ, 00QY0ZZ, 00QY3ZZ, 00QY4ZZ, 00RT07Z, 00RT0JZ, 00RT0KZ, 00RT47Z, 00RT4JZ, 00RT4KZ, 00SW0ZZ, 00SW3ZZ, 00SW4ZZ, 00SX0ZZ, 00SX3ZZ, 00SX4ZZ, 00SY0ZZ, 00SY3ZZ, 00SY4ZZ, 00UT07Z, 00UT0JZ, 00UT0KZ, 00UT37Z, 00UT3JZ, 00UT3KZ, 00UT47Z, 00UT4JZ, 00UT4KZ, 00WU00Z, 00WU02Z, 00WU03Z, 00WU0JZ, 00WU0MZ, 00WU0YZ, 00WU30Z, 00WU32Z, 00WU33Z, 00WU3JZ, 00WU3MZ, 00WU40Z, 00WU42Z, 00WU43Z, 00WU4JZ, 00WU4MZ, 00WV00Z, 00WV02Z, 00WV03Z, 00WV0MZ, 00WV0YZ, 00WV30Z, 00WV32Z, 00WV33Z, 00WV3MZ, 00WV40Z, 00WV42Z, 00WV43Z, 00WV4MZ, 01510ZZ, 01514ZZ, 01580ZZ, 01584ZZ, 015B0ZZ, 015B4ZZ, 015R0ZZ, 015R4ZZ, 01810ZZ, 01813ZZ, 01814ZZ, 01880ZZ, 01883ZZ, 01884ZZ, 018B0ZZ, 018B3ZZ, 018B4ZZ, 018R0ZZ, 018R3ZZ, 018R4ZZ, 0PS304Z, 0PS30ZZ, 0PS334Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Spinal procedures (cont.)	028 (cont.)	0PS344Z, 0PS34ZZ, 0PS403Z, 0PS404Z, 0PS40ZZ, 0PS434Z, 0PS443Z, 0PS444Z, 0PS44ZZ, 0QS003Z, 0QS004Z, 0QS00ZZ, 0QS034Z, 0QS044Z, 0QS04ZZ, 0QS104Z, 0QS10ZZ, 0QS134Z, 0QS144Z, 0QS14ZZ, 0QSS04Z, 0QSS0ZZ, 0QSS34Z, 0QS043Z 0QSS3ZZ, 0QSS44Z, 0QSS4ZZ, 0RB00ZZ, 0RB03ZZ, 0RB04ZZ, 0RB10ZZ, 0RB13ZZ, 0RB14ZZ, 0RB40ZZ, 0RB43ZZ, 0RB44ZZ, 0RB60ZZ, 0RB63ZZ, 0RB64ZZ, 0RBA0ZZ, 0RBA3ZZ, 0RBA4ZZ, 0SB00ZZ, 0SB03ZZ, 0SB04ZZ, 0SB30ZZ, 0SB33ZZ, 0SB34ZZ, 0SB50ZZ, 0SB53ZZ, 0SB54ZZ, 0SB60ZZ, 0SB63ZZ, 0SB64ZZ, 0SB70ZZ, 0SB73ZZ, 0SB74ZZ, 0SB80ZZ, 0SB83ZZ, 0SB84ZZ, XNS0032, XNS00C7, XNS0332, XNS03C7, XNS3032, XNS3332, XNS4032, XNS40C7, XNS4332, XNS43C7
		029	See MS-DRG 028
		030	See MS-DRG 028
S	Combined anterior/posterior spinal fusion	453	Include all
		454	Include all
		455	Include all
S	Spinal fusion except cervical with spinal curvature/malignancy/infection or extensive fusions	456	Include all
		457	Include all
		458	Include all
S	Spinal fusion except cervical	459	Include all
		460	Include all
S	Bilateral or multiple major joint procedures of lower extremity	461	Include all
		462	Include all
S	Wound debridement and skin graft except hand for musculoskeletal and connective tissue disorders	463	Include procedures: 0SP909Z, 0SP90JZ, 0SP93JZ, 0SP94JZ, 0SPB09Z, 0SPB0JZ, 0SPB3JZ, 0SPB4JZ, 0SPC09Z, 0SPC0JZ, 0SPC3JZ, 0SPC4JZ, 0SPD09Z, 0SPD0JZ, 0SPD3JC, 0SPD4JZ
		464	See MS-DRG 463
		465	See MS-DRG 463
S	Revision of hip or knee replacement	466	Include all
		467	Include all
		468	Include all
S	Major joint replacement or reattachment of lower extremity	469	Include all
S	Cervical spinal fusion	471	Include all
		472	Include all
		473	Include all
S	Hip & femur procedures except major joint	480	Include all
		481	Include all
		482	Include all
S	Major joint & limb reattachment procedures of upper extremity	483	Include all

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Knee procedures with principal diagnosis of infection	485	Include all
		486	Include all
		487	Include all
S	Lower extremity & humerus procedures except hip, foot, and femur	492	Include all
		493	Include all
		494	Include all
S	Local excision & removal of internal fixation devices except hip & femur	495	Include all
		496	Include all
		497	Include all
S	Local excision & removal of internal fixation devices of hip & femur	498	Include all
		499	Include all
S	Soft tissue procedures	500	Include all
		501	Include all
S	Foot procedures	503	Include all
		504	Include all
		505	Include all
S	Major thumb or joint procedures	506	Include all
S	Major shoulder or elbow joint procedures	507	Include all
		508	Include all
S	Other musculoskeletal system & connective tissue O.R. procedures	515	Include procedures: 0MM00ZZ, 0MM04ZZ, 0MM10ZZ, 0MM14ZZ, 0MM20ZZ, 0MM24ZZ, 0MM30ZZ, 0MM34ZZ, 0MM40ZZ, 0MM44ZZ, 0MM50ZZ, 0MM54ZZ, 0MM60ZZ, 0MM64ZZ, 0MM70ZZ, 0MM74ZZ, 0MM80ZZ, 0MM84ZZ, 0MM90ZZ, 0MM94ZZ, 0MMB0ZZ, 0MMB4ZZ, 0MMC0ZZ, 0MMC4ZZ, 0MMD0ZZ, 0MMD4ZZ, 0MMF0ZZ, 0MMF4ZZ, 0MMG0ZZ, 0MMG4ZZ, 0MMH0ZZ, 0MMH4ZZ, 0MMJ0ZZ, 0MMJ4ZZ, 0MMK0ZZ, 0MMK4ZZ, 0MML0ZZ, 0MML4ZZ, 0MMM0ZZ, 0MMM4ZZ, 0MMN0ZZ, 0MMN4ZZ, 0MMP0ZZ, 0MMP4ZZ, 0MMQ0ZZ, 0MMQ4ZZ, 0MMR0ZZ, 0MMR4ZZ, 0MMS0ZZ, 0MMS4ZZ, 0MMT0ZZ, 0MMT4ZZ, 0MMV0ZZ, 0MMV4ZZ, 0MMW0ZZ, 0MMW4ZZ, 0MPX00Z, 0MPX0JZ, 0MPX3JZ, 0MPX40Z, 0MPX4JZ, 0MPY00Z, 0MPY0JZ, 0MPY3JZ, 0MPY40Z, 0MPY4JZ, 0MS00ZZ, 0MS04ZZ, 0MS10ZZ, 0MS14ZZ, 0MS20ZZ, 0MS24ZZ, 0MS30ZZ, 0MS34ZZ, 0MS40ZZ, 0MS44ZZ, 0MS50ZZ, 0MS54ZZ, 0MS60ZZ, 0MS64ZZ, 0MS70ZZ, 0MS74ZZ, 0MS80ZZ, 0MS84ZZ, 0MSC0ZZ, 0MSC4ZZ, 0MSD0ZZ, 0MSD4ZZ, 0MSF0ZZ, 0MSF4ZZ, 0MSG0ZZ, 0MSG4ZZ, 0MSH0ZZ, 0MSH4ZZ, 0MSJ0ZZ, 0MSJ4ZZ, 0MSK0ZZ, 0MSK4ZZ, 0MSL0ZZ, 0MSL4ZZ, 0MSM0ZZ, 0MSM4ZZ, 0MSN0ZZ, 0MSN4ZZ, 0MSP0ZZ, 0MSP4ZZ, 0MSQ0ZZ, 0MSQ4ZZ, 0MSR0ZZ, 0MSR4ZZ, 0MSS0ZZ, 0MSS4ZZ, 0MST0ZZ, 0MST4ZZ, 0MU007Z, 0MU00JZ, 0MU00KZ, 0MU047Z, 0MU04JZ, 0MU04KZ, 0MU107Z, 0MU10JZ, 0MU10KZ, 0MU147Z, 0MU14JZ, 0MU14KZ, 0MU207Z, 0MU20JZ, 0MU20KZ, 0MU247Z, 0MU24JZ, 0MU24KZ, 0MU307Z, 0MU30JZ, 0MU30KZ, 0MU347Z, 0MU34JZ, 0MU34KZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0MU407Z, 0MU40JZ, 0MU40KZ, 0MU447Z, 0MU44JZ, 0MU44KZ, 0MU507Z, 0MU50JZ, 0MU50KZ, 0MU547Z, 0MU54JZ, 0MU54KZ, 0MU607Z, 0MU60JZ, 0MU60KZ, 0MU647Z, 0MU64JZ, 0MU64KZ, 0MU707Z, 0MU70JZ, 0MU70KZ, 0MU747Z, 0MU74JZ, 0MU74KZ, 0MU807Z, 0MU80JZ, 0MU80KZ, 0MU847Z, 0MU84JZ, 0MU84KZ, 0MUC07Z, 0MUC0JZ, 0MUC0KZ, 0MUC47Z, 0MUC4JZ, 0MUC4KZ, 0MUD07Z, 0MUD0JZ, 0MUD0KZ, 0MUD47Z, 0MUD4JZ, 0MUD4KZ, 0MUF07Z, 0MUF0JZ, 0MUF0KZ, 0MUF47Z, 0MUF4JZ, 0MUF4KZ, 0MUG07Z, 0MUG0JZ, 0MUG0KZ, 0MUG47Z, 0MUG4JZ, 0MUG4KZ, 0MUH07Z, 0MUH0JZ, 0MUH0KZ, 0MUH47Z, 0MUH4JZ, 0MUH4KZ, 0MUJ07Z, 0MUJ0JZ, 0MUJ0KZ, 0MUJ47Z, 0MUJ4JZ, 0MUJ4KZ, 0MUK07Z, 0MUK0JZ, 0MUK0KZ, 0MUK47Z, 0MUK4JZ, 0MUK4KZ, 0MUL07Z, 0MUL0JZ, 0MUL0KZ, 0MUL47Z, 0MUL4JZ, 0MUL4KZ, 0MUM07Z, 0MUM0JZ, 0MUM0KZ, 0MUM47Z, 0MUM4JZ, 0MUM4KZ, 0MUN07Z, 0MUN0JZ, 0MUN0KZ, 0MUN47Z, 0MUN4JZ, 0MUN4KZ, 0MUP07Z, 0MUP0JZ, 0MUP0KZ, 0MUP47Z, 0MUP4JZ, 0MUP4KZ, 0MUQ07Z, 0MUQ0JZ, 0MUQ0KZ, 0MUQ47Z, 0MUQ4JZ, 0MUQ4KZ, 0MUR07Z, 0MUR0JZ, 0MUR0KZ, 0MUR47Z, 0MUR4JZ, 0MUR4KZ, 0MUS07Z, 0MUS0JZ, 0MUS0KZ, 0MUS47Z, 0MUS4JZ, 0MUS4KZ, 0MUT07Z, 0MUT0JZ, 0MUT0KZ, 0MUT47Z, 0MUT4JZ, 0MUT4KZ, 0NBC0ZZ, 0NBC3ZZ, 0NBC4ZZ, 0NBF0ZZ, 0NBF3ZZ, 0NBF4ZZ, 0NBG0ZZ, 0NBG3ZZ, 0NBG4ZZ, 0NBH0ZZ, 0NBH3ZZ, 0NBH4ZZ, 0NBH0ZZ, 0NBH3ZZ, 0NBH4ZZ, 0NBK0ZZ, 0NBK3ZZ, 0NBK4ZZ, 0NBL0ZZ, 0NBL3ZZ, 0NBL4ZZ, 0NBM0ZZ, 0NBM3ZZ, 0NBM4ZZ, 0NBN0ZZ, 0NBN3ZZ, 0NBN4ZZ, 0NBR0ZZ, 0NBR3ZZ, 0NBR4ZZ, 0NBT0ZZ, 0NBT3ZZ, 0NBT4ZZ, 0NBV0ZZ, 0NBV3ZZ, 0NBV4ZZ, 0NBX0ZZ, 0NBX3ZZ, 0NBX4ZZ, 0NQR0ZZ, 0NQR3ZZ, 0NQR4ZZ, 0NQT0ZZ, 0NQT3ZZ, 0NQT4ZZ, 0NQV0ZZ, 0NQV3ZZ, 0NQV4ZZ, 0NRC0JZ, 0NRC3JZ, 0NRC47Z, 0NRF0JZ, 0NRF3JZ, 0NRF4JZ, 0NRG0JZ, 0NRG0KZ, 0NRG3JZ, 0NRG4JZ, 0NRH0JZ, 0NRH3JZ, 0NRH4JZ, 0NRJ0JZ, 0NRJ3JZ, 0NRJ4JZ, 0NRK0JZ, 0NRK3JZ, 0NRK4JZ, 0NRL0JZ, 0NRL3JZ, 0NRL4JZ, 0NRM0JZ, 0NRM3JZ, 0NRM4JZ, 0NRN0JZ, 0NRN3JZ, 0NRN4JZ, 0NRT07Z, 0NRT0JZ, 0NRT0KZ, 0NRT37Z, 0NRT3JZ, 0NRT3KZ, 0NRT47Z, 0NRT4JZ, 0NRT4KZ, 0NRV07Z, 0NRV0JZ, 0NRV0KZ, 0NRV37Z, 0NRV3JZ, 0NRV3KZ, 0NRV47Z, 0NRV4JZ, 0NRV4KZ, 0NRX0JZ, 0NRX3JZ, 0NRX4JZ, 0NSC04Z, 0NSC0ZZ, 0NSF04Z, 0NSF0ZZ, 0NSG04Z, 0NSG0ZZ, 0NSH04Z, 0NSH0ZZ, 0NSJ04Z, 0NSJ0ZZ, 0NSK04Z, 0NSK0ZZ, 0NSL04Z, 0NSL0ZZ, 0NSM04Z, 0NSM0ZZ, 0NSN04Z, 0NSN0ZZ, 0NSP04Z, 0NSP0ZZ, 0NSQ04Z, 0NSQ0ZZ, 0NSR04Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	ONSRO5Z, ONSROZZ, ONST04Z, ONST05Z, ONST0ZZ, ONSV04Z, ONSV05Z, ONSV0ZZ, ONSX04Z, ONSX0ZZ, ONTC0ZZ, ONTF0ZZ, ONTG0ZZ, ONTH0ZZ, ONTJ0ZZ, ONTK0ZZ, ONTL0ZZ, ONTM0ZZ, ONTN0ZZ, ONTP0ZZ, ONTQ0ZZ, ONTR0ZZ, ONTT0ZZ, ONTV0ZZ, ONTX0ZZ, ONUC07Z, ONUC0JZ, ONUC3JZ, ONUC4JZ, ONUF0JZ, ONUF3JZ, ONUF4JZ, ONUG0JZ, ONUG3JZ, ONUG4JZ, ONUHOJZ, ONUH3JZ, ONUH4JZ, ONUJOJZ, ONUJ3JZ, ONUJ4JZ, ONUK0JZ, ONUK3JZ, ONUK4JZ, ONULOJZ, ONUL3JZ, ONUL4JZ, ONUM0JZ, ONUM3JZ, ONUM4JZ, ONUN0JZ, ONUN3JZ, ONUN4JZ, ONUT07Z, ONUT0JZ, ONUT0KZ, ONUT37Z, ONUT3JZ, ONUT3KZ, ONUT47Z, ONUT4JZ, ONUT4KZ, ONUV07Z, ONUV0JZ, ONUV0KZ, ONUV37Z, ONUV3JZ, ONUV3KZ, ONUV47Z, ONUV4JZ, ONUV4KZ, ONUX07Z, ONUX0JZ, ONUX3JZ, ONUX4JZ, OP800ZZ, OP803ZZ, OP804ZZ, OP810ZZ, OP813ZZ, OP814ZZ, OP820ZZ, OP823ZZ, OP824ZZ, OP830ZZ, OP833ZZ, OP834ZZ, OP840ZZ, OP843ZZ, OP844ZZ, OP850ZZ, OP853ZZ, OP854ZZ, OP860ZZ, OP863ZZ, OP864ZZ, OP870ZZ, OP873ZZ, OP874ZZ, OP880ZZ, OP883ZZ, OP884ZZ, OP890ZZ, OP893ZZ, OP894ZZ, OP8B0ZZ, OP8B3ZZ, OP8B4ZZ, OP8R0ZZ, OP8R3ZZ, OP8R4ZZ, OP8S0ZZ, OP8S3ZZ, OP8S4ZZ, OP8T0ZZ, OP8T3ZZ, OP8T4ZZ, OP8V0ZZ, OP8V3ZZ, OP8V4ZZ, OPB00ZZ, OPB03ZZ, OPB04ZZ, OPB10ZZ, OPB13ZZ, OPB14ZZ, OPB20ZZ, OPB23ZZ, OPB24ZZ, OPB30ZZ, OPB33ZZ, OPB34ZZ, OPB40ZZ, OPB43ZZ, OPB44ZZ, OPB50ZZ, OPB53ZZ, OPB54ZZ, OPB60ZZ, OPB63ZZ, OPB64ZZ, OPB70ZZ, OPB73ZZ, OPB74ZZ, OPB80ZZ, OPB83ZZ, OPB84ZZ, OPB90ZZ, OPB93ZZ, OPB94ZZ, OPBB0ZZ, OPBB3ZZ, OPBB4ZZ, OPBR0ZZ, OPBR3ZZ, OPBR4ZZ, OPBS0ZZ, OPBS3ZZ, OPBS4ZZ, OPBT0ZZ, OPBT3ZZ, OPBT4ZZ, OPBV0ZZ, OPBV3ZZ, OPBV4ZZ, OPC00ZZ, OPC03ZZ, OPC04ZZ, OPC10ZZ, OPC13ZZ, OPC14ZZ, OPC20ZZ, OPC23ZZ, OPC24ZZ, OPC30ZZ, OPC33ZZ, OPC34ZZ, OPC40ZZ, OPC43ZZ, OPC44ZZ, OPC50ZZ, OPC53ZZ, OPC54ZZ, OPC60ZZ, OPC63ZZ, OPC64ZZ, OPC70ZZ, OPC73ZZ, OPC74ZZ, OPC80ZZ, OPC83ZZ, OPC84ZZ, OPC90ZZ, OPC93ZZ, OPC94ZZ, OPCB0ZZ, OPCB3ZZ, OPCB4ZZ, OPCR0ZZ, OPCR3ZZ, OPCR4ZZ, OPCS0ZZ, OPCS3ZZ, OPCS4ZZ, OPCT0ZZ, OPCT3ZZ, OPCT4ZZ, OPCV0ZZ, OPCV3ZZ, OPCV4ZZ, OPH000Z, OPH004Z, OPH030Z, OPH034Z, OPH040Z, OPH044Z, OPH104Z, OPH134Z, OPH144Z, OPH204Z, OPH234Z, OPH244Z, OPH304Z, OPH334Z, OPH344Z, OPH404Z, OPH434Z, OPH444Z, OPH504Z, OPH534Z, OPH544Z, OPH604Z, OPH634Z, OPH644Z, OPH704Z, OPH734Z, OPH744Z, OPH804Z, OPH834Z, OPH844Z, OPH904Z, OPH934Z, OPH944Z, OPHB04Z, OPHB34Z, OPHB44Z, OPHR04Z, OPHR05Z, OPHR34Z, OPHR35Z, OPHR44Z, OPHR45Z, OPHS04Z, OPHS05Z, OPHS34Z, OPHS35Z, OPHS44Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0PHS45Z, 0PHT04Z, 0PHT05Z, 0PHT34Z, 0PHT35Z, 0PHT44Z, 0PHT45Z, 0PHV04Z, 0PHV05Z, 0PHV34Z, 0PHV35Z, 0PHV44Z, 0PHV45Z, 0PHY0MZ, 0PHY3MZ, 0PHY4MZ, 0PN00ZZ, 0PN03ZZ, 0PN04ZZ, 0PN10ZZ, 0PN13ZZ, 0PN14ZZ, 0PN20ZZ, 0PN23ZZ, 0PN24ZZ, 0PN30ZZ, 0PN33ZZ, 0PN34ZZ, 0PN40ZZ, 0PN43ZZ, 0PN44ZZ, 0PN50ZZ, 0PN53ZZ, 0PN54ZZ, 0PN60ZZ, 0PN63ZZ, 0PN64ZZ, 0PN70ZZ, 0PN73ZZ, 0PN74ZZ, 0PN80ZZ, 0PN83ZZ, 0PN84ZZ, 0PN90ZZ, 0PN93ZZ, 0PN94ZZ, 0PNB0ZZ, 0PNB3ZZ, 0PNB4ZZ, 0PNR0ZZ, 0PNR3ZZ, 0PNR4ZZ, 0PNS0ZZ, 0PNS3ZZ, 0PNS4ZZ, 0PNT0ZZ, 0PNT3ZZ, 0PNT4ZZ, 0PNV0ZZ, 0PNV3ZZ, 0PNV4ZZ, 0PQ00ZZ, 0PQ03ZZ, 0PQ04ZZ, 0PQ10ZZ, 0PQ13ZZ, 0PQ14ZZ, 0PQ20ZZ, 0PQ23ZZ, 0PQ24ZZ, 0PQ30ZZ, 0PQ33ZZ, 0PQ34ZZ, 0PQ40ZZ, 0PQ43ZZ, 0PQ44ZZ, 0PQ50ZZ, 0PQ53ZZ, 0PQ54ZZ, 0PQ60ZZ, 0PQ63ZZ, 0PQ64ZZ, 0PQ70ZZ, 0PQ73ZZ, 0PQ74ZZ, 0PQ80ZZ, 0PQ83ZZ, 0PQ84ZZ, 0PQ90ZZ, 0PQ93ZZ, 0PQ94ZZ, 0PQB0ZZ, 0PQB3ZZ, 0PQB4ZZ, 0PQR0ZZ, 0PQR3ZZ, 0PQR4ZZ, 0PQS0ZZ, 0PQS3ZZ, 0PQS4ZZ, 0PQT0ZZ, 0PQT3ZZ, 0PQT4ZZ, 0PQV0ZZ, 0PQV3ZZ, 0PQV4ZZ, 0PR00ZZ, 0PR00JZ, 0PR00KZ, 0PR03ZZ, 0PR03JZ, 0PR03KZ, 0PR04ZZ, 0PR04JZ, 0PR04KZ, 0PR10ZZ, 0PR10JZ, 0PR10KZ, 0PR13ZZ, 0PR13JZ, 0PR13KZ, 0PR14ZZ, 0PR14JZ, 0PR14KZ, 0PR20ZZ, 0PR20JZ, 0PR20KZ, 0PR23ZZ, 0PR23JZ, 0PR23KZ, 0PR24ZZ, 0PR24JZ, 0PR24KZ, 0PR30ZZ, 0PR30JZ, 0PR30KZ, 0PR33ZZ, 0PR33JZ, 0PR33KZ, 0PR34ZZ, 0PR34JZ, 0PR34KZ, 0PR40ZZ, 0PR40JZ, 0PR40KZ, 0PR43ZZ, 0PR43JZ, 0PR43KZ, 0PR44ZZ, 0PR44JZ, 0PR44KZ, 0PR50ZZ, 0PR50JZ, 0PR50KZ, 0PR53ZZ, 0PR53JZ, 0PR53KZ, 0PR54ZZ, 0PR54JZ, 0PR54KZ, 0PR60ZZ, 0PR60JZ, 0PR60KZ, 0PR63ZZ, 0PR63JZ, 0PR63KZ, 0PR64ZZ, 0PR64JZ, 0PR64KZ, 0PR70ZZ, 0PR70JZ, 0PR70KZ, 0PR73ZZ, 0PR73JZ, 0PR73KZ, 0PR74ZZ, 0PR74JZ, 0PR74KZ, 0PR80ZZ, 0PR80JZ, 0PR80KZ, 0PR83ZZ, 0PR83JZ, 0PR83KZ, 0PR84ZZ, 0PR84JZ, 0PR84KZ, 0PR90ZZ, 0PR90JZ, 0PR90KZ, 0PR93ZZ, 0PR93JZ, 0PR93KZ, 0PR94ZZ, 0PR94JZ, 0PR94KZ, 0PRB0ZZ, 0PRB0JZ, 0PRB0KZ, 0PRB3ZZ, 0PRB3JZ, 0PRB3KZ, 0PRB4ZZ, 0PRB4JZ, 0PRB4KZ, 0PRR0ZZ, 0PRR0JZ, 0PRR0KZ, 0PRR3ZZ, 0PRR3JZ, 0PRR3KZ, 0PRR4ZZ, 0PRR4JZ, 0PRR4KZ, 0PRS0ZZ, 0PRS0JZ, 0PRS0KZ, 0PRS3ZZ, 0PRS3JZ, 0PRS3KZ, 0PRS4ZZ, 0PRS4JZ, 0PRS4KZ, 0PRT0ZZ, 0PRT0JZ, 0PRT0KZ, 0PRT3ZZ, 0PRT3JZ, 0PRT3KZ, 0PRT4ZZ, 0PRT4JZ, 0PRT4KZ, 0PRV0ZZ, 0PRV0JZ, 0PRV0KZ, 0PRV3ZZ, 0PRV3JZ, 0PRV3KZ, 0PRV4ZZ, 0PRV4JZ, 0PRV4KZ, 0PS00ZZ, 0PS00JZ, 0PS00KZ, 0PS03ZZ, 0PS03JZ, 0PS03KZ, 0PS04ZZ, 0PS10ZZ, 0PS13ZZ, 0PS14ZZ, 0PS20ZZ, 0PS23ZZ, 0PS24ZZ, 0PS33ZZ, 0PS34ZZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0PS33ZZ, 0PS43ZZ, 0PS504Z, 0PS50ZZ, 0PS534Z, 0PS544Z, 0PS604Z, 0PS60ZZ, 0PS634Z, 0PS644Z, 0PS704Z, 0PS70ZZ, 0PS734Z, 0PS744Z, 0PS804Z, 0PS80ZZ, 0PS834Z, 0PS844Z, 0PS904Z, 0PS90ZZ, 0PS934Z, 0PS944Z, 0PSB04Z, 0PSB0ZZ, 0PSB34Z, 0PSB44Z, 0PSR05Z, 0PSR35Z, 0PSR45Z, 0PSS05Z, 0PSS35Z, 0PSS45Z, 0PST05Z, 0PST35Z, 0PST45Z, 0PSV05Z, 0PSV35Z, 0PSV45Z, 0PT00ZZ, 0PT10ZZ, 0PT20ZZ, 0PT50ZZ, 0PT60ZZ, 0PT70ZZ, 0PT80ZZ, 0PT90ZZ, 0PTB0ZZ, 0PTR0ZZ, 0PTS0ZZ, 0PTT0ZZ, 0PTV0ZZ, 0PU007Z, 0PU00JZ, 0PU00KZ, 0PU037Z, 0PU03JZ, 0PU03KZ, 0PU047Z, 0PU04JZ, 0PU04KZ, 0PU107Z, 0PU10JZ, 0PU10KZ, 0PU137Z, 0PU13JZ, 0PU13KZ, 0PU147Z, 0PU14JZ, 0PU14KZ, 0PU207Z, 0PU20JZ, 0PU20KZ, 0PU237Z, 0PU23JZ, 0PU23KZ, 0PU247Z, 0PU24JZ, 0PU24KZ, 0PU307Z, 0PU30JZ, 0PU30KZ, 0PU337Z, 0PU33JZ, 0PU33KZ, 0PU347Z, 0PU34JZ, 0PU34KZ, 0PU407Z, 0PU40JZ, 0PU40KZ, 0PU437Z, 0PU43JZ, 0PU43KZ, 0PU447Z, 0PU44JZ, 0PU44KZ, 0PU507Z, 0PU50JZ, 0PU50KZ, 0PU537Z, 0PU53JZ, 0PU53KZ, 0PU547Z, 0PU54JZ, 0PU54KZ, 0PU607Z, 0PU60JZ, 0PU60KZ, 0PU637Z, 0PU63JZ, 0PU63KZ, 0PU647Z, 0PU64JZ, 0PU64KZ, 0PU707Z, 0PU70JZ, 0PU70KZ, 0PU737Z, 0PU73JZ, 0PU73KZ, 0PU747Z, 0PU74JZ, 0PU74KZ, 0PU807Z, 0PU80JZ, 0PU80KZ, 0PU837Z, 0PU83JZ, 0PU83KZ, 0PU847Z, 0PU84JZ, 0PU84KZ, 0PU907Z, 0PU90JZ, 0PU90KZ, 0PU937Z, 0PU93JZ, 0PU93KZ, 0PU947Z, 0PU94JZ, 0PU94KZ, 0PUB07Z, 0PUB0JZ, 0PUB0KZ, 0PUB37Z, 0PUB3JZ, 0PUB3KZ, 0PUB47Z, 0PUB4JZ, 0PUB4KZ, 0PUR07Z, 0PUR0JZ, 0PUR0KZ, 0PUR37Z, 0PUR3JZ, 0PUR3KZ, 0PUR47Z, 0PUR4JZ, 0PUR4KZ, 0PUS07Z, 0PUS0JZ, 0PUS0KZ, 0PUS37Z, 0PUS3JZ, 0PUS3KZ, 0PUS47Z, 0PUS4JZ, 0PUS4KZ, 0PUT07Z, 0PUT0JZ, 0PUT0KZ, 0PUT37Z, 0PUT3JZ, 0PUT3KZ, 0PUT47Z, 0PUT4JZ, 0PUT4KZ, 0PUV07Z, 0PUV0JZ, 0PUV0KZ, 0PUV37Z, 0PUV3JZ, 0PUV3KZ, 0PUV47Z, 0PUV4JZ, 0PUV4KZ, 0Q800ZZ, 0Q803ZZ, 0Q804ZZ, 0Q810ZZ, 0Q813ZZ, 0Q814ZZ, 0Q820ZZ, 0Q823ZZ, 0Q824ZZ, 0Q830ZZ, 0Q833ZZ, 0Q834ZZ, 0Q840ZZ, 0Q843ZZ, 0Q844ZZ, 0Q850ZZ, 0Q853ZZ, 0Q854ZZ, 0Q8Q0ZZ, 0Q8Q3ZZ, 0Q8Q4ZZ, 0Q8R0ZZ, 0Q8R3ZZ, 0Q8R4ZZ, 0Q8S0ZZ, 0Q8S3ZZ, 0Q8S4ZZ, 0QB00ZZ, 0QB03ZZ, 0QB04ZZ, 0QB10ZZ, 0QB13ZZ, 0QB14ZZ, 0QB20ZZ, 0QB23ZZ, 0QB24ZZ, 0QB30ZZ, 0QB33ZZ, 0QB34ZZ, 0QB40ZZ, 0QB43ZZ, 0QB44ZZ, 0QB50ZZ, 0QB53ZZ, 0QB54ZZ, 0QBQ0ZZ, 0QBQ3ZZ, 0QBQ4ZZ, 0QBR0ZZ, 0QBR3ZZ, 0QBR4ZZ, 0QBS0ZZ, 0QBS3ZZ, 0QBS4ZZ, 0QC00ZZ, 0QC03ZZ, 0QC04ZZ, 0QC10ZZ, 0QC13ZZ, 0QC14ZZ, 0QC20ZZ, 0QC23ZZ, 0QC24ZZ, 0QC30ZZ, 0QC33ZZ, 0QC34ZZ, 0QC40ZZ, 0QC43ZZ, 0QC44ZZ, 0QC50ZZ, 0QC53ZZ, 0QC54ZZ, 0QCQ0ZZ, 0QCQ3ZZ, 0QCQ4ZZ, 0QCR0ZZ, 0QCR3ZZ, 0QCR4ZZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0QCS0ZZ, 0QCS3ZZ, 0QCS4ZZ, 0QH004Z, 0QH005Z, 0QH034Z, 0QH035Z, 0QH044Z, 0QH045Z, 0QH104Z, 0QH105Z, 0QH134Z, 0QH135Z, 0QH144Z, 0QH145Z, 0QH204Z, 0QH205Z, 0QH234Z, 0QH235Z, 0QH244Z, 0QH245Z, 0QH304Z, 0QH305Z, 0QH334Z, 0QH335Z, 0QH344Z, 0QH345Z, 0QH404Z, 0QH405Z, 0QH434Z, 0QH435Z, 0QH444Z, 0QH445Z, 0QH504Z, 0QH505Z, 0QH534Z, 0QH535Z, 0QH544Z, 0QH545Z, 0QH04Z, 0QHQ05Z, 0QHQ34Z, 0QHQ35Z, 0QHQ44Z, 0QHQ45Z, 0QHR04Z, 0QHR05Z, 0QHR34Z, 0QHR35Z, 0QHR44Z, 0QHR45Z, 0QHS04Z, 0QHS05Z, 0QHS34Z, 0QHS35Z, 0QHS44Z, 0QHS45Z, 0QHY0MZ, 0QHY3MZ, 0QHY4MZ, 0QN00ZZ, 0QN03ZZ, 0QN04ZZ, 0QN10ZZ, 0QN13ZZ, 0QN14ZZ, 0QN20ZZ, 0QN23ZZ, 0QN24ZZ, 0QN30ZZ, 0QN33ZZ, 0QN34ZZ, 0QN40ZZ, 0QN43ZZ, 0QN44ZZ, 0QN50ZZ, 0QN53ZZ, 0QN54ZZ, 0QNNQ0ZZ, 0QNNQ3ZZ, 0QNNQ4ZZ, 0QNNR0ZZ, 0QNNR3ZZ, 0QNNR4ZZ, 0QNS0ZZ, 0QNS3ZZ, 0QNS4ZZ, 0QQ00ZZ, 0QQ03ZZ, 0QQ04ZZ, 0QQ10ZZ, 0QQ13ZZ, 0QQ14ZZ, 0QQ20ZZ, 0QQ23ZZ, 0QQ24ZZ, 0QQ30ZZ, 0QQ33ZZ, 0QQ34ZZ, 0QQ40ZZ, 0QQ43ZZ, 0QQ44ZZ, 0QQ50ZZ, 0QQ53ZZ, 0QQ54ZZ, 0QQD3ZZ, 0QQF3ZZ, 0QQQ0ZZ, 0QQQ3ZZ, 0QQQ4ZZ, 0QQR0ZZ, 0QQR3ZZ, 0QQR4ZZ, 0QQS0ZZ, 0QQS3ZZ, 0QQS4ZZ, 0QR007Z, 0QR00JZ, 0QR00KZ, 0QR037Z, 0QR03JZ, 0QR03KZ, 0QR047Z, 0QR04JZ, 0QR04KZ, 0QR107Z, 0QR10JZ, 0QR10KZ, 0QR137Z, 0QR13JZ, 0QR13KZ, 0QR147Z, 0QR14JZ, 0QR14KZ, 0QR207Z, 0QR20JZ, 0QR20KZ, 0QR237Z, 0QR23JZ, 0QR23KZ, 0QR247Z, 0QR24JZ, 0QR24KZ, 0QR307Z, 0QR30JZ, 0QR30KZ, 0QR337Z, 0QR33JZ, 0QR33KZ, 0QR347Z, 0QR34JZ, 0QR34KZ, 0QR407Z, 0QR40JZ, 0QR40KZ, 0QR437Z, 0QR43JZ, 0QR43KZ, 0QR447Z, 0QR44JZ, 0QR44KZ, 0QR507Z, 0QR50JZ, 0QR50KZ, 0QR537Z, 0QR53JZ, 0QR53KZ, 0QR547Z, 0QR54JZ, 0QR54KZ, 0QRQ07Z, 0QRQ0JZ, 0QRQ0KZ, 0QRQ37Z, 0QRQ3JZ, 0QRQ3KZ, 0QRQ47Z, 0QRQ4JZ, 0QRQ4KZ, 0QRR07Z, 0QRR0JZ, 0QRR0KZ, 0QRR37Z, 0QRR3JZ, 0QRR3KZ, 0QRR47Z, 0QRR4JZ, 0QRR4KZ, 0QRS07Z, 0QRS0JZ, 0QRS0KZ, 0QRS37Z, 0QRS3JZ, 0QRS3KZ, 0QRS47Z, 0QRS4JZ, 0QRS4KZ, 0QS03ZZ, 0QS13ZZ, 0QS204Z, 0QS205Z, 0QS20ZZ, 0QS234Z, 0QS235Z, 0QS244Z, 0QS245Z, 0QS304Z, 0QS305Z, 0QS30ZZ, 0QS334Z, 0QS335Z, 0QS344Z, 0QS345Z, 0QS404Z, 0QS40ZZ, 0QS434Z, 0QS444Z, 0QS504Z, 0QS50ZZ, 0QS534Z, 0QS544Z, 0QSD04Z, 0QSD0ZZ, 0QSD34Z, 0QSD44Z, 0QSF04Z, 0QSF0ZZ, 0QSF34Z, 0QSF44Z, 0QSQ05Z, 0QSQ35Z, 0QSQ45Z, 0QSR05Z, 0QSR35Z, 0QSR45Z, 0QT20ZZ, 0QT30ZZ, 0QT40ZZ, 0QT50ZZ, 0QTQ0ZZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0QTR0ZZ, 0QTS0ZZ, 0QU007Z, 0QU00JZ, 0QU00KZ, 0QU037Z, 0QU03JZ, 0QU03KZ, 0QU047Z, 0QU04JZ, 0QU04KZ, 0QU107Z, 0QU10JZ, 0QU10KZ, 0QU137Z, 0QU13JZ, 0QU13KZ, 0QU147Z, 0QU14JZ, 0QU14KZ, 0QU207Z, 0QU20JZ, 0QU20KZ, 0QU237Z, 0QU23JZ, 0QU23KZ, 0QU247Z, 0QU24JZ, 0QU24KZ, 0QU307Z, 0QU30JZ, 0QU30KZ, 0QU337Z, 0QU33JZ, 0QU33KZ, 0QU347Z, 0QU34JZ, 0QU34KZ, 0QU407Z, 0QU40JZ, 0QU40KZ, 0QU437Z, 0QU43JZ, 0QU43KZ, 0QU447Z, 0QU44JZ, 0QU44KZ, 0QU507Z, 0QU50JZ, 0QU50KZ, 0QU537Z, 0QU53JZ, 0QU53KZ, 0QU547Z, 0QU54JZ, 0QU54KZ, 0QUQ07Z, 0QUQ0JZ, 0QUQ0KZ, 0QUQ37Z, 0QUQ3JZ, 0QUQ3KZ, 0QUQ47Z, 0QUQ4JZ, 0QUQ4KZ, 0QUR07Z, 0QUR0JZ, 0QUR0KZ, 0QUR37Z, 0QUR3JZ, 0QUR3KZ, 0QUR47Z, 0QUR4JZ, 0QUR4KZ, 0QUS07Z, 0QUS0JZ, 0QUS0KZ, 0QUS37Z, 0QUS3JZ, 0QUS3KZ, 0QUS47Z, 0QUS4JZ, 0QUS4KZ, 0R9000Z, 0R900ZZ, 0R9100Z, 0R910ZZ, 0R9300Z, 0R930ZZ, 0R9400Z, 0R940ZZ, 0R9500Z, 0R950ZZ, 0R9600Z, 0R960ZZ, 0R9900Z, 0R990ZZ, 0R9A00Z, 0R9A0ZZ, 0R9B00Z, 0R9B0ZZ, 0RC00ZZ, 0RC03ZZ, 0RC04ZZ, 0RC10ZZ, 0RC13ZZ, 0RC14ZZ, 0RC30ZZ, 0RC33ZZ, 0RC34ZZ, 0RC40ZZ, 0RC43ZZ, 0RC44ZZ, 0RC50ZZ, 0RC53ZZ, 0RC54ZZ, 0RC60ZZ, 0RC63ZZ, 0RC64ZZ, 0RC90ZZ, 0RC93ZZ, 0RC94ZZ, 0RCA0ZZ, 0RCA3ZZ, 0RCA4ZZ, 0RCB0ZZ, 0RCB3ZZ, 0RCB4ZZ, 0RCC0ZZ, 0RCC3ZZ, 0RCC4ZZ, 0RCD0ZZ, 0RCD3ZZ, 0RCD4ZZ, 0RGC04Z, 0RGC07Z, 0RGC0JZ, 0RGC0KZ, 0RGC34Z, 0RGC37Z, 0RGC3JZ, 0RGC3KZ, , 0RGC44Z, 0RGC47Z, 0RGC4JZ, 0RGC4KZ, , 0RGD04Z, 0RGD07Z, 0RGD0JZ, 0RGD0KZ, , 0RGD34Z, 0RGD37Z, 0RGD3JZ, 0RGD3KZ, , 0RGD44Z, 0RGD47Z, 0RGD4JZ, 0RGD4KZ, , 0RH004Z, 0RH034Z, 0RH044Z, 0RH104Z, 0RH134Z, 0RH144Z, 0RH404Z, 0RH434Z, 0RH444Z, 0RH604Z, 0RH634Z, 0RH644Z, 0RHA04Z, 0RHA34Z, 0RHA44Z, 0RJ00ZZ, 0RJ10ZZ, 0RJ30ZZ, 0RJ40ZZ, 0RJ50ZZ, 0RJ60ZZ, 0RJ90ZZ, 0RJA0ZZ, 0RJB0ZZ, 0RP000Z, 0RP003Z, 0RP004Z, 0RP007Z, 0RP00AZ, 0RP00KZ, 0RP034Z, 0RP037Z, 0RP03AZ, 0RP03KZ, 0RP040Z, 0RP043Z, 0RP044Z, 0RP047Z, 0RP04AZ, 0RP04KZ, 0RP100Z, 0RP103Z, 0RP104Z, 0RP107Z, 0RP10AZ, 0RP10KZ, 0RP134Z, 0RP137Z, 0RP13AZ, 0RP13KZ, 0RP140Z, 0RP143Z, 0RP144Z, 0RP147Z, 0RP14AZ, 0RP14KZ, 0RP300Z, 0RP303Z, 0RP307Z, 0RP30KZ, 0RP337Z, 0RP33KZ, 0RP340Z, 0RP343Z, 0RP347Z, 0RP34KZ, 0RP400Z, 0RP403Z, 0RP404Z, 0RP407Z, 0RP40AZ, 0RP40KZ, 0RP434Z, 0RP437Z, 0RP43AZ, 0RP43KZ, 0RP440Z, 0RP443Z, 0RP444Z, 0RP447Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0RP44AZ, 0RP44KZ, 0RP500Z, 0RP503Z, 0RP507Z, 0RP50KZ, 0RP537Z, 0RP53KZ, 0RP540Z, 0RP543Z, 0RP547Z, 0RP54KZ, 0RP600Z, 0RP603Z, 0RP604Z, 0RP607Z, 0RP60AZ, 0RP60KZ, 0RP634Z, 0RP637Z, 0RP63AZ, 0RP63KZ, 0RP640Z, 0RP643Z, 0RP644Z, 0RP647Z, 0RP64AZ, 0RP64KZ, 0RP900Z, 0RP903Z, 0RP907Z, 0RP90KZ, 0RP937Z, 0RP93KZ, 0RP940Z, 0RP943Z, 0RP947Z, 0RP94KZ, 0RPA00Z, 0RPA03Z, 0RPA04Z, 0RPA07Z, 0RPA0AZ, 0RPA0KZ, 0RPA34Z, 0RPA37Z, 0RPA3AZ, 0RPA3KZ, 0RPA40Z, 0RPA43Z, 0RPA44Z, 0RPA47Z, 0RPA4AZ, 0RPA4KZ, 0RPB00Z, 0RPB03Z, 0RPB07Z, 0RPB0KZ, 0RPB37Z, 0RPB3KZ, 0RPB40Z, 0RPB43Z, 0RPB47Z, 0RPB4KZ, 0RQ00ZZ, 0RQ03ZZ, 0RQ04ZZ, 0RQ10ZZ, 0RQ13ZZ, 0RQ14ZZ, 0RQ30ZZ, 0RQ33ZZ, 0RQ34ZZ, 0RQ40ZZ, 0RQ43ZZ, 0RQ44ZZ, 0RQ50ZZ, 0RQ53ZZ, 0RQ54ZZ, 0RQ60ZZ, 0RQ63ZZ, 0RQ64ZZ, 0RQ90ZZ, 0RQ93ZZ, 0RQ94ZZ, 0RQA0ZZ, 0RQA3ZZ, 0RQA4ZZ, 0RQB0ZZ, 0RQB3ZZ, 0RQB4ZZ, 0RQC0ZZ, 0RQC3ZZ, 0RQC4ZZ, 0RQD0ZZ, 0RQD3ZZ, 0RQD4ZZ, 0RR007Z, 0RR00JZ, 0RR00KZ, 0RR107Z, 0RR10JZ, 0RR10KZ, 0RR307Z, 0RR30KZ, 0RR407Z, 0RR40JZ, 0RR40KZ, 0RR507Z, 0RR50KZ, 0RR607Z, 0RR60JZ, 0RR60KZ, 0RR907Z, 0RR90KZ, 0RRA07Z, 0RRA0JZ, 0RRA0KZ, 0RRB07Z, 0RRB0KZ, 0RRC07Z, 0RRC0JZ, 0RRC0KZ, 0RRD07Z, 0RRD0JZ, 0RRD0KZ, 0RS004Z, 0RS00ZZ, 0RS104Z, 0RS10ZZ, 0RS404Z, 0RS40ZZ, 0RS604Z, 0RS60ZZ, 0RSA04Z, 0RSA0ZZ, 0RSC04Z, 0RSC0ZZ, 0RSD04Z, 0RSD0ZZ, 0RTC0ZZ, 0RTD0ZZ, 0RU007Z, 0RU00JZ, 0RU00KZ, 0RU037Z, 0RU03KZ, 0RU047Z, 0RU04KZ, 0RU107Z, 0RU10KZ, 0RU137Z, 0RU13KZ, 0RU147Z, 0RU14KZ, 0RU407Z, 0RU40KZ, 0RU437Z, 0RU43KZ, 0RU447Z, 0RU44KZ, 0RU507Z, 0RU50KZ, 0RU537Z, 0RU53KZ, 0RU547Z, 0RU54KZ, 0RU607Z, 0RU60KZ, 0RU637Z, 0RU63KZ, 0RU647Z, 0RU64KZ, 0RUA07Z, 0RUA0KZ, 0RUA37Z, 0RUA3KZ, 0RUA47Z, 0RUA4KZ, 0RUC07Z, 0RUC0JZ, 0RUC0KZ, 0RUC37Z, 0RUC3JZ, 0RUC3KZ, 0RUC47Z, 0RUC4JZ, 0RUC4KZ, 0RUD07Z, 0RUD0JZ, 0RUD0KZ, 0RUD37Z, 0RUD3JZ, 0RUD3KZ, 0RUD47Z, 0RUD4JZ, 0RUD4KZ, 0RW000Z, 0RW003Z, 0RW004Z, 0RW007Z, 0RW008Z, 0RW00AZ, 0RW00JZ, 0RW00KZ, 0RW030Z, 0RW033Z, 0RW034Z, 0RW037Z, 0RW038Z, 0RW03AZ, 0RW03JZ, 0RW03KZ, 0RW040Z, 0RW043Z, 0RW044Z, 0RW047Z, 0RW048Z, 0RW04AZ, 0RW04JZ, 0RW04KZ, 0RW100Z, 0RW103Z, 0RW104Z, 0RW107Z, 0RW108Z, 0RW10AZ, 0RW10JZ, 0RW10KZ, 0RW130Z, 0RW133Z, 0RW134Z, 0RW137Z, 0RW138Z, 0RW13AZ, 0RW13JZ, 0RW13KZ, 0RW140Z, 0RW143Z, 0RW144Z, 0RW147Z, 0RW148Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0RW14AZ, 0RW14JZ, 0RW14KZ, 0RW300Z, 0RW303Z, 0RW307Z, 0RW30KZ, 0RW330Z, 0RW333Z, 0RW337Z, 0RW33KZ, 0RW340Z, 0RW343Z, 0RW347Z, 0RW34KZ, 0RW400Z, 0RW403Z, 0RW404Z, 0RW407Z, 0RW408Z, 0RW40AZ, 0RW40JZ, 0RW40KZ, 0RW430Z, 0RW433Z, 0RW434Z, 0RW437Z, 0RW438Z, 0RW43AZ, 0RW43JZ, 0RW43KZ, 0RW440Z, 0RW443Z, 0RW444Z, 0RW447Z, 0RW448Z, 0RW44AZ, 0RW44JZ, 0RW44KZ, 0RW500Z, 0RW503Z, 0RW507Z, 0RW50KZ, 0RW530Z, 0RW533Z, 0RW537Z, 0RW53KZ, 0RW540Z, 0RW543Z, 0RW547Z, 0RW54KZ, 0RW600Z, 0RW603Z, 0RW604Z, 0RW607Z, 0RW608Z, 0RW60AZ, 0RW60JZ, 0RW60KZ, 0RW630Z, 0RW633Z, 0RW634Z, 0RW637Z, 0RW638Z, 0RW63AZ, 0RW63JZ, 0RW63KZ, 0RW640Z, 0RW643Z, 0RW644Z, 0RW647Z, 0RW648Z, 0RW64AZ, 0RW64JZ, 0RW64KZ, 0RW900Z, 0RW903Z, 0RW907Z, 0RW90KZ, 0RW930Z, 0RW933Z, 0RW937Z, 0RW93KZ, 0RW940Z, 0RW943Z, 0RW947Z, 0RW94KZ, 0RWA00Z, 0RWA03Z, 0RWA04Z, 0RWA07Z, 0RWA08Z, 0RWA0AZ, 0RWA0JZ, 0RWA0KZ, 0RWA30Z, 0RWA33Z, 0RWA34Z, 0RWA37Z, 0RWA38Z, 0RWA3AZ, 0RWA3JZ, 0RWA3KZ, 0RWA40Z, 0RWA43Z, 0RWA44Z, 0RWA47Z, 0RWA48Z, 0RWA4AZ, 0RWA4JZ, 0RWA4KZ, 0RWB00Z, 0RWB03Z, 0RWB07Z, 0RWB0KZ, 0RWB30Z, 0RWB33Z, 0RWB37Z, 0RWB3KZ, 0RWB40Z, 0RWB43Z, 0RWB47Z, 0RWB4KZ, 0RWG0JZ, 0RWG3JZ, 0RWG4JZ, 0RWH0JZ, 0RWH3JZ, 0RWH4JZ, 0RWJ0J6, 0RWJ0J7, 0RWJ0JZ, 0RWJ3JZ, 0RWJ4J6, 0RWJ4J7, 0RWJ4JZ, 0RWK0J6, 0RWK0J7, 0RWK0JZ, 0RWK3J6, 0RWK3J7, 0RWK3JZ, 0RWK4J6, 0RWK4J7, 0RWK4JZ, 0RWL0JZ, 0RWL3JZ, 0RWL4JZ, 0RWM0JZ, 0RWM3JZ, 0RWM4JZ, 0RWN0JZ, 0RWN3JZ, 0RWN4JZ, 0RWP0JZ, 0RWP3JZ, 0RWP4JZ, 0RWQ0JZ, 0RWQ3JZ, 0RWQ4JZ, 0RWR0JZ, 0RWR3JZ, 0RWR4JZ, 0RWS0JZ, 0RWS3JZ, 0RWS4JZ, 0RWT0JZ, 0RWT3JZ, 0RWT4JZ, 0RWU0JZ, 0RWU3JZ, 0RWU4JZ, 0RWV0JZ, 0RWV3JZ, 0RWV4JZ, 0RWW0JZ, 0RWW3JZ, 0RWW4JZ, 0RWX0JZ, 0RWX3JZ, 0RWX4JZ, 0S9000Z, 0S900ZZ, 0S9200Z, 0S920ZZ, 0S9300Z, 0S930ZZ, 0S9400Z, 0S940ZZ, 0S9500Z, 0S950ZZ, 0S9600Z, 0S960ZZ, 0S9700Z, 0S970ZZ, 0S9800Z, 0S980ZZ, 0SC00ZZ, 0SC03ZZ, 0SC04ZZ, 0SC20ZZ, 0SC23ZZ, 0SC24ZZ, 0SC30ZZ, 0SC33ZZ, 0SC34ZZ, 0SC40ZZ, 0SC43ZZ, 0SC44ZZ, 0SC50ZZ, 0SC53ZZ, 0SC54ZZ, 0SC60ZZ, 0SC63ZZ, 0SC64ZZ, 0SC70ZZ, 0SC73ZZ, 0SC74ZZ, 0SC80ZZ, 0SC83ZZ, 0SC84ZZ, 0SH004Z, 0SH034Z, 0SH044Z, 0SH304Z, 0SH334Z, 0SH344Z, 0SH504Z, 0SH534Z, 0SH544Z, 0SH604Z, 0SH634Z, 0SH644Z, 0SH704Z, 0SH734Z, 0SH744Z, 0SH804Z, 0SH834Z, 0SH844Z, 0SJ00ZZ, 0SJ20ZZ, 0SJ30ZZ, 0SJ40ZZ, 0SJ50ZZ, 0SJ60ZZ, 0SJ70ZZ, 0SJ80ZZ, 0SP000Z, 0SP003Z, 0SP004Z, 0SP007Z, 0SP00AZ, 0SP00KZ, 0SP034Z, 0SP037Z, 0SP03AZ, 0SP03KZ, 0SP040Z, 0SP043Z, 0SP044Z,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	OSP047Z, OSP04AZ, OSP04KZ, OSP200Z, OSP203Z, OSP207Z, OSP20KZ, OSP237Z, OSP23KZ, OSP240Z, OSP243Z, OSP247Z, OSP24KZ, OSP300Z, OSP303Z, OSP304Z, OSP307Z, OSP30AZ, OSP30KZ, OSP334Z, OSP337Z, OSP33AZ, OSP33KZ, OSP340Z, OSP343Z, OSP344Z, OSP347Z, OSP34AZ, OSP34KZ, OSP400Z, OSP403Z, OSP407Z, OSP40KZ, OSP437Z, OSP43KZ, OSP440Z, OSP443Z, OSP447Z, OSP44KZ, OSP500Z, OSP503Z, OSP504Z, OSP507Z, OSP50KZ, OSP534Z, OSP537Z, OSP53KZ, OSP540Z, OSP543Z, OSP544Z, OSP547Z, OSP54KZ, OSP600Z, OSP603Z, OSP604Z, OSP607Z, OSP60KZ, OSP634Z, OSP637Z, OSP63KZ, OSP640Z, OSP643Z, OSP644Z, OSP647Z, OSP64KZ, OSP700Z, OSP703Z, OSP704Z, OSP707Z, OSP70KZ, OSP734Z, OSP737Z, OSP73KZ, OSP740Z, OSP743Z, OSP744Z, OSP747Z, OSP74KZ, OSP800Z, OSP803Z, OSP804Z, OSP807Z, OSP80KZ, OSP834Z, OSP837Z, OSP83KZ, OSP840Z, OSP843Z, OSP844Z, OSP847Z, OSP84KZ, OSQ00ZZ, OSQ03ZZ, OSQ04ZZ, OSQ20ZZ, OSQ23ZZ, OSQ24ZZ, OSQ30ZZ, OSQ33ZZ, OSQ34ZZ, OSQ40ZZ, OSQ43ZZ, OSQ44ZZ, OSQ50ZZ, OSQ53ZZ, OSQ54ZZ, OSQ60ZZ, OSQ63ZZ, OSQ64ZZ, OSQ70ZZ, OSQ73ZZ, OSQ74ZZ, OSQ80ZZ, OSQ83ZZ, OSQ84ZZ, OSQH0ZZ, OSQH3ZZ, OSQH4ZZ, OSQJ0ZZ, OSQJ3ZZ, OSQJ4ZZ, OSQK0ZZ, OSQK3ZZ, OSQK4ZZ, OSQL0ZZ, OSQL3ZZ, OSQL4ZZ, OSQM0ZZ, OSQM3ZZ, OSQM4ZZ, OSQN0ZZ, OSQN3ZZ, OSQN4ZZ, OSQP0ZZ, OSQP3ZZ, OSQP4ZZ, OSQQ0ZZ, OSQQ3ZZ, OSQQ4ZZ, OSR007Z, OSR00JZ, OSR00KZ, OSR207Z, OSR20KZ, OSR307Z, OSR30JZ, OSR30KZ, OSR407Z, OSR40KZ, OSR507Z, OSR50JZ, OSR50KZ, OSR607Z, OSR60JZ, OSR60KZ, OSR707Z, OSR70JZ, OSR70KZ, OSR807Z, OSR80JZ, OSR80KZ, OSS004Z, OSS00ZZ, OSS304Z, OSS30ZZ, OSS504Z, OSS50ZZ, OSS604Z, OSS60ZZ, OSS704Z, OSS70ZZ, OSS804Z, OSS80ZZ, OST50ZZ, OST60ZZ, OST70ZZ, OST80ZZ, OSU007Z, OSU00KZ, OSU037Z, OSU03KZ, OSU047Z, OSU04KZ, OSU307Z, OSU30KZ, OSU337Z, OSU33KZ, OSU347Z, OSU34KZ, OSU507Z, OSU50KZ, OSU537Z, OSU53KZ, OSU547Z, OSU54KZ, OSU607Z, OSU60KZ, OSU637Z, OSU63KZ, OSU647Z, OSU64KZ, OSU707Z, OSU70JZ, OSU70KZ, OSU737Z, OSU73JZ, OSU73KZ, OSU747Z, OSU74JZ, OSU74KZ, OSU807Z, OSU80JZ, OSU80KZ, OSU837Z, OSU83JZ, OSU83KZ, OSU847Z, OSU84JZ, OSU84KZ, OSU907Z, OSU90JZ, OSU90KZ, OSU937Z, OSU93JZ, OSU93KZ, OSU947Z, OSU94JZ, OSU94KZ, OSUA09Z, OSUB07Z, OSUB09Z, OSUB0JZ, OSUB0KZ, OSUB37Z, OSUB3JZ, OSUB3KZ, OSUB47Z, OSUB4JZ, OSUB4KZ, OSUC07Z, OSUC09Z, OSUC0JZ, OSUC0KZ, OSUC37Z, OSUC3JZ, OSUC3KZ, OSUC47Z, OSUC4JZ, OSUC4KZ, OSUD07Z, OSUD09Z, OSUD0JZ, OSUD0KZ, OSUD37Z, OSUD3JZ, OSUD3KZ, OSUD47Z, OSUD4JZ, OSUD4KZ, OSUE09Z, OSUF07Z, OSUF0JZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0SUF0KZ, 0SUF37Z, 0SUF3JZ, 0SUF3KZ, 0SUF47Z, 0SUF4JZ, 0SUF4KZ, 0SUG07Z, 0SUG0JZ, 0SUG0KZ, 0SUG37Z, 0SUG3JZ, 0SUG3KZ, 0SUG47Z, 0SUG4JZ, 0SUG4KZ, 0SUH07Z, 0SUH0JZ, 0SUH0KZ, 0SUH37Z, 0SUH3JZ, 0SUH3KZ, 0SUH47Z, 0SUH4JZ, 0SUH4KZ, 0SUJ07Z, 0SUJ0JZ, 0SUJ0KZ, 0SUJ37Z, 0SUJ3JZ, 0SUJ3KZ, 0SUJ47Z, 0SUJ4JZ, 0SUJ4KZ, 0SUK07Z, 0SUK0JZ, 0SUK0KZ, 0SUK37Z, 0SUK3JZ, 0SUK3KZ, 0SUK47Z, 0SUK4JZ, 0SUK4KZ, 0SUL07Z, 0SUL0JZ, 0SUL0KZ, 0SUL37Z, 0SUL3JZ, 0SUL3KZ, 0SUL47Z, 0SUL4JZ, 0SUL4KZ, 0SUM07Z, 0SUM0JZ, 0SUM0KZ, 0SUM37Z, 0SUM3JZ, 0SUM3KZ, 0SUM47Z, 0SUM4JZ, 0SUM4KZ, 0SUN07Z, 0SUN0JZ, 0SUN0KZ, 0SUN37Z, 0SUN3JZ, 0SUN3KZ, 0SUN47Z, 0SUN4JZ, 0SUN4KZ, 0SUP07Z, 0SUP0JZ, 0SUP0KZ, 0SUP37Z, 0SUP3JZ, 0SUP3KZ, 0SUP47Z, 0SUP4JZ, 0SUP4KZ, 0SUQ07Z, 0SUQ0JZ, 0SUQ0KZ, 0SUQ37Z, 0SUQ3JZ, 0SUQ3KZ, 0SUQ47Z, 0SUQ4JZ, 0SUQ4KZ, 0SUR09Z, 0SUS09Z, 0SUT09Z, 0SUU09Z, 0SUV09Z, 0SUW09Z, 0SW000Z, 0SW003Z, 0SW004Z, 0SW007Z, 0SW008Z, 0SW00AZ, 0SW00JZ, 0SW00KZ, 0SW030Z, 0SW033Z, 0SW034Z, 0SW037Z, 0SW038Z, 0SW03AZ, 0SW03JZ, 0SW03KZ, 0SW040Z, 0SW043Z, 0SW044Z, 0SW047Z, 0SW048Z, 0SW04AZ, 0SW04JZ, 0SW04KZ, 0SW200Z, 0SW203Z, 0SW207Z, 0SW20KZ, 0SW230Z, 0SW233Z, 0SW237Z, 0SW23KZ, 0SW240Z, 0SW243Z, 0SW247Z, 0SW24KZ, 0SW300Z, 0SW303Z, 0SW304Z, 0SW307Z, 0SW308Z, 0SW30AZ, 0SW30JZ, 0SW30KZ, 0SW330Z, 0SW333Z, 0SW334Z, 0SW337Z, 0SW338Z, 0SW33AZ, 0SW33JZ, 0SW33KZ, 0SW340Z, 0SW343Z, 0SW344Z, 0SW347Z, 0SW348Z, 0SW34AZ, 0SW34JZ, 0SW34KZ, 0SW400Z, 0SW403Z, 0SW407Z, 0SW40KZ, 0SW430Z, 0SW433Z, 0SW437Z, 0SW43KZ, 0SW440Z, 0SW443Z, 0SW447Z, 0SW44KZ, 0SW500Z, 0SW503Z, 0SW504Z, 0SW507Z, 0SW508Z, 0SW50JZ, 0SW50KZ, 0SW530Z, 0SW533Z, 0SW534Z, 0SW537Z, 0SW538Z, 0SW53JZ, 0SW53KZ, 0SW540Z, 0SW543Z, 0SW544Z, 0SW547Z, 0SW548Z, 0SW54JZ, 0SW54KZ, 0SW600Z, 0SW603Z, 0SW604Z, 0SW607Z, 0SW608Z, 0SW60JZ, 0SW60KZ, 0SW630Z, 0SW633Z, 0SW634Z, 0SW637Z, 0SW638Z, 0SW63JZ, 0SW63KZ, 0SW640Z, 0SW643Z, 0SW644Z, 0SW647Z, 0SW648Z, 0SW64JZ, 0SW64KZ, 0SW700Z, 0SW703Z, 0SW704Z, 0SW707Z, 0SW708Z, 0SW70JZ, 0SW70KZ, 0SW730Z, 0SW733Z, 0SW734Z, 0SW737Z, 0SW738Z, 0SW73JZ, 0SW73KZ, 0SW740Z, 0SW743Z, 0SW744Z, 0SW747Z, 0SW748Z, 0SW74JZ, 0SW74KZ, 0SW800Z, 0SW803Z, 0SW804Z, 0SW807Z, 0SW808Z, 0SW80JZ, 0SW80KZ, 0SW830Z, 0SW833Z, 0SW834Z, 0SW837Z, 0SW838Z, 0SW83JZ,

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Other musculoskeletal system & connective tissue O.R. procedures (cont.)	515 (cont.)	0SW83KZ, 0SW840Z, 0SW843Z, 0SW844Z, 0SW847Z, 0SW848Z, 0SW84JZ, 0SW84KZ, 0SWF0JZ, 0SWF3JZ, 0SWF4JZ, 0SWG0JZ, 0SWG3JZ, 0SWG4JZ, 0SWH0JZ, 0SWH3JZ, 0SWH4JZ, 0SWJ0JZ, 0SWJ3JZ, 0SWJ4JZ, 0SWK0JZ, 0SWK3JZ, 0SWK4JZ, 0SWL0JZ, 0SWL3JZ, 0SWL4JZ, 0SWM0JZ, 0SWM3JZ, 0SWM4JZ, 0SWN0JZ, 0SWN3JZ, 0SWN4JZ, 0SWP0JZ, 0SWP3JZ, 0SWP4JZ, 0SWQ0JZ, 0SWQ3JZ, 0SWQ4JZ, 0W0407Z, 0W040JZ, 0W040KZ, 0W040ZZ, 0W0437Z, 0W043JZ, 0W043KZ, 0W043ZZ, 0W0447Z, 0W044JZ, 0W044KZ, 0W044ZZ, 0W0507Z, 0W050JZ, 0W050KZ, 0W050ZZ, 0W0537Z, 0W053JZ, 0W053KZ, 0W053ZZ, 0W0547Z, 0W054JZ, 0W054KZ, 0W054ZZ, 0WU407Z, 0WU40JZ, 0WU40KZ, 0WU447Z, 0WU44JZ, 0WU44KZ, 0WU507Z, 0WU50JZ, 0WU50KZ, 0WU547Z, 0WU54JZ, 0WU54KZ, 0YM20ZZ, 0YM30ZZ, 0YM40ZZ, 0YM50ZZ, 0YM60ZZ, 0YM90ZZ, 0YMB0ZZ, XKUC068, XKUD068, XNH6058, XNH6358, XNH7058, XNH7358, XNU0356, XNU4356
			516 See MS-DRG 515
			517 See MS-DRG 515
S	Back & neck procedures except spinal fusion	518	Include all
		519	Include all
		520	Include all
S	Hip replacement with principal diagnosis of hip fracture	521	Include all
		522	Include all
M	Fractures of femur	533	Include all
		534	Include all
M	Fractures of hip & pelvis	535	Include all
		536	Include all
M	Osteomyelitis	539	Include all
		540	Include all
		541	Include all

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Orthopedics (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Pathological fractures & musculoskeletal & connective tissue malignancy	542	Include diagnoses: M48.40XA, M48.41XA, M48.42XA, M48.43XA, M48.44XA, M48.45XA, M48.46XA, M48.47XA, M48.48XA, M48.50XA, M48.51XA, M48.52XA, M48.53XA, M48.54XA, M48.55XA, M48.56XA, M48.57XA, M48.58XA, M80.0B1A, M80.0B2A, M80.0B9A, M80.00XA, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A, M80.029A, M80.031A, M80.032A, M80.039A, M80.041A, M80.042A, M80.049A, M80.051A, M80.052A, M80.059A, M80.061A, M80.062A, M80.069A, M80.071A, M80.072A, M80.079A, M80.08XA, M80.0AXA, M80.8B1A, M80.8B2A, M80.8B9A, M80.80XA, M80.811A, M80.812A, M80.819A, M80.821A, M80.822A, M80.829A, M80.831A, M80.832A, M80.839A, M80.841A, M80.842A, M80.849A, M80.851A, M80.852A, M80.859A, M80.861A, M80.862A, M80.869A, M80.871A, M80.872A, M80.879A, M80.88XA, M80.8AXA, M84.30XA, M84.311A, M84.312A, M84.319A, M84.321A, M84.322A, M84.329A, M84.331A, M84.332A, M84.333A, M84.334A, M84.339A, M84.341A, M84.342A, M84.343A, M84.344A, M84.345A, M84.346A, M84.350A, M84.351A, M84.352A, M84.353A, M84.359A, M84.361A, M84.362A, M84.363A, M84.364A, M84.369A, M84.371A, M84.372A, M84.373A, M84.374A, M84.375A, M84.376A, M84.377A, M84.378A, M84.379A, M84.38XA, M84.40XA, M84.411A, M84.412A, M84.419A, M84.421A, M84.422A, M84.429A, M84.431A, M84.432A, M84.433A, M84.434A, M84.439A, M84.441A, M84.442A, M84.443A, M84.444A, M84.445A, M84.446A, M84.451A, M84.452A, M84.453A, M84.454A, M84.459A, M84.461A, M84.462A, M84.463A, M84.464A, M84.469A, M84.471A, M84.472A, M84.473A, M84.474A, M84.475A, M84.476A, M84.477A, M84.478A, M84.479A, M84.48XA, M84.50XA, M84.511A, M84.512A, M84.519A, M84.521A, M84.522A, M84.529A, M84.531A, M84.532A, M84.533A, M84.534A, M84.539A, M84.541A, M84.542A, M84.549A, M84.550A, M84.551A, M84.552A, M84.553A, M84.559A, M84.561A, M84.562A, M84.563A, M84.564A, M84.569A, M84.571A, M84.572A, M84.573A, M84.574A, M84.575A, M84.576A, M84.58XA, M84.60XA, M84.611A, M84.612A, M84.619A, M84.621A, M84.622A, M84.629A, M84.631A, M84.632A, M84.633A, M84.634A, M84.639A, M84.641A, M84.642A, M84.649A, M84.650A, M84.651A, M84.652A, M84.653A, M84.659A, M84.661A, M84.662A, M84.663A, M84.664A, M84.669A, M84.671A, M84.672A, M84.673A, M84.674A, M84.675A, M84.676A, M84.68XA, M84.750A, M84.751A, M84.752A, M84.753A, M84.754A, M84.755A, M84.756A, M84.757A, M84.758A, M84.759A
		543	See MS-DRG 542
		544	See MS-DRG 542
		956	Include all
S	Limb reattachment, hip & femur proc for multiple significant trauma	956	Include all

*Exclude principal diagnosis of metastatic cancer for all except MS-DRGs 542-544 or DRGs 456-458: C770, C771, C772, C773, C774, C775, C778, C779, C7800, C7801, C7802, C781, C782, C7830, C7839, C784, C785, C786, C787, C7880, C7889, C7900, C7901, C7902, C7910, C7911, C7919, C792, C7931, C7932, C7940, C7949, C7951, C7952, C7960, C7961, C7962, C7963, C7970, C7971, C7972, C7981, C7982, C7989, C799, C7B00, C7B01, C7B02, C7B03, C7B04, C7B09, C7B1, C7B8, C800.

Pulmonology & Lung Surgery

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	ECMO or tracheostomy with MV 96+ hrs or principal diagnosis except face, mouth & neck with major O.R. procedures	003	Include all
S	Tracheostomy with MV 96+ hrs or principal diagnosis except face, mouth & neck w/o major O.R. procedures	004	Include all
S	Lung transplant	007	Include all
S	Major chest procedures	163	Include procedures: 0B530ZZ, 0B533ZZ, 0B537ZZ, 0B538ZZ, 0B540ZZ, 0B543ZZ, 0B547ZZ, 0B548ZZ, 0B550ZZ, 0B553ZZ, 0B557ZZ, 0B558ZZ, 0B560ZZ, 0B563ZZ, 0B567ZZ, 0B568ZZ, 0B570ZZ, 0B573ZZ, 0B577ZZ, 0B578ZZ, 0B580ZZ, 0B583ZZ, 0B587ZZ, 0B588ZZ, 0B590ZZ, 0B593ZZ, 0B597ZZ, 0B598ZZ, 0B5B0Z Z, 0B5B3ZZ, 0B5B7ZZ, 0B5B8ZZ, 0B5C0ZZ, 0B5C4ZZ, 0B5C7ZZ, 0B5D0ZZ, 0B5D4ZZ, 0B5D7ZZ, 0B5F0ZZ, 0B5F4ZZ, 0B5F7ZZ, 0B5G0ZZ, 0B5G4ZZ, 0B5G7ZZ, 0B5H0ZZ, 0B5H3ZZ, 0B5H7ZZ, 0B5J0ZZ, 0B5J4ZZ, 0B5J7ZZ, 0B5K0ZZ, 0B5K4ZZ, 0B5K7ZZ, 0B5L0ZZ, 0B5L4ZZ, 0B5L7ZZ, 0B5M0ZZ, 0B5M4ZZ, 0B5M7ZZ, 0B5N0ZZ, 0B5N3ZZ, 0B5N4ZZ, 0B5P0ZZ, 0B5P3ZZ, 0B5P4ZZ, 0B5T0ZZ, 0B5T3ZZ, 0B5T4ZZ, 0B9300Z, 0B930ZX, 0B930ZZ, 0B9330Z, 0B933ZZ, 0B9340Z, 0B934ZZ, 0B9370Z, 0B937ZZ, 0B9380Z, 0B938ZZ, 0B9400Z, 0B940ZX, 0B940ZZ, 0B9430Z, 0B943ZZ, 0B9440Z, 0B944ZZ, 0B9480Z, 0B948ZZ, 0B9500Z, 0B950ZX, 0B950ZZ, 0B9530Z, 0B953ZZ, 0B9540Z, 0B954ZZ, 0B9600Z, 0B960ZX, 0B960ZZ, 0B9630Z, 0B963ZZ, 0B9640Z, 0B964ZZ, 0B9700Z, 0B970ZX, 0B970ZZ, 0B9730Z, 0B973ZZ, 0B9740Z, 0B974ZZ, 0B9800Z, 0B980ZX, 0B980ZZ, 0B9830Z, 0B983ZZ, 0B9840Z, 0B984ZZ, 0B9900Z, 0B990ZX, 0B990ZZ, 0B9930Z, 0B993ZZ, 0B9940Z, 0B994ZZ, 0B9B00Z, 0B9B0ZX, 0B9B0ZZ, 0B9B30Z, 0B9B3ZZ, 0B9B40Z, 0B9B4ZZ, 0B9C00Z, 0B9C0ZX, 0B9C0ZZ, 0B9D00Z, 0B9D0ZX, 0B9D0ZZ, 0B9F00Z, 0B9F0ZX, 0B9F0ZZ, 0B9G00Z, 0B9G0ZX, 0B9G0ZZ, 0B9H00Z, 0B9H0ZX, 0B9H0ZZ, 0B9J00Z, 0B9J0ZX, 0B9J0ZZ, 0B9K00Z, 0B9K0ZX, 0B9K0ZZ, 0B9L00Z, 0B9L0ZX, 0B9L0ZZ, 0B9M00Z, 0B9M0ZX, 0B9M0ZZ, 0B9T00Z, 0B9T0ZX, 0B9T0ZZ, 0BB30ZX, 0BB30ZZ, 0BB33ZZ, 0BB37ZZ, 0BB40ZX, 0BB40ZZ, 0BB43ZZ, 0BB47ZZ, 0BB50ZX, 0BB50ZZ, 0BB53ZZ, 0BB57ZZ, 0BB60ZX, 0BB60ZZ, 0BB63ZZ, 0BB67ZZ, 0BB70ZX, 0BB70ZZ, 0BB73ZZ, 0BB77ZZ, 0BB80ZX, 0BB80ZZ, 0BB83ZZ, 0BB87ZZ, 0BB90ZX, 0BB90ZZ, 0BB93ZZ, 0BB97ZZ, 0BBB0ZX, 0BBB0ZZ, 0BBB3ZZ, 0BBB7ZZ, 0BBC0ZX, 0BBC0ZZ, 0BBC3ZZ, 0BBC4ZZ, 0BBC7ZZ, 0BBD0ZX, 0BBD0ZZ, 0BBD3ZZ, 0BBD4ZZ, 0BBD7ZZ, 0BBF0ZX, 0BBF0ZZ, 0BBF3ZZ, 0BBF4ZZ, 0BBF7ZZ, 0BBG0ZX, 0BBG0ZZ, 0BBG3ZZ, 0BBG4ZZ,

Pulmonology & Lung Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major chest procedures (cont.)	163 (cont.)	0BBG7ZZ, 0BBH0ZX, 0BBH0ZZ, 0BBH3ZZ, 0BBH4ZZ, 0BBH7ZZ, 0BBJ0ZX, 0BBJ0ZZ, 0BBJ3ZZ, 0BBJ4ZZ, 0BBJ7ZZ, 0BBK0ZX, 0BBK0ZZ, 0BBK3ZZ, 0BBK4ZZ, 0BBK7ZZ, 0BBL0ZX, 0BBL0ZZ, 0BBL3ZZ, 0BBL4ZZ, 0BBL7ZZ, 0BBM0ZX, 0BBM0ZZ, 0BBM3ZZ, 0BBM7ZZ, 0BBN0ZZ, 0BBN3ZZ, 0BBN4ZZ, 0BBN8ZZ, 0BBP0ZZ, 0BBP3ZZ, 0BBP4ZZ, 0BBP8ZZ, 0BBT0ZX, 0BBT0ZZ, 0BBT3ZX, 0BBT3ZZ, 0BBT4ZX, 0BBT4ZZ, 0BC30ZZ, 0BC33ZZ, 0BC34ZZ, 0BC40ZZ, 0BC43ZZ, 0BC44ZZ, 0BC50ZZ, 0BC53ZZ, 0BC54ZZ, 0BC60ZZ, 0BC63ZZ, 0BC64ZZ, 0BC70ZZ, 0BC73ZZ, 0BC74ZZ, 0BC80ZZ, 0BC83ZZ, 0BC84ZZ, 0BC90ZZ, 0BC93ZZ, 0BC94ZZ, 0BCB0ZZ, 0BCB3ZZ, 0BCB4ZZ, 0BCC0ZZ, 0BCC3ZZ, 0BCC4ZZ, 0BCC7ZZ, 0BCD0ZZ, 0BCD3ZZ, 0BCD4ZZ, 0BCD7ZZ, 0BCD8ZZ, 0BCF0ZZ, 0BCF3ZZ, 0BCF4ZZ, 0BCF7ZZ, 0BCF8ZZ, 0BCG0ZZ, 0BCG3ZZ, 0BCG4ZZ, 0BCG7ZZ, 0BCG8ZZ, 0BCH0ZZ, 0BCH3ZZ, 0BCH4ZZ, 0BCH7ZZ, 0BCH8ZZ, 0BCJ0ZZ, 0BCJ3ZZ, 0BCJ4ZZ, 0BCJ7ZZ, 0BCJ8ZZ, 0BCK0ZZ, 0BCK3ZZ, 0BCK4ZZ, 0BCK7ZZ, 0BCK8ZZ, 0BCL0ZZ, 0BCL3ZZ, 0BCL4ZZ, 0BCL7ZZ, 0BCL8ZZ, 0BCM0ZZ, 0BCM3ZZ, 0BCM4ZZ, 0BCM7ZZ, 0BCM8ZZ, 0BCT0ZZ, 0BCT3ZZ, 0BCT4ZZ, 0BDN0ZX, 0BDN0ZZ, 0BDN3ZX, 0BDN3ZZ, 0BDN4ZX, 0BDN4ZZ, 0BDP0ZX, 0BDP0ZZ, 0BDP3ZX, 0BDP3ZZ, 0BDP4ZX, 0BDP4ZZ, 0BF10ZZ, 0BF13ZZ, 0BF14ZZ, 0BF17ZZ, 0BF18ZZ, 0BF20ZZ, 0BF23ZZ, 0BF24ZZ, 0BF27ZZ, 0BF28ZZ, 0BF30ZZ, 0BF33ZZ, 0BF34ZZ, 0BF40ZZ, 0BF43ZZ, 0BF44ZZ, 0BF50ZZ, 0BF53ZZ, 0BF54ZZ, 0BF60ZZ, 0BF63ZZ, 0BF64ZZ, 0BF70ZZ, 0BF73ZZ, 0BF74ZZ, 0BF80ZZ, 0BF83ZZ, 0BF84ZZ, 0BF90ZZ, 0BF93ZZ, 0BF94ZZ, 0BFB0ZZ, 0BFB3ZZ, 0BFB4ZZ, 0BH002Z, 0BH003Z, 0BH00DZ, 0BH00YZ, 0BH032Z, 0BH033Z, 0BH03DZ, 0BH042Z, 0BH043Z, 0BH04DZ, 0BH04YZ, 0BH30GZ, 0BH33GZ, 0BH34GZ, 0BH37GZ, 0BH40GZ, 0BH43GZ, 0BH44GZ, 0BH47GZ, 0BH50GZ, 0BH53GZ, 0BH54GZ, 0BH57GZ, 0BH60GZ, 0BH63GZ, 0BH64GZ, 0BH67GZ, 0BH70GZ, 0BH73GZ, 0BH74GZ, 0BH77GZ, 0BH80GZ, 0BH83GZ, 0BH84GZ, 0BH87GZ, 0BH90GZ, 0BH93GZ, 0BH94GZ, 0BH97GZ, 0BHB0GZ, 0BHB3GZ, 0BHB4GZ, 0BHB7GZ, 0BHK02Z, 0BHK03Z, 0BHK0YZ, 0BHK32Z, 0BHK33Z, 0BHK42Z, 0BHK43Z, 0BHK4YZ, 0BHL02Z, 0BHL03Z, 0BHL0YZ, 0BHL32Z, 0BHL33Z, 0BHL42Z, 0BHL43Z, 0BHL4YZ, 0BHT02Z, 0BHT0MZ, 0BHT0YZ, 0BHT32Z, 0BHT3MZ, 0BHT3YZ, 0BHT42Z, 0BHT4MZ, 0BHT4YZ, 0BHT7YZ, 0BL30CZ, 0BL30DZ, 0BL30ZZ, 0BL33CZ, 0BL33DZ, 0BL33ZZ, 0BL34CZ, 0BL34DZ, 0BL34ZZ, 0BL37DZ, 0BL37ZZ, 0BL38DZ, 0BL38ZZ, 0BL40CZ, 0BL40DZ, 0BL40ZZ, 0BL43CZ, 0BL43DZ, 0BL43ZZ, 0BL44CZ, 0BL44DZ, 0BL44ZZ, 0BL47DZ, 0BL47ZZ, 0BL48DZ, 0BL48ZZ, 0BL50CZ, 0BL50DZ, 0BL50ZZ, 0BL53CZ, 0BL53DZ, 0BL53ZZ, 0BL54CZ, 0BL54DZ, 0BL54ZZ, 0BL57DZ, 0BL57ZZ, 0BL58DZ, 0BL58ZZ, 0BL60CZ, 0BL60DZ, 0BL60ZZ, 0BL63CZ, 0BL63DZ, 0BL63ZZ, 0BL64CZ, 0BL64DZ, 0BL64ZZ, 0BL67DZ, 0BL67ZZ, 0BL68DZ, 0BL68ZZ, 0BL70CZ, 0BL70DZ, 0BL70ZZ,

Pulmonology & Lung Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major chest procedures (cont.)	163 (cont.)	OBL73CZ, OBL73DZ, OBL73ZZ, OBL74CZ, OBL74DZ, OBL74ZZ, OBL77DZ, OBL77ZZ, OBL78DZ, OBL78ZZ, OBL80CZ, OBL80DZ, OBL80ZZ, OBL83CZ, OBL83DZ, OBL83ZZ, OBL84CZ, OBL84DZ, OBL84ZZ, OBL87DZ, OBL87ZZ, OBL88DZ, OBL88ZZ, OBL90CZ, OBL90DZ, OBL90ZZ, OBL93CZ, OBL93DZ, OBL93ZZ, OBL94CZ, OBL94DZ, OBL94ZZ, OBL97DZ, OBL97ZZ, OBL98DZ, OBL98ZZ, OBLB0CZ, OBLB0DZ, OBLB0ZZ, OBLB3CZ, OBLB3DZ, OBLB3ZZ, OBLB4CZ, OBLB4DZ, OBLB4ZZ, OBLB7DZ, OBLB7ZZ, OBLB8DZ, OBLB8ZZ, OBM10ZZ, OBM20ZZ, OBM30ZZ, OBM40ZZ, OBM50ZZ, OBM60ZZ, OBM70ZZ, OBM80ZZ, OBM90ZZ, OBMBOZZ, OBMC0ZZ, OBMD0ZZ, OBMF0ZZ, OBMG0ZZ, OBMH0ZZ, OBMJ0ZZ, OBMK0ZZ, OBML0ZZ, OBMT0ZZ, OBN30ZZ, OBN33ZZ, OBN34ZZ, OBN37ZZ, OBN38ZZ, OBN40ZZ, OBN43ZZ, OBN44ZZ, OBN47ZZ, OBN48ZZ, OBN50ZZ, OBN53ZZ, OBN54ZZ, OBN57ZZ, OBN58ZZ, OBN60ZZ, OBN63ZZ, OBN64ZZ, OBN67ZZ, OBN68ZZ, OBN70ZZ, OBN73ZZ, OBN74ZZ, OBN77ZZ, OBN78ZZ, OBN80ZZ, OBN83ZZ, OBN84ZZ, OBN87ZZ, OBN88ZZ, OBN90ZZ, OBN93ZZ, OBN94ZZ, OBN97ZZ, OBN98ZZ, OBNB0ZZ, OBNB3ZZ, OBNB4ZZ, OBNB7ZZ, OBNB8ZZ, OBNC0ZZ, OBNC3ZZ, OBNC4ZZ, OBNC7ZZ, OBNC8ZZ, OBND0ZZ, OBND3ZZ, OBND4ZZ, OBND7ZZ, OBND8ZZ, OBNF0ZZ, OBNF3ZZ, OBNF4ZZ, OBNF7ZZ, OBNG8ZZ, OBNH0ZZ, OBNH3ZZ, OBNH4ZZ, OBNH7ZZ, OBNH8ZZ, OBNJ0ZZ, OBNJ3ZZ, OBNJ4ZZ, OBNJ7ZZ, OBNJ8ZZ, OBNK0ZZ, OBNK3ZZ, OBNK4ZZ, OBNK7ZZ, OBNK8ZZ, OBNL0ZZ, OBNL3ZZ, OBNL4ZZ, OBNL7ZZ, OBNL8ZZ, OBNM0ZZ, OBNM3ZZ, OBNM4ZZ, OBNM7ZZ, OBNM8ZZ, OBNT0ZZ, OBNT3ZZ, OBNT4ZZ, OBP000Z, OBP001Z, OBP002Z, OBP00CZ, OBP00DZ, OBP00JZ, OBP00KZ, OBP00YZ, OBP030Z, OBP031Z, OBP032Z, OBP03CZ, OBP03DZ, OBP03JZ, OBP03KZ, OBP040Z, OBP041Z, OBP042Z, OBP04CZ, OBP04DZ, OBP04JZ, OBP04KZ, OBP071Z, OBP081Z, OBPK00Z, OBPK01Z, OBPK02Z, OBPK03Z, OBPK0YZ, OBPK30Z, OBPK31Z, OBPK32Z, OBPK33Z, OBPK40Z, OBPK41Z, OBPK42Z, OBPK43Z, OBPK4YZ, OBPK71Z, OBPK81Z, OBPL00Z, OBPL01Z, OBPL02Z, OBPL03Z, OBPL0YZ, OBPL30Z, OBPL31Z, OBPL32Z, OBPL33Z, OBPL40Z, OBPL41Z, OBPL42Z, OBPL43Z, OBPL4YZ, OBPL71Z, OBPL81Z, OBPT00Z, OBPT02Z, OBPT07Z, OBPT0JZ, OBPT0KZ, OBPT0MZ, OBPT0YZ, OBPT30Z, OBPT32Z, OBPT37Z, OBPT3JZ, OBPT3KZ, OBPT3MZ, OBPT40Z, OBPT42Z, OBPT47Z, OBPT4JZ, OBPT4KZ, OBPT4MZ, OBPT4YZ, OBPT77Z, OBPT7JZ, OBPT7KZ, OBPT7MZ, OBPT87Z, OBPT8JZ, OBPT8KZ, OBPT8MZ, OBQ10ZZ, OBQ13ZZ, OBQ14ZZ, OBQ17ZZ, OBQ18ZZ, OBQ20ZZ, OBQ23ZZ, OBQ24ZZ, OBQ27ZZ, OBQ28ZZ, OBQ30ZZ, OBQ33ZZ, OBQ34ZZ, OBQ37ZZ, OBQ38ZZ, OBQ40ZZ, OBQ43ZZ, OBQ44ZZ, OBQ47ZZ, OBQ48ZZ, OBQ50ZZ, OBQ53ZZ, OBQ54ZZ, OBQ57ZZ, OBQ58ZZ, OBQ60ZZ, OBQ63ZZ, OBQ64ZZ, OBQ67ZZ, OBQ68ZZ, OBQ70ZZ, OBQ73ZZ, OBQ74ZZ, OBQ77ZZ, OBQ78ZZ, OBQ80ZZ, OBQ83ZZ, OBQ84ZZ, OBQ87ZZ, OBQ88ZZ, OBQ90ZZ, OBQ93ZZ, OBQ94ZZ, OBQ97ZZ,

Pulmonology & Lung Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major chest procedures (cont.)	163 (cont.)	0BQ98ZZ, 0BQB0ZZ, 0BQB3ZZ, 0BQB4ZZ, 0BQB7ZZ, 0BQB8ZZ, 0BQC0ZZ, 0BQC3ZZ, 0BQC4ZZ, 0BQC7ZZ, 0BQC8ZZ, 0BQD0ZZ, 0BQD3ZZ, 0BQD4ZZ, 0BQD7ZZ, 0BQD8ZZ, 0BQF0ZZ, 0BQF3ZZ, 0BQF4ZZ, 0BQF7ZZ, 0BQF8ZZ, 0BQG0ZZ, 0BQG3ZZ, 0BQG4ZZ, 0BQG7ZZ, 0BQG8ZZ, 0BQH0ZZ, 0BQH3ZZ, 0BQH4ZZ, 0BQH7ZZ, 0BQH8ZZ, 0BQJ0ZZ, 0BQJ3ZZ, 0BQJ4ZZ, 0BQJ7ZZ, 0BQJ8ZZ, 0BQK0ZZ, 0BQK3ZZ, 0BQK4ZZ, 0BQK7ZZ, 0BQK8ZZ, 0BQL0ZZ, 0BQL3ZZ, 0BQL4ZZ, 0BQL7ZZ, 0BQL8ZZ, 0BQM0ZZ, 0BQM3ZZ, 0BQM4ZZ, 0BQM7ZZ, 0BQM8ZZ, 0BQN0ZZ, 0BQN3ZZ, 0BQN4ZZ, 0BQP0ZZ, 0BQP3ZZ, 0BQP4ZZ, 0BQT0ZZ, 0BQT3ZZ, 0BQT4ZZ, 0BR107Z, 0BR10JZ, 0BR10KZ, 0BR147Z, 0BR14JZ, 0BR14KZ, 0BR207Z, 0BR20JZ, 0BR20KZ, 0BR247Z, 0BR24JZ, 0BR24KZ, 0BR307Z, 0BR30JZ, 0BR30KZ, 0BR347Z, 0BR34JZ, 0BR34KZ, 0BR407Z, 0BR40JZ, 0BR40KZ, 0BR447Z, 0BR44JZ, 0BR44KZ, 0BR507Z, 0BR50JZ, 0BR50KZ, 0BR547Z, 0BR54JZ, 0BR54KZ, 0BR607Z, 0BR60JZ, 0BR60KZ, 0BR647Z, 0BR64JZ, 0BR64KZ, 0BR707Z, 0BR70JZ, 0BR70KZ, 0BR747Z, 0BR74JZ, 0BR74KZ, 0BR807Z, 0BR80JZ, 0BR80KZ, 0BR847Z, 0BR84JZ, 0BR84KZ, 0BR907Z, 0BR90JZ, 0BR90KZ, 0BR947Z, 0BR94JZ, 0BR94KZ, 0BRB07Z, 0BRB0JZ, 0BRB0KZ, 0BRB47Z, 0BRB4JZ, 0BRB4KZ, 0BS10ZZ, 0BS20ZZ, 0BS30ZZ, 0BS40ZZ, 0BS50ZZ, 0BS60ZZ, 0BS70ZZ, 0BS80ZZ, 0BS90ZZ, 0BSB0ZZ, 0BSC0ZZ, 0BSD0ZZ, 0BSF0ZZ, 0BSG0ZZ, 0BSH0ZZ, 0BSJ0ZZ, 0BSK0ZZ, 0BSL0ZZ, 0BST0ZZ, 0BT10ZZ, 0BT14ZZ, 0BT20ZZ, 0BT24ZZ, 0BT30ZZ, 0BT34ZZ, 0BT40ZZ, 0BT44ZZ, 0BT50ZZ, 0BT54ZZ, 0BT60ZZ, 0BT64ZZ, 0BT70ZZ, 0BT74ZZ, 0BT80ZZ, 0BT84ZZ, 0BT90ZZ, 0BT94ZZ, 0BTB0ZZ, 0BTB4ZZ, 0BTC0ZZ, 0BTC4ZZ, 0BTD0ZZ, 0BTD4ZZ, 0BTF0ZZ, 0BTF4ZZ, 0BTG0ZZ, 0BTG4ZZ, 0BTH0ZZ, 0BTH4ZZ, 0BTJ0ZZ, 0BTJ4ZZ, 0BTK0ZZ, 0BTK4ZZ, 0BTL0ZZ, 0BTL4ZZ, 0BTM0ZZ, 0BTM4ZZ, 0BU107Z, 0BU10JZ, 0BU10KZ, 0BU147Z, 0BU14JZ, 0BU14KZ, 0BU187Z, 0BU18JZ, 0BU18KZ, 0BU207Z, 0BU20JZ, 0BU20KZ, 0BU247Z, 0BU24JZ, 0BU24KZ, 0BU287Z, 0BU28JZ, 0BU28KZ, 0BU307Z, 0BU30JZ, 0BU30KZ, 0BU347Z, 0BU34JZ, 0BU34KZ, 0BU387Z, 0BU38JZ, 0BU38KZ, 0BU407Z, 0BU40JZ, 0BU40KZ, 0BU447Z, 0BU44JZ, 0BU44KZ, 0BU487Z, 0BU48JZ, 0BU48KZ, 0BU507Z, 0BU50JZ, 0BU50KZ, 0BU547Z, 0BU54JZ, 0BU54KZ, 0BU587Z, 0BU58JZ, 0BU58KZ, 0BU607Z, 0BU60JZ, 0BU60KZ, 0BU647Z, 0BU64JZ, 0BU64KZ, 0BU687Z, 0BU68JZ, 0BU68KZ, 0BU707Z, 0BU70JZ, 0BU70KZ, 0BU747Z, 0BU74JZ, 0BU74KZ, 0BU787Z, 0BU78JZ, 0BU78KZ, 0BU807Z, 0BU80JZ, 0BU80KZ, 0BU847Z, 0BU84JZ, 0BU84KZ, 0BU887Z, 0BU88JZ, 0BU88KZ, 0BU907Z, 0BU90JZ, 0BU90KZ, 0BU947Z, 0BU94JZ, 0BU94KZ, 0BU987Z, 0BU98JZ, 0BU98KZ, 0BUB07Z, 0BUB0JZ, 0BUB0KZ, 0BUB47Z, 0BUB4JZ, 0BUB4KZ, 0BUB87Z, 0BUB8JZ, 0BUB8KZ, 0BV10CZ, 0BV10DZ, 0BV10ZZ, 0BV13CZ, 0BV13DZ, 0BV13ZZ, 0BV14CZ, 0BV14DZ, 0BV14ZZ, 0BV17DZ, 0BV17ZZ, 0BV18DZ, 0BV18ZZ, 0BV20CZ, 0BV20DZ, 0BV20ZZ, 0BV23CZ, 0BV23DZ, 0BV23ZZ, 0BV24CZ, 0BV24DZ, 0BV24ZZ, 0BV27DZ, 0BV27ZZ,

Pulmonology & Lung Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major chest procedures (cont.)	163 (cont.)	0BV28DZ, 0BV28ZZ, 0BV30CZ, 0BV30DZ, 0BV30ZZ, 0BV33CZ, 0BV33DZ, 0BV33ZZ, 0BV34CZ, 0BV34DZ, 0BV34ZZ, 0BV37DZ, 0BV37ZZ, 0BV38DZ, 0BV38ZZ, 0BV40CZ, 0BV40DZ, 0BV40ZZ, 0BV43CZ, 0BV43DZ, 0BV43ZZ, 0BV44CZ, 0BV44DZ, 0BV44ZZ, 0BV47DZ, 0BV47ZZ, 0BV48DZ, 0BV48ZZ, 0BV50CZ, 0BV50DZ, 0BV50ZZ, 0BV53CZ, 0BV53DZ, 0BV53ZZ, 0BV54CZ, 0BV54DZ, 0BV54ZZ, 0BV57DZ, 0BV57ZZ, 0BV58DZ, 0BV58ZZ, 0BV60CZ, 0BV60DZ, 0BV60ZZ, 0BV63CZ, 0BV63DZ, 0BV63ZZ, 0BV64CZ, 0BV64DZ, 0BV64ZZ, 0BV67DZ, 0BV67ZZ, 0BV68DZ, 0BV68ZZ, 0BV70CZ, 0BV70DZ, 0BV70ZZ, 0BV73CZ, 0BV73DZ, 0BV73ZZ, 0BV74CZ, 0BV74DZ, 0BV74ZZ, 0BV77DZ, 0BV77ZZ, 0BV78DZ, 0BV78ZZ, 0BV80CZ, 0BV80DZ, 0BV80ZZ, 0BV83CZ, 0BV83DZ, 0BV83ZZ, 0BV84CZ, 0BV84DZ, 0BV84ZZ, 0BV87DZ, 0BV87ZZ, 0BV88DZ, 0BV88ZZ, 0BV90CZ, 0BV90DZ, 0BV90ZZ, 0BV93CZ, 0BV93DZ, 0BV93ZZ, 0BV94CZ, 0BV94DZ, 0BV94ZZ, 0BV97DZ, 0BV97ZZ, 0BV98DZ, 0BV98ZZ, 0BVB0CZ, 0BVB0DZ, 0BVB0ZZ, 0BVB3CZ, 0BVB3DZ, 0BVB3ZZ, 0BVB4CZ, 0BVB4DZ, 0BVB4ZZ, 0BVB7DZ, 0BVB7ZZ, 0BVB8DZ, 0BVB8ZZ, 0BW000Z, 0BW002Z, 0BW00CZ, 0BW00DZ, 0BW00JZ, 0BW00KZ, 0BW00YZ, 0BW030Z, 0BW032Z, 0BW03CZ, 0BW03DZ, 0BW03JZ, 0BW03KZ, 0BW040Z, 0BW042Z, 0BW04CZ, 0BW04DZ, 0BW04JZ, 0BW04KZ, 0BW070Z, 0BW080Z, 0BWK00Z, 0BWK02Z, 0BWK03Z, 0BWK0YZ, 0BWK30Z, 0BWK32Z, 0BWK33Z, 0BWK40Z, 0BWK42Z, 0BWK43Z, 0BWK4YZ, 0BWK8YZ, 0BWL00Z, 0BWL02Z, 0BWL03Z, 0BWL0YZ, 0BWL30Z, 0BWL32Z, 0BWL33Z, 0BWL40Z, 0BWL42Z, 0BWL43Z, 0BWL4YZ, 0BWL8YZ, 0BWT00Z, 0BWT02Z, 0BWT07Z, 0BWT0JZ, 0BWT0KZ, 0BWT0MZ, 0BWT0YZ, 0BWT30Z, 0BWT32Z, 0BWT37Z, 0BWT3JZ, 0BWT3KZ, 0BWT3MZ, 0BWT40Z, 0BWT42Z, 0BWT47Z, 0BWT4JZ, 0BWT4KZ, 0BWT4MZ, 0BWT4YZ, 0BWT70Z, 0BWT72Z, 0BWT77Z, 0BWT7JZ, 0BWT7KZ, 0BWT7MZ, 0BWT80Z, 0BWT82Z, 0BWT87Z, 0BWT8JZ, 0BWT8KZ, 0BWT8MZ, 0DQ50ZZ, 0DQ53ZZ, 0DQ54ZZ, 0DQ57ZZ, 0DQ58ZZ, 0WJ90ZZ, 0WJB0ZZ, 0WJC0ZZ, 0WJQ0ZZ, 0WU807Z, 0WU80JZ, 0WU80KZ, 0WU847Z, 0WU84JZ, 0WU84KZ
			164 See MS-DRG 163
			165 See MS-DRG 163
			166 Include all
S	Other respiratory system O.R. procedures	167	167 Include all
			168 Include all
S	Ultrasound accelerated and other thrombolysis with principal diagnosis pulmonary embolism	173	173 Include all
M	Pulmonary embolism	175	175 Include all
			176 Include all
M	Respiratory infections & inflammations	177	177 Exclude diagnoses: R76.11, R76.12, Z22.7, Z86.15
			178 See MS-DRG 177
			179 See MS-DRG 177

Pulmonology & Lung Surgery (cont.)

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Respiratory neoplasms	180	Exclude diagnoses: D14.2, D14.30, D14.31, D14.32, D14.4, D15.2, D15.7, D15.9, D16.7, D19.0, D3A.090
		181	See MS-DRG 180
		182	See MS-DRG 180
M	Major chest trauma	183	Include all
		184	Include all
		185	Include all
M	Pleural effusion	186	Include all
		187	Include all
M	Pulmonary edema & respiratory failure	189	Include all
M	Chronic obstructive pulmonary disease	190	Include all
		191	Include all
		192	Include all
M	Simple pneumonia & pleurisy	193	Include all
		194	Include all
M	Interstitial lung disease	196	Include all
		197	Include all
		198	Include all
M	Pneumothorax	199	Exclude diagnoses: J95.811
		200	See MS-DRG 199
M	Bronchitis & asthma	202	Include all
M	Respiratory system diagnosis with ventilator support	207	Include all
		208	Include all
M	Septicemia or severe sepsis with MV 96+ hours	870	Include all
M	Septicemia or severe sepsis w/o MV 96+ hours	871	Include all
		872	Include all

Urology*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Major bladder procedures	653	Include all
		654	Include all
		655	Include all
S	Kidney & ureter procedures for neoplasm	656	Include procedures: OT1307B, OT130JB, OT130KB, OT130ZB, OT1347B, OT134JB, OT134KB, OT134ZB, OT1407B, OT140JB, OT140KB, OT140ZB, OT1447B, OT144JB, OT144KB, OT144ZB, OT16076, OT16077, OT16078, OT16079, OT1607A, OT1607B, OT1607C, OT1607D, OT160J6, OT160J7, OT160J8, OT160J9, OT160JA, OT160JB, OT160JC, OT160JD, OT160K6, OT160K7, OT160K8, OT160K9, OT160KA, OT160KB, OT160KC, OT160KD, OT160Z6, OT160Z7, OT160Z8, OT160Z9, OT160ZA, OT160ZB, OT160ZC, OT160ZD, OT163JD, OT16476, OT16477, OT16478, OT16479, OT1647A, OT1647B, OT1647C, OT1647D, OT164J6, OT164J7, OT164J8, OT164J9, OT164JA, OT164JB, OT164JC, OT164JD, OT164K6, OT164K7, OT164K8, OT164K9, OT164KA, OT164KB, OT164KC, OT164KD, OT164Z6, OT164Z7, OT164Z8,

Urology (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Kidney & ureter procedures for neoplasm (cont.)	656 (cont.)	ODX80ZC, ODX80ZD, ODX80ZF, ODX84ZC, ODX84ZD, ODX84ZF, OT164Z9, OT164ZA, OT164ZB, OT164ZC, OT164ZD, OT17076, OT17077, OT17078, OT17079, OT1707A, OT1707B, OT1707C, OT1707D, OT170J6, OT170J7, OT170J8, OT170J9, OT170JA, OT170JB, OT170JC, OT170JD, OT170K6, OT170K7, OT170K8, OT170K9, OT170KA, OT170KB, OT170KC, OT170KD, OT170Z6, OT170Z7, OT170Z8, OT170Z9, OT170ZA, OT170ZB, OT170ZC, OT170ZD, OT173JD, OT17476, OT17477, OT17478, OT17479, OT1747A, OT1747B, OT1747C, OT1747D, OT174J6, OT174J7, OT174J8, OT174J9, OT174JA, OT174JB, OT174JC, OT174JD, OT174K6, OT174K7, OT174K8, OT174K9, OT174KA, OT174KB, OT174KC, OT174KD, OT174Z6, OT174Z7, OT174Z8, OT174Z9, OT174ZA, OT174ZB, OT174ZC, OT174ZD, OT18076, OT18077, OT18078, OT18079, OT1807A, OT1807B, OT1807C, OT1807D, OT180J6, OT180J7, OT180J8, OT180J9, OT180JA, OT180JB, OT180JC, OT180JD, OT180K6, OT180K7, OT180K8, OT180K9, OT180KA, OT180KB, OT180KC, OT180KD, OT180Z6, OT180Z7, OT180Z8, OT180Z9, OT180ZA, OT180ZB, OT180ZC, OT180ZD, OT183JD, OT18476, OT18477, OT18478, OT18479, OT1847A, OT1847B, OT1847C, OT1847D, OT184J6, OT184J7, OT184J8, OT184J9, OT184JA, OT184JB, OT184JC, OT184JD, OT184K6, OT184K7, OT184K8, OT184K9, OT184KA, OT184KB, OT184KC, OT184KD, OT184Z6, OT184Z7, OT184Z8, OT184Z9, OT184ZA, OT184ZB, OT184ZC, OT184ZD, OT560ZZ, OT563ZZ, OT564ZZ, OT567ZZ, OT568ZZ, OT570ZZ, OT573ZZ, OT574ZZ, OT577ZZ, OT578ZZ, OT760ZZ, OT763ZZ, OT764ZZ, OT768ZZ, OT770ZZ, OT773ZZ, OT774ZZ, OT778ZZ, OT780ZZ, OT783ZZ, OT784ZZ, OT9000Z, OT900ZZ, OT9040Z, OT9100Z, OT910ZZ, OT9140Z, OT9300Z, OT930ZZ, OT9340Z, OT9400Z, OT940ZZ, OT9440Z, OT960ZX, OT960ZZ, OT964ZZ, OT967ZZ, OT968ZZ, OT970ZX, OT970ZZ, OT974ZZ, OT977ZZ, OT978ZZ, OT980ZX, OT980ZZ, OT984ZZ, OT987ZZ, OT988ZZ, OTB60ZX, OTB60ZZ, OTB63ZZ, OTB64ZZ, OTB67ZZ, OTB68ZZ, OTB70ZX, OTB70ZZ, OTB73ZZ, OTB74ZZ, OTB77ZZ, OTB78ZZ, OTC60ZZ, OTC63ZZ, OTC64ZZ, OTC70ZZ, OTC73ZZ, OTC74ZZ, OTH901Z, OTH902Z, OTH90MZ, OTH90YZ, OTH932Z, OTH93MZ, OTH942Z, OTH94MZ, OTH97MZ, OTH981Z, OTH98MZ, OTH98YZ, OTJ50ZZ, OTJ90ZZ, OTL60CZ, OTL60DZ, OTL60ZZ, OTL63CZ, OTL63DZ, OTL63ZZ, OTL64CZ, OTL64DZ, OTL64ZZ, OTL67DZ, OTL67ZZ, OTL68DZ, OTL68ZZ, OTL70CZ, OTL70DZ, OTL70ZZ, OTL73CZ, OTL73DZ, OTL73ZZ, OTL74CZ, OTL74DZ, OTL74ZZ, OTL77DZ, OTL77ZZ, OTL78DZ, OTL78ZZ, OTM60ZZ, OTM64ZZ, OTM70ZZ, OTM74ZZ, OTM80ZZ, OTM84ZZ, OTN00ZZ, OTN03ZZ, OTN04ZZ, OTN07ZZ, OTN08ZZ, OTN10ZZ, OTN13ZZ, OTN14ZZ, OTN17ZZ, OTN18ZZ, OTN30ZZ, OTN33ZZ, OTN34ZZ, OTN37ZZ, OTN38ZZ, OTN40ZZ, OTN43ZZ, OTN44ZZ, OTN47ZZ, OTN48ZZ, OTN60ZZ, OTN63ZZ, OTN64ZZ, OTN67ZZ, OTN68ZZ, OTN70ZZ, OTN73ZZ, OTN74ZZ, OTN77ZZ, OTN78ZZ, OTP900Z, OTP902Z, OTP903Z, OTP907Z, OTP90CZ, OTP90DZ, OTP90JZ, OTP90KZ, OTP90MZ, OTP90YZ, OTP930Z, OTP932Z, OTP933Z, OTP937Z, OTP93CZ, OTP93DZ, OTP93JZ, OTP93KZ, OTP93MZ,

Urology (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
S	Kidney & ureter procedures for neoplasm (cont.)	656 (cont.)	0TP940Z, 0TP942Z, 0TP943Z, 0TP947Z, 0TP94CZ, 0TP94DZ, 0TP94JZ, 0TP94KZ, 0TP94MZ, 0TP977Z, 0TP97CZ, 0TP97JZ, 0TP97KZ, 0TP97MZ, 0TP987Z, 0TP98CZ, 0TP98JZ, 0TP98KZ, 0TP98MZ, 0TP9XMZ, 0TQ60ZZ, 0TQ63ZZ, 0TQ64ZZ, 0TQ67ZZ, 0TQ68ZZ, 0TQ70ZZ, 0TQ73ZZ, 0TQ74ZZ, 0TQ77ZZ, 0TQ78ZZ, 0TR607Z, 0TR60JZ, 0TR60KZ, 0TR647Z, 0TR64JZ, 0TR64KZ, 0TR677Z, 0TR67JZ, 0TR67KZ, 0TR687Z, 0TR68JZ, 0TR68KZ, 0TR707Z, 0TR70JZ, 0TR70KZ, 0TR747Z, 0TR74JZ, 0TR74KZ, 0TR777Z, 0TR77JZ, 0TR77KZ, 0TR787Z, 0TR78JZ, 0TR78KZ, 0TS60ZZ, 0TS64ZZ, 0TS70ZZ, 0TS74ZZ, 0TS80ZZ, 0TS84ZZ, 0TT60ZZ, 0TT64ZZ, 0TT67ZZ, 0TT68ZZ, 0TT70ZZ, 0TT74ZZ, 0TT77ZZ, 0TT78ZZ, 0TU607Z, 0TU60JZ, 0TU60KZ, 0TU647Z, 0TU64JZ, 0TU64KZ, 0TU677Z, 0TU67JZ, 0TU67KZ, 0TU687Z, 0TU68JZ, 0TU68KZ, 0TU707Z, 0TU70JZ, 0TU70KZ, 0TU747Z, 0TU74JZ, 0TU74KZ, 0TU777Z, 0TU77JZ, 0TU77KZ, 0TU787Z, 0TU78JZ, 0TU78KZ, 0TV60CZ, 0TV60DZ, 0TV60ZZ, 0TV63CZ, 0TV63DZ, 0TV63ZZ, 0TV64CZ, 0TV64DZ, 0TV64ZZ, 0TV67DZ, 0TV67ZZ, 0TV68DZ, 0TV68ZZ, 0TV70CZ, 0TV70DZ, 0TV70ZZ, 0TV73CZ, 0TV73DZ, 0TV73ZZ, 0TV74CZ, 0TV74DZ, 0TV74ZZ, 0TV77DZ, 0TV77ZZ, 0TV78DZ, 0TV78ZZ, 0TW900Z, 0TW902Z, 0TW903Z, 0TW907Z, 0TW90CZ, 0TW90DZ, 0TW90JZ, 0TW90KZ, 0TW90MZ, 0TW90YZ, 0TW930Z, 0TW932Z, 0TW933Z, 0TW937Z, 0TW93CZ, 0TW93DZ, 0TW93JZ, 0TW93KZ, 0TW93MZ, 0TW940Z, 0TW942Z, 0TW943Z, 0TW947Z, 0TW94CZ, 0TW94DZ, 0TW94JZ, 0TW94KZ, 0TW94MZ, 0TW970Z, 0TW972Z, 0TW973Z, 0TW977Z, 0TW97CZ, 0TW97DZ, 0TW97JZ, 0TW97KZ, 0TW97MZ, 0TW980Z, 0TW982Z, 0TW983Z, 0TW987Z, 0TW98CZ, 0TW98DZ, 0TW98JZ, 0TW98KZ, 0TW98MZ, 0TW98YZ, 0WBH0ZZ, 0WBH3ZZ, 0WBH4ZZ, 0WQF0ZZ, 0WQF3ZZ, 0WQF4ZZ
		657	See MS-DRG 656
		658	See MS-DRG 656
S	Kidney & ureter procedures for non-neoplasm	659	See MS-DRG 656
		660	See MS-DRG 656
		661	See MS-DRG 656
S	Minor bladder procedures	662	Include all
		663	Include all
		664	Include all
S	Prostatectomy	665	Include all
		666	Include all
S	Transurethral procedures	668	Include all
		669	Include all
S	Urethral procedures with CC/MCC	671	Include all
S	Other kidney & urinary tract procedures	673	Include procedures: 0VPS0JZ, 0VPS3JZ, 0VPS4JZ, 0VPS7JZ, 0VPS8JZ, 0VUS0JZ, 0VUS4JZ
		674	See MS-DRG 673
		675	See MS-DRG 673

Urology (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Kidney & urinary tract neoplasms	686	Exclude diagnoses: C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C79.00, C79.01, C79.02, C7A.093, D30.00, D30.01, D30.02, D30.10, D30.11, D30.12, D3A.093
		687	See MS-DRG 686
		688	See MS-DRG 686
M	Urethral stricture	697	Include all
M	Other kidney & urinary tract diagnoses	698	Exclude diagnoses: E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E11.21, E11.22, E11.29, E13.21, E13.22, E13.29, I70.1, I72.2, I75.81, I77.73, I82.3, M10.30, M10.311, M10.312, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.341, M10.342, M10.349, M10.351, M10.352, M10.359, M10.361, M10.362, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, N00.0, N00.1, N00.2, N00.3, N00.4, N00.5, N00.6, N00.7, N00.8, N00.9, N00.A, N01.0, N01.1, N01.2, N01.3, N01.4, N01.5, N01.6, N01.7, N01.8, N01.9, N01.A, N02.B1, N02.B2, N02.B3, N02.B4, N02.B5, N02.B6, N02.B9, N02.0, N02.1, N02.2, N02.3, N02.4, N02.5, N02.6, N02.7, N02.8, N02.9, N02.A, N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A, N04.0, N04.1, N04.2, N04.20, N04.21, N04.22, N04.29, N04.3, N04.4, N04.5, N04.6, N04.7, N04.8, N04.9, N04.A, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A, N06.0, N06.1, N06.2, N06.20, N06.21, N06.22, N06.29, N06.3, N06.4, N06.5, N06.6, N06.7, N06.8, N06.9, N06.A, N07.0, N07.1, N07.2, N07.3, N07.4, N07.5, N07.6, N07.7, N07.8, N07.9, N07.A, N08, N14.0, N14.1, N14.2, N14.3, N14.4, N14.11, N14.19, N15.0, N15.8, N15.9, N16, N25.0, N25.1, N25.81, N25.89, N25.9, N26.1, N26.9, N27.0, N27.1, N27.9, N28.0, N28.1, N28.81, N28.83, N28.9, N29, R80.2, S37.001A, S37.002A, S37.009A, S37.011A, S37.012A, S37.019A, S37.021A, S37.022A, S37.029A, S37.031A, S37.032A, S37.039A, S37.041A, S37.042A, S37.049A, S37.051A, S37.052A, S37.059A, S37.061A, S37.062A, S37.069A, S37.091A, S37.092A, S37.099A, Z52.4, Z94.0
		699	See MS-DRG 698
		700	See MS-DRG 698
S	Major male pelvic procedures	707	Include all
		708	Include all
S	Penis procedures	709	Include all
		710	Include all
S	Testes procedures	711	Include all
		712	Include all
S	Transurethral prostatectomy with CC/MCC	713	Include all
S	Other male reproductive system O.R. procedures for malignancy	715	Include all
		716	Include all
S	Other male reproductive system O.R. procedures except malignancy	717	Include all
		718	Include all
M	Malignancy, male reproductive system	722	Include all
		723	Include all
		724	Include all

Urology (cont.)*

Medical/ Surgical	DRG Title	MS- DRG	ICD-10
M	Inflammation of the male reproductive system	727	Include all
		728	Include all
M	Other male reproductive system diagnoses	729	Exclude diagnoses: Z30.2
		730	See MS-DRG 729

Appendix C

Year-by-Year History of Methodology Changes

RTI began working with U.S. News on the Best Hospitals rankings in 2005. This section details the changes to the previous Best Hospitals methodology used between 2005-2024. These brief descriptions are provided for context to allow consumers of the rankings to review year-over-year changes implemented to the rankings.

Summary of 2024–2025 Changes

- **MA claims included in survival outcome measures.** In 11 adult specialties (i.e., all data-driven specialties other than Rehabilitation), hospitals' survival scores were calculated as a weighted average of scores in traditional Medicare beneficiaries and in patients insured by MA plans.
- **Exclusion of interhospital transfers.** Patients transferred to a hospital from an outside ED were excluded from the hospital's risk-adjusted outcomes in all specialties. This change removes a potential disincentive for hospitals to receive high-risk patients who may benefit from being transferred, such as certain stroke patients. Additionally, patients transferred from one hospital's inpatient service to another's will continue to be excluded as well. Because of high variability in hospitals' coding practices, interhospital transfers involving traditional Medicare beneficiaries were identified only using consecutive claims from both hospitals involved, rather than using the "admission source" code in the claims data.
- **Outpatient outcomes in Ear, Nose & Throat.** Expanding the use of the "Prevention of outpatient procedural complications" measure first introduced in Orthopedics and Urology in the 2023–2024 rankings, hospitals were able to earn points in Ear, Nose & Throat by their ability to prevent complications related to procedures conducted on an outpatient basis.
- **Increased weights for rehabilitation volume.** Weighting was adjusted in Rehabilitation to increase the weights of volume measures from 15% to 18%. This resulted in the weights for all six volume measures to be equal at 3%.
- **Decreased weights and capped scores for flu vaccination rates in Rehabilitation.** Weights for flu vaccination rates were reduced 3 percentage points from 5% to 2%. This was as a result of recommendations from key rehabilitation associations and the desire to make all volume measures equal in weight. Additionally, flu vaccination rates were capped at 90%, meaning that any flu vaccination rate equal to 90% or higher received the maximum score.
- **Refining inclusion and exclusion criteria in the Ear, Nose & Throat and Geriatrics specialties.** Acoustic neuroma surgery cases were added to the Ear, Nose & Throat specialty. Specifically, inpatient visits with D33.3 (benign neoplasm of cranial nerves) principal diagnoses codes in MS-DRGs 025, 026, and 027 are added. Additionally, palliative tracheostomy cases identified with principal and secondary

diagnosis code Z51.5 in MS-DRGs 011, 012, and 013 were removed from the Ear, Nose & Throat and Geriatrics specialties.

Summary of 2023–2024 Changes

- **Introducing outpatient outcomes in specialty rankings.** New “Prevention of outpatient procedural complications” outcome measures were added in the Orthopedics and Urology rankings. These measures, calculated by U.S. News using novel software developed by 3M Health Information Systems, evaluate the ability of hospitals to reduce complications related to procedures performed in an outpatient setting. Outpatient surgeries now account for a majority of all surgeries performed in the U.S.
- **Expanded inclusion of outpatient cases in volume measures in two other specialty rankings.** Volume measures and volume-based eligibility rules used in the Ear, Nose & Throat and Obstetrics & Gynecology rankings now include relevant outpatient procedural cases.
- **Increased weight on objective quality measures, and reduced weight on expert opinion.** The weight on outcome measures increased from 37.5% to 45% – and other objective measures increased from 35% to 40% – in each of 11 specialties. The weight on physician opinion was reduced from as much as 27.5% to either 12% or 15%, depending on the specialty.
- **Rehabilitation methodology revised.** Objective measures now account in aggregate for 70% of the methodology for Rehabilitation. Weights on objective measures increase for outcomes from 20% last year to 30% this year, for volume from 10% to 15%, for patient services and resources (from 12% to 15%), and for external recognitions (CARF accreditation and Model Systems participation) from 3% to 5%. The 5% weight placed on staff vaccination rates remains unchanged. Additionally, the volume measure was redefined to encompass six rehabilitation impairment categories (RICs), up from three RICs previously, in order to represent a more comprehensive examination of the breadth of care provided by each hospital.
- **Transparency measures’ weight standardized and expanded to a fourth specialty.** All transparency measures were given a standard weight of 3% in specialties that utilize these measures. A new transparency measure was added to the Pulmonology & Lung Surgery specialty rankings and Lung Cancer Surgery ratings, based on the Society of Thoracic Surgeons (STS) General Thoracic Surgery Database (GTSD) quality improvement program. That new measure, and three existing transparency measures in other specialties, each received a weight of 3%.
- **Risk adjustment.** Using criteria from the Elixhauser Comorbidity Software Refined for ICD-10-CM (version v2023.1), risk adjustment of all inpatient outcome measures in all specialties employed an expanded set of 38 comorbidities. Documentation describing v2023.1 of the Elixhauser software is publicly available at ahrq.gov.

- **Discharge to home outcome definition.** For the discharge to home outcome measure, discharges to an inpatient rehabilitation facility (IRF) were excluded from both the numerator and denominator. Previously these visits were treated as discharges to a location other than home. This change was made to reflect that a discharge to IRF suggests an intermediate outcome, which is less optimal than a discharge to home with full recovery but with better prospects for functional recovery than is implied by a discharge to SNF or long-term acute care.
- **Covid exclusions from outcome measures.** As in the prior year's rankings, certain visits were excluded from outcome measures to control for the disruptive and variable effects of the Covid-19 pandemic. However, these exclusion criteria were refined this year, such that a visit was excluded if it: a) occurred in March 2020; b) occurred in 2020 and the patient was diagnosed with Covid-19; or c) occurred between April 1, 2020, and December 31, 2020, and the hospital in which the visit occurred experienced a Covid-19 rate higher than the national mean or 15%, whichever was less, during the month in which the visit occurred. If the patient was diagnosed with Covid-19 in 2021 and onward, the visit is not excluded but is risk adjusted instead.
- **Nurse staffing.** Nurse staffing was calculated using data from the most recent single year available (i.e., the 2021 AHA survey database).
- **Winsorization of volume, nurse staffing and expert opinion.** Recent research demonstrates that hospital rankings determined by a composite of multiple measures are sensitive to the methods by which constituent measures are normalized.⁴⁰ Because volume, nurse staffing and expert opinion tend to have skewed distributions, with a small number of extremely high values, these measures were winsorized on the higher end of their distributions. That is, observed values exceeding a certain threshold (e.g., greater than 25% for expert opinion) were replaced with the threshold score (e.g., 25%) prior to normalization of the measure. Similarly, the new outpatient outcome measures in Orthopedics and Urology were winsorized at their 99th percentile values.
- **Trauma center verification.** The project team took steps to independently verify that hospitals identified as trauma centers in the AHA Annual Survey Database did, in fact, have government-certified trauma centers on site.
- **Metastatic cancer cases excluded from Orthopedics.** To improve the homogeneity of the Orthopedics cohort, admissions involving a principal diagnosis of metastatic cancer were excluded.
- **HCAHPS adjustment for orthopedic and surgical hospitals.** In Orthopedics, to account for fundamental differences in the clinical characteristics of patients treated at specialty hospitals as compared to general acute-care hospitals, HCAHPS scores for orthopedic hospitals and surgical hospitals were algorithmically adjusted to be more comparable to scores observed across all general acute-care hospitals.

- **Specialty-specific eligibility criteria.** Eligibility criteria in Ear, Nose & Throat and Obstetrics & Gynecology were revised to consider total volume, including outpatient volume. Separately, cancer hospitals were excluded from five specialties (Diabetes & Endocrinology, Geriatrics, Orthopedics, Neurology & Neurosurgery, and Pulmonology & Lung Surgery) in which cancer care represents a relatively modest proportion of cases overall. This exclusion was introduced because the patient population previously included in each of those specialties was not comparable between cancer hospitals and hospitals that remain eligible in those specialties.
- **Cardiology, Heart & Vascular Surgery.** The specialty formerly known as Cardiology & Heart Surgery has been renamed Cardiology, Heart & Vascular Surgery, in recognition that vascular specialists take the lead on some cases that have consistently been included in the specialty's outcome measures. In certain contexts, U.S. News will use the shorthand Heart & Vascular to refer to Cardiology, Heart & Vascular Surgery.
- **Honor Roll.** Ordinal (numerical) rankings were not assigned to the Honor Roll this year.

Summary of 2022–2023 Changes

- **Adjustments related to the COVID-19 pandemic.** We excluded visits in which a patient had a diagnosis of COVID-19. For each hospital's outcome measures, we also excluded visits from March 2020 and for other months in 2020 in which the hospital's COVID-19 rate exceeded the national average or exceeded 15%, whichever was less. In addition, for hospitals with higher volume in 2017-2019 than in 2018-2020, we calculated volume measures using observed volumes from 2017-2019.
- **Removal of CLABSI and/or CAUTI cases in three specialties.** In Cardiology and Heart Surgery, any case with primary diagnosis of CLABSI (central-line-associated bloodstream infections) was removed from analysis. In Geriatrics, any case with a primary diagnosis of CLABSI or CAUTI (catheter-associated urinary tract infections) was removed from analysis. In Urology, any case with a primary diagnosis of CAUTI was removed from analysis.
- **Updated Obstetrics & Gynecology specialty.** The name of the specialty was changed to Obstetrics & Gynecology in recognition of changes to the specialty. This specialty now includes a new transparency indicator that is based on participation by hospitals in public reporting on the U.S. News Maternity Services Survey. Hospitals that participated in this public reporting received credit for the transparency indicator which is now worth 3% of their total U.S. News Score for this ranking.
- **Update to Cardiology and Heart Surgery specialty.** This specialty replaced the structural eligibility requirements from the AHA annual survey with a new indicator that the hospital offered cardiac surgical services from the Best Hospitals: Procedures & Conditions ratings. Hospitals that qualified for any rating in AVR and

CABG in 2021-2022 were eligible for this specialty if they met the volume and expert opinion requirements listed earlier in this report. Also, the Patient Services measure was updated to include a measure of whether the hospital offered a cardiac intensive care unit (CICU) as part of the services available to patients.

- **Update to Honor Roll & Best Regional Hospitals.** Three new cohorts were added to the Honor Roll and Best Regional Hospitals in 2022-2023. These include ovarian, uterine, and prostate cancer surgery. The ovarian and uterine cancer surgery cohorts were combined for these lists and considered together in the same way that AVR and TAVR are considered as a single group. This effectively increases the number of possible points for hospitals by two cohorts. See the detailed description in the proceeding section.

Summary of 2021–2022 Changes

- **Introduction of a new data-driven inpatient Rehabilitation ranking.** The previous rehabilitation ranking has been expanded to include additional process, outcome, and structural measures introducing a new version of the ranking for 2021-2022 that makes use of a data-driven methodology. As additional measures of rehabilitation care become available for use, the project will continue to expand the set of measures used to evaluate hospitals in this area.
- **Refined the Discharge to Home measure.** For the "discharge to home" outcome measure, two small changes were made to the analyses this year to refine the focus on only relevant cases. First, we removed all admissions from skilled nursing facilities (SNF, clm_src_ip_admsn_cd=5) from the denominator. Second, we removed all discharges to home hospice (ptnt_dschr_g_stus_cd=50) from the denominator.
- **Nurse staffing adjustments.** Nurse staffing was averaged over three years to reduce the impact of year-to-year variation in reporting. The 2021-2022 rankings created an average of the nurse staffing index values as calculated from the 2017, 2018, and 2019 AHA databases.

Summary of 2020–2021 Changes

- **Updates to the Risk Adjustment of the Mortality and Discharge to Home Scores.** For the 2020-2021 rankings, all covariates were the same as was used in the 2019-2020 rankings with the exception of the removal of the ICD version. All years of data incorporated in the 2020-2021 rankings used ICD-10 codes, so this covariate was no longer needed in the model.
- **Move to Calendar Year for Medicare Data.** For all Medicare data used in the project, we switched from fiscal to calendar year. We made this change for two reasons. First, to harmonize the specialty hospital rankings with the Best Hospitals: Procedures & Conditions ratings, where calendar year data has been used for a number of years. Second, calendar year data is three months more recent than the

corresponding fiscal year data, so this change ensured that more up-to-date data were used for the rankings.

- **Accounting for Medicare Advantage in Volume Measures.** To measure hospital volume in each specialty, we used volume counts from the MedPAR datasets, which includes patients who have MA insurance, to adjust volumes to account for Medicare cases missing from the SAF datasets. For hospitals that treat MA patients, using this adjustment produced a more precise measure of volume and removed the need to use county-level MA penetration rate, as we have done in the past, to adjust Medicare fee-for-service volume. In a small number of cases, MedPAR data was not available, so the county-level MA penetration rate was used to estimate the adjustment to the volume.
- **Discharge to Home Update.** For the "discharge to home" outcome measure, patients who received nonsurgical care and were discharged to home hospice (discharge status code 50) are now treated as having been discharged to home. We changed our approach due to feedback we received stating that for patients who are dying (such as patients with advanced cancer), being discharged to home hospice is often the best patient-centered outcome. Additionally, all patients who were discharged home with planned readmission (discharge status codes 81 or 86) are now treated as having been discharged to home. Patients with any of several rare codes indicating the involvement of a court or law enforcement agency were excluded from the measure.
- **Stroke Registry Transparency Measure.** A new measure of public transparency was added in Neurology & Neurosurgery. The hospitals that opted-in by the December 2019 deadline to publicly report performance measures from the American Heart Association's Get With The Guidelines®-Stroke program received credit if evaluated in this specialty. The weight assigned to this transparency measure was 2 percent, and the weight assigned to Expert Opinion in this specialty was reduced by the same amount.

Summary of 2019–2020 Changes

- **Update of the Mortality Measure and Survival Score.** Starting with 2019-2020, the rankings moved to a new mortality measure as the basis of the survival score. The new measure utilizes risk-adjustment methodologies developed in the Best Hospitals: Procedures & Conditions project to evaluate one of the most important outcomes of care—whether patients live or die as a result of inpatient hospitalization. The new methodology utilizes multilevel logistic regression models to adjust for differences in case mix between hospitals. The model calculates RE (random effect) scores which can be thought of as a hospital level off-set. They represent the risk difference between a hospital and all hospitals in a given specialty, discounted by the reliability of that difference (based on the volume of cases). The models make use of a variety of covariates such as patient age, gender, Medicare status, the year of the visit, Elixhauser comorbidities, dual eligibility for Medicare and Medicaid (a proxy measure of socio-economic status), the DRG group of the claim,

and an indicator of whether the claim was coded in ICD-9 or ICD-10 to account for differences in coding practices.

- **Addition of the Discharge to Home Score.** A new outcome for 2019-2020 rankings is the discharge to home score, which assesses how well a hospital does at managing to discharge patients to home rather than sending them on to another acute, post-acute, or long-term care setting following hospitalization. This measure provides unique information about hospital outcome performance that has been available in the Best Hospitals: Procedures & Conditions ratings for a number of years but is new to the Best Hospitals Specialty Rankings.
- **Removal of the Patient Safety Score.** Since 2009, the Best Hospitals Specialty Rankings have included a patient safety score, which were constructed from a selection of Patient Safety Indicators (PSIs). The PSIs that constituted the patient safety score have evolved over time as our understanding of the validity and reliability of individual PSIs has changed. For 2019-2020, we removed the patient safety score from the methodology. While the construct of patient safety remains important, we concluded that these specific measures are not ideal for comparing hospital performance.
- **Addition of Patient Experience Score.** In response to feedback from patients, hospital leaders and other stakeholders about the importance of the patient experience when considering healthcare quality, we introduced the patient experience score. This score is based on the linear mean score data from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) patient satisfaction survey.
- **Removal of DRG 470 from orthopedics.** This DRG, which includes hip and knee replacement, was removed from the Best Hospitals rankings because it overlaps with cases included in the Best Hospitals: Procedures & Conditions ratings. These low-risk procedures generally do not require complex specialty care, and some health systems are increasingly treating these cases in settings different from those where complex orthopedic care is delivered.

Summary of 2018–2019 Changes

- **Removal of the transfer adjustment for mortality.** Since 2010, the rankings have adjusted mortality ratios for the influence of particularly high or low transfer rates to control for potential bias in the evaluation of hospital outcomes. This was done to address issues with coding of transfers in the datasets used which had been shown to be problematic at times. With the move to the SAF data, the project is now able to use both identified transfers on the record along with calculated implicit transfers which effectively overcomes the previous issues, removing the need for the adjustment.
- **Backwards mapping of ICD-10 to ICD-9.** Since two of the three years of SAF data used in the rankings for 2018-19 appear in ICD-9 format, the project chose to recode the ICD-10 data from FY2016 into ICD-9 format for the volume and

mortality analyses. Due to the increased granularity of the ICD-10 codes, it is possible to backwards map ICD-10 codes to ICD-9 codes. The project team utilized the IBM Watson Health mapping of ICD-10 to ICD-9 codes to recode data, so that the same DRGs could be used for all three years. The project anticipates using the same approach for the 2019-2020 rankings before moving completely to ICD-10 in 2020. (See page 26-27.)

- **Updated Survival Score calculation.** To improve the clarity of the survival scores used in the data-driven specialties, the project team updated the method of calculating these display-only scores (this change does not affect points assigned in the rankings). The scores are now calculated based on the adjusted mortality ratio (rather than the unadjusted ratio) and are based on quintiles above and below a mortality ratio of 1.0; ratios above 1.0 will receive a score of 1-5, while those below a ratio of 1.0 will receive a score of 6-10. (See pages 31-32.)

Summary of 2017–2018 Changes

- **Move to SAF data.** The project implemented a change from the MedPAR to the SAF inpatient limited datasets for all volume, mortality, and patient safety calculations; the exception is that the HSCRC all-payer database continued to be used for the Patient Safety Score calculations for hospitals located in Maryland. Only patients receiving care under traditional Medicare (fee-for-service) are included in the SAF data used for analyses; as a result, all hospital volumes will be reduced due to the lack of CMS managed care patients in the SAF data.
- **Volume adjustment for loss of Medicare Advantage.** Volumes were estimated for hospitals in each specialty using an adjustment to account for the loss of MA patients from the analyses. The numerator for the volume calculation was the number of fee-for-service discharges meeting the criteria for inclusion in the specialty. The denominator was the proportion of Medicare beneficiaries enrolled in fee-for-service (as opposed to MA) in the county in which the hospital is located. The denominator was calculated by subtracting from 1.0 the CMS MA penetration estimates, expressed as a decimal less than 1.0, for June 2013. As a result, the volumes reported represent estimates rather than observed volumes of care at each hospital.
- **Socioeconomic status (SES) adjustment to the survival score.** The rankings now incorporate a new adjustment at the patient level for dual-eligibility for Medicare and Medicaid. The dual eligible flag is set to either 0 (not present) or 1 (present) for each case entering the risk-adjusted mortality equation. This was done to address known differences in morbidity and mortality with hospital patients associated with lower SES; dual-eligibility, or more specifically eligibility for Medicaid, is being used in this case to represent lower SES.
- **Intensivists.** Hospitals now receive 1 point for having at least one intensivist FTE reported as being available in any adult-focused intensive care unit within the

hospital. This change now provides somewhat broader credit to hospitals for having intensivists available than in previous years.

- **Nurse Magnet.** The Nurse Magnet measure was updated to better reflect program coverage for hospitals that are part of a multi-campus system or an arrangement with another hospital outside the system. Hospitals received 1 point for being recognized as a Nurse Magnet hospital. For hospitals that are part of a special merger or a multiplex healthcare system, the primary hospital is required to have Magnet Recognition status for the combination hospital to receive 1 point. If there is no defined primary hospital, then if either hospital in the special merger has Magnet Recognition status then both receive credit. Partial credit was not offered in the 2017-2018 rankings.
- **Patient safety score.** Two of the PSIs used in the patient safety score—PSI 06 (Iatrogenic Pneumothorax) and PSI 14 (Postoperative Wound Dehiscence)—were dropped due to concerns that low base rates could lead to unreliable measurement. The scoring for the remaining individual PSIs was also revised to a three-point scale with the middle category defined as the mean $\pm$ 2 standard deviations. The individual PSI scores were combined to form a 1-9-point Patient Safety Score with higher numbers indicating better performance (i.e., lower rates of patient safety events).
- **Nurse staffing score adjustments.** The project implemented three changes to the nurse staffing score for the 2017-18 rankings. First, the calculation now includes a correction for hospitals that provide onsite skilled nursing and report their nursing inclusive of both the inpatient and skilled nursing. The nursing FTEs associated with the skilled nursing are removed from the numerator and a corrected adjusted average daily census is used for the denominator. The corrected adjusted average daily census values for hospitals affected by this change are calculated and provided directly to the project by the AHA. Second, to address problems with missing data—in particular the primary nursing FTEs variable (FTEN)—the rankings impute missing FTEN values. For the imputation, hospitals that do not have extreme nurse staffing ratios are selected and the calculation incorporates data from current values for FTEN (Full time equivalent registered nurses reported), FTERN (Full time equivalent registered nurses estimated), ADJADC (Adjusted Average Daily Census) and BDTOT (total hospital beds set up and staffed). Third, to address volatility in the nurse staffing measure for hospitals with relatively low numbers of patients, we adjust the nurse staffing values for hospitals in the lowest quartile of adjusted average daily census by blending their rate with that of the average adjusted nurse staffing rate for hospitals eligible for the rankings.
- **Surgical Minimums for Eligibility in Neurology and Neurosurgery.** To be eligible for evaluation in the neurology and neurosurgery specialty hospitals are now required to be at the 25th percentile or higher in terms of the ratio of surgical to total discharges within the DRGs evaluated for the specialty. This change was made to address excessive bias in mortality rates for hospitals with a very low ratio of surgical-to-total discharges.

Summary of 2016–2017 Changes

- **MedPAR data.** Only patients receiving care under Medicare (fee-for-service and, if available, managed-care) and who were 65 years of age or older were included in the MedPAR file used for analyses. In previous years, all ages were used which resulted in somewhat inflated volume rates.
- **Component weight.** The overall weight for the patient safety index was lowered from 10% in 2015-16 to 5% in 2016-17. The overall weight for outcomes was correspondingly increased from 32.5% last year to 37.5%.
- **Intensivists.** Hospitals now receive 1 point for having at least one intensivist whether on staff or through another privileged arrangement. Previously, intensivists were required to be on staff.
- **Nurse Magnet.** The Nurse Magnet measure was updated to better reflect program coverage for hospitals that are part of a multicampus system or an arrangement with another hospital outside the system. These combined entities only received full credit in 2016-17 (1 point) if all hospitals in the combination had Nurse Magnet recognition as of April 1, 2016. If the primary hospital had Nurse Magnet recognition but the specialty or secondary hospital(s) did not, the combined entity received half credit (0.5 point).
- **Public transparency.** In Cardiology & Heart Surgery only, a new measure was added rewarding hospitals for participation in transparency in public reporting of heart outcomes with the ACC and STS.
- **Use of SAF data for patient safety.** In previous years, the data source for the patient safety score was the same 3-year sample from the MedPAR dataset that was used for the volume and mortality analyses. For 2016-17, the rankings used data from the CMS SAF data instead of MedPAR. This change was motivated by the need to have more accurate procedure data for a number of the PSI calculations.
- **Patient safety score.** PSI 03, decubitus ulcer, was dropped due to concerns that the measure was overly sensitive to missing POA data in the record, which could confound comparisons.
- **Data for Maryland hospitals.** For Maryland hospitals, data from the state's HSCRC all-payer database were used for patient safety. This change was made to address incomplete coding of POA indicators in the CMS datasets for some of the years of analyses under consideration for the rankings.
- **Honor Roll.** Moved to a new format that incorporated results from the 12 data-driven specialty rankings, the 4 expert opinion-based specialty rankings, and the 9 Procedures & Conditions ratings. Hospitals received points for being ranked in each of the Best Hospitals data-driven and expert opinion only specialties if they appeared in the top 50, and additional points if they achieved a rating of high performing in

the Procedures & Conditions ratings. The Honor Roll now recognizes the 20 hospitals that earned the most points out of the possible total.

Summary of 2015–2016 Changes

- **Technology and Patient Services.** Due to changes to the AHA annual survey, there are now three categories instead of four categories for receiving credit for providing technology and patient services to patients. These services can be provided (1) by the hospital or its subsidiaries, (2) by the hospital's health system (in local network), or (3) by another institution outside of the health system, but in the local network, through a formal contractual arrangement or joint venture.
- **Patient Safety Score.** PSI08 was removed from the patient safety score due to low prevalence. A risk-adjusted rather than a smoothed rate is used, to address concerns that the smoothed rate might over-adjust for differences between hospitals.

Summary of 2014–2015 Changes

- **Component weighting.** The weight for the process component was reduced from 32.5% to 27.5% and the weight for the patient safety score was increased from 5% to 10%. This was done in recognition of the increased importance of patient safety to the quality of care provided by hospitals.
- **Technology.** Cardiac ICU was removed in Cardiology & Heart Surgery, as it already served as a requirement for hospitals to be eligible for ranking in this specialty. IMRT was added as a new technology to the Cancer and Urology specialties, recognizing the importance of this treatment modality to care in both specialties.
- **Patient Safety Score.** Two patient safety indicators were added to the patient safety score due to the availability of the POA indicator in the MedPAR dataset. Additionally, for display purposes, PSIs were converted from a 3-point scale to a 5-point scale to provide more nuanced information to consumers on the differences in patient safety performance between hospitals. For scoring, we now use a continuous value for PSI rather than a discrete value shown in the ranking tables.
- **MS-DRG deletions.** MS-DRG 689 (Kidney and Urinary Tract Infections with MCC) was removed from the Urology specialty because it does not reflect the quality of care of a urology service. A review of hospital data showed that the code is frequently used by other specialties within the institution to identify significant medical comorbidities rather than for identifying performance by the institution's urology service.
- **Eligibility for expert opinion-based specialties.** In previous years, a hospital was eligible if it received one or more physician nominations in the past 3 years. In 2014–15, a hospital was eligible for an expert opinion-based specialty only if it had an expert opinion score of 1% or greater. This change was made to restrict eligibility to hospitals that are more consistently nominated.

Summary of 2013–2014 Changes

- **“Present on admission” data included in patient safety calculations.** Starting with the 2013-14 rankings, patient safety data were analyzed using the AHRQ PSI grouper software version 4.3. This version of the software incorporates POA data found in Medicare claims. This allows the software to remove cases where POA is indicated so that they do not count against a hospital in the assessment of patient safety events.
- **Neurology & Neurosurgery MS-DRG deletions.** Several procedures involving spinal fusion (MS-DRGs 028, 029, 030, 453, 453, 455, 456, 457, 458, 459, 460, 471, 472, 473, 490, and 491) were removed from the Neurology & Neurosurgery but retained in the Orthopedic specialty. The change was made to reflect the specialty that patients typically turn to when seeking spinal fusion procedures. This change also eliminated a redundancy in the coverage of these procedures in the rankings. As a result, these procedures are covered in the orthopedic specialty regardless of whether the surgery was performed by an orthopedic surgeon or neurosurgeon.

Summary of 2012–2013 Changes

- **Surgical volume discharge minimums.** If the minimum total discharge value for a specialty was lower than 25, then 25 was set as the minimum for that specialty to ensure a sufficient number of discharges.
- **Normalization.** Normalization is the process of transforming index values into a distribution between 0 and 1 based on the range of possible values for a given measure. Individual measures were normalized before incorporating into the overall score. In previous years, standardization was used instead of normalization.
- **New weighting procedures for structural measures.** In previous years, factor analysis determined the relative weights of the structural measures. Starting in 2012-13, weights are based on the relative significance of each measure.
- **Expert Opinion.** In previous years, the hospital with the highest expert opinion score received the full point total (i.e., 32.5 points) for the expert opinion component. Starting in 2012-13, hospitals received a normalized expert opinion score. For example, if the highest expert opinion score in a given specialty is 80%, the hospital receives a normalized score of 0.80. Since expert opinion is worth 32.5% of the overall score, the hospital receives 0.80×32.5 , or 26 points, for expert opinion instead of the full 32.5 points possible.
- **Survey response weighting.** Beginning in 2012-13, we calculated expert opinion values for each year of the survey independently and averaged the 3 years rather than pooling nominations across years. This was done to reduce the year-to-year fluctuation of expert opinion scores within specialties.
- **Honor Roll.** The methodology for assigning Honor Roll points was revised. For data-driven specialties, hospitals received 2 points for ranking among the top 10

hospitals and 1 point for ranking in the next 10 (i.e., 11–20). For expert opinion-based specialties, hospitals received 2 points for ranking in among the top 5 and 1 point for ranking in the next 5 (i.e., 6–10).

Summary of 2011–2012 Changes

- **Ties allowed.** For 2011-12, we instituted a new rule that allows for ranking ties for hospitals with the same score. Previously, ties were not allowed and were broken by examining the scores out to 3 decimal points.
- **Cut-offs for expert opinion-based specialties.** In previous years, hospitals representing 3% or more of the total nominations in a specialty were published in print for the expert opinion-based specialties. For the 2011-12 rankings, this was revised to 5% to be more discerning.
- **Mortality displayed as survival scores.** The values displayed in the rankings tables for mortality were changed from mortality ratios to decile-based survival scores. The top 10% of hospitals—with the lowest relative mortality and highest 30-day survival—received a survival score value of 10; the next 10% of hospitals received a value of 9, and so on. The method for using the mortality scores to calculate the score did not change from that used in 2010.
- **Updated scoring for the Patient Safety Index.** The Patient Safety Index was revised to include 6 rather than 7 indicators (PSI 02: Death in low-mortality DRGs is no longer included). The approach to weighting individual PSIs also changed from the population at risk to equal weighting. The index scoring was also updated from the quintile scoring used in 2009-10 to a new 3-point scale that represents $\geq 75^{\text{th}}$ percentile, 25^{th} – 74^{th} percentile and $< 25^{\text{th}}$ percentile.

Summary of 2010–2011 Changes

- **Expert opinion scores transformed.** Implemented a new log transformation of the expert opinion survey data prior to standardization. This change will allow expert opinion scores to cluster more, reducing the overall impact of this component on the final hospital ranking.
- **MS-DRGs incorporated.** The 3M Health Information Systems MS Grouper software was run on all 3 years of data included in the analyses, and we revised the assignment of cases to specialties using the MS-DRGs.
- **Change in structural volume measure.** The criteria used to determine volume for the structural variable have now changed to include only those cases meeting the minimum severity of illness thresholds set by the project using APR-DRGs and includes transfers; previously, this measure focused on all discharges for DRGs used by the project and excluded transfers. This change will allow the volume measure to more accurately reflect the actual volume of cases according to the specialty definitions.

- **Codes identifying transfers for mortality calculation revised.** As in previous years, transfers were identified using the claim source of inpatient admission variable on the MedPAR files. In past years, transfers were identified based on the value “4” for transfer from an acute hospital. This year the variable value “A” for transfer from critical access hospital was also used.
- **Low-discharge hospitals adjustment changed.** We revised the method for adjusting the scores for hospitals with low discharges on both volume and mortality. In previous years, we used an inverse-logit transformation. Starting in 2010, for hospitals with a discharge volume below the 25th percentile, we adjusted the observed volume score and transfer-free mortality rate by creating an average weight based on the hospital’s observed score and the score for all hospitals at or above the 25th percentile in volume.
- **“Outlier” transfer data adjusted.** We adjusted the observed transfer-free mortality rate for hospitals in the top and bottom quartiles of transfer-in rates to account for the fact that some hospitals may have had too many or too few cases included in the mortality calculations due to poor or inaccurate coding of administrative data.

Summary of 2009 Changes

- **Eligibility criteria updated.** Hospitals with a minimum number of hospital beds may now be eligible for the rankings.
- **Key technologies updated.** The elements in this index were updated for a few specialties to remain consistent with the key technologies expected from a best hospital.
- **Intensivist on staff added.** Hospitals now receive credit in all data-driven specialties for having intensivists on staff.
- **Patient Safety Index added.** A Best Hospitals Patient Safety Index was created and applied to all data-driven specialties.
- **DRG groupings updated.** DRG groupings were updated for all data-driven specialties, consistent with typical year-to-year changes.
- **Physician survey.** The following instruction was removed from the physician survey: “Please do not list any hospital where you currently practice.” Physicians likely choose to work at a certain hospital because it is a best hospital. Therefore, it was deemed acceptable for them to vote for the hospital where they work.

Summary of 2008 Changes

- **Advanced technologies updated.** The elements in this index were updated for a few specialties to remain consistent with the advanced technologies expected from a best hospital.

- **Patient services updated.** The elements in these services were updated for a few specialties to remain consistent with the patient services expected from a best hospital.
- **Trauma center certification dropped.** Trauma center certification was dropped from the Gynecology specialty.
- **Alzheimer's disease center added.** This element was added to the Neurology & Neurosurgery specialty.
- **30-day mortality rates added for Cancer.** Thirty-days-from-admission mortality rates were introduced in all data-driven specialties except Cancer in 2007. For 2010-11, 30-day mortality was used in Cancer as well.

Summary of 2007 Changes

Changes for 2007 were more substantial but still in keeping with the goal of maintaining consistency and continuity. Many of the changes were discussed at length at a day-long meeting convened by U.S. News in fall 2006 to solicit the views of a Best Hospitals advisory panel of approximately 40 invitees. The panelists represented top hospitals and brought expertise in areas such as clinical care, healthcare data analyses and quality research. Several representatives from key trade/industry organizations also participated.

- **External organizations added.** Hospitals in the Cancer specialty now receive points for accreditation by FACT as a Cellular Therapy Facility. Hospitals in Geriatrics now receive points if they are recognized by NIA for having an Alzheimer's center.
- **DRG groupings updated.** DRG groupings were updated for all specialties, consistent with typical year-to-year changes.
- **Transfers excluded.** Patients transferred into a hospital from another hospital are excluded from mortality and volume calculations to reduce the likelihood of either benefiting or suffering from "dumping" of patients.
- **30-day mortality introduced.** Thirty-days-from-admission mortality rates were introduced in all data-driven specialties (except Cancer) instead of death-at-discharge mortality rates.
- **Mortality data weighted.** Weights were applied to the MedPAR data based on the relative over- or underrepresentation of the cases' DRGs among all patients, as identified in the HCUP data.
- **Neonatologists moved.** Neonatologists were removed from the Gynecology sample and included in the Pediatrics sample instead.

- **Physician survey.** An additional instruction was added to the physician survey: “Please do not list any hospital where you currently practice.”
- **Geriatrics.** This specialty ranking, which was not published in 2006, was reintroduced using a new approach to identify the target population and account for their mortality rates. Rather than using a small subset of MS-DRGs typical of geriatric patients, we elected to focus on how well hospitals treat older patients across a wide range of MS-DRGs. The Geriatrics specialty rankings now include all MS-DRGs generally appropriate to a Medicare or elderly population, but for the outcomes analysis, only patients who are at least 75 years of age are included.

Summary of 2005 and 2006 Changes

To maintain consistency in the previous ranking process, RTI replicated the preexisting methodology in the 2005 rankings and implemented only minor operational improvements in 2006.

Appendix D

2025–2026 Best Hospitals Rankings,

Data-Driven Specialties

Best Hospitals 2025-26: Cancer																
Rank	Hospital	U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Recognized as Nurse Magnet hospital	NCI-designated cancer center	Accredited by FACT	Expert opinion	Current AHA responder	
1	University of Texas MD Anderson Cancer Center, Houston	100.0	5	5	5	14,577	2.0	Yes	8	8	1	Yes	2	28.5	Yes	
2	Memorial Sloan Kettering Cancer Center, New York	91.1	5	5	5	7,119	2.3	Yes	8	8	1	Yes	2	28.1	Yes	
3	Dana-Farber Brigham Cancer Center, Boston	83.2	5	5	5	4,459	2.2	Yes	8	8	1	Yes	2	16.2	Yes	
4	Mayo Clinic-Rochester, Minn.	82.4	5	5	5	4,184	2.9	Yes	8	8	1	Yes	2	12.6	Yes	
5	Massachusetts General Hospital, Boston	78.2	5	5	4	3,478	2.3	Yes	8	8	1	Yes	2	7.2	Yes	
6	Mount Sinai Hospital, New York	78.1	5	5	3	2,716	2.5	Yes	8	8	1	Yes	2	1.5	Yes	
7	UCSF Health-UCSF Medical Center, San Francisco	78.0	5	5	4	3,006	2.2	Yes	8	8	1	Yes	2	4.9	Yes	
8	Johns Hopkins Hospital, Baltimore	77.8	5	5	4	2,272	2.3	Yes	8	8	1	Yes	2	6.9	Yes	
9	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	76.7	5	5	4	3,059	2.4	Yes	8	8	1	Yes	2	3.7	Yes	
10	City of Hope Comprehensive Cancer Center, Duarte, Calif.	76.4	5	5	5	2,560	2.0	Yes	8	8	1	Yes	2	4.5	Yes	
10	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	76.4	5	5	5	3,687	2.8	Yes	8	8	1	Yes	2	4.8	Yes	
12	University of Chicago Medical Center	75.6	5	5	3	2,438	3.4	Yes	8	8	1	Yes	2	3.4	Yes	
13	UCLA Medical Center, Los Angeles	74.1	5	5	4	2,356	3.0	Yes	8	8	1	Yes	2	3.6	Yes	
14	Cleveland Clinic	73.3	5	5	4	3,460	2.0	Yes	8	8	1	Yes	2	5.1	Yes	
15	New York-Presbyterian Hospital-Columbia and Cornell	72.9	5	5	3	6,196	2.9	Yes	8	8	1	Yes	2	3.4	Yes	
16	Perlmutter Cancer Center at NYU Langone Hospitals, New York	72.5	5	5	4	3,686	2.6	Yes	8	8	1	Yes	2	1.8	Yes	
17	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	72.4	5	5	4	3,004	2.1	Yes	8	8	1	Yes	2	2.9	Yes	
18	Cedars-Sinai Medical Center, Los Angeles	71.9	5	5	4	2,255	2.9	Yes	8	8	1	No	2	1.2	Yes	
19	Houston Methodist Hospital	71.7	5	5	4	2,404	2.1	Yes	8	8	1	No	2	0.5	Yes	
20	UT Southwestern Medical Center, Dallas	70.1	5	5	5	2,783	2.3	Yes	8	8	1	Yes	2	1.6	Yes	
21	Mayo Clinic-Arizona, Phoenix	69.4	5	5	5	1,839	3.2	Yes	8	8	1	Yes	2	2.1	Yes	
22	Beth Israel Deaconess Medical Center, Boston	69.2	5	5	4	2,467	1.3	Yes	8	8	1	Yes	2	0.9	Yes	
23	H. Lee Moffitt Cancer Center & Research Institute, Tampa, Fla.	69.1	5	5	5	3,199	1.3	Yes	8	8	1	Yes	2	5.2	Yes	
24	Mayo Clinic-Florida, Jacksonville	68.6	5	5	5	1,693	2.6	Yes	8	8	1	Yes	2	2.2	Yes	
25	USC Norris Cancer Hosp.-Keck Medical Ctr. of USC, Los Angeles	67.4	5	5	5	1,489	3.0	Yes	8	8	1	Yes	2	0.8	Yes	
26	Montefiore Einstein, Bronx, N.Y.	67.2	5	4	2	2,681	2.1	Yes	8	8	1	Yes	2	1.3	Yes	
27	OHSU Hospital-Knight Cancer Institute, Portland, Ore.	67.0	5	5	3	1,643	2.1	Yes	8	8	1	Yes	2	0.4	Yes	
27	Siteman Cancer Center at Barnes-Jewish Hospital, St. Louis	67.0	5	5	4	4,399	1.6	Yes	8	8	1	Yes	2	3.0	Yes	
29	Rush University Medical Center, Chicago	65.3	5	5	4	2,045	2.1	Yes	8	8	1	No	2	0.5	Yes	
30	AdventHealth Orlando, Fla.	64.8	5	5	4	5,182	1.8	Yes	8	8	1	No	2	0.2	Yes	
30	Roswell Park Comprehensive Cancer Center, Buffalo, N.Y.	64.8	5	5	5	1,791	1.5	Yes	8	8	1	Yes	2	1.2	Yes	
32	University of Michigan Health Rogel Cancer Center, Ann Arbor	64.6	5	5	4	2,690	2.6	Yes	8	8	1	Yes	2	2.9	Yes	
33	UPMC Presbyterian Shadyside, Pittsburgh	64.5	5	5	4	4,405	1.6	Yes	8	8	1	Yes	2	1.8	Yes	
34	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	63.9	5	5	3	2,069	1.9	Yes	8	8	1	No	2	0.3	Yes	
35	Duke University Hospital, Durham, N.C.	63.5	5	5	4	2,639	2.0	Yes	8	8	1	Yes	2	3.7	Yes	
35	Ohio State University James Cancer Hospital, Columbus	63.5	5	5	5	4,106	2.0	Yes	8	8	1	Yes	2	3.3	Yes	
37	Fred Hutch Cancer Ctr./U. of Washington Medical Ctr., Seattle	63.2	5	5	5	2,582	1.9	Yes	8	8	1	Yes	2	4.1	Yes	
37	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	63.2	5	5	3	2,854	2.4	Yes	8	8	1	Yes	2	0.3	Yes	
39	UF Health Shands Hospital, Gainesville, Fla.	62.9	5	5	4	1,774	1.8	Yes	8	8	1	Yes	2	1.1	Yes	
40	U. of Colorado Cancer Ctr.-UCHealth U. of Colorado Hosp., Aurora	62.1	5	5	4	1,773	1.8	Yes	8	8	1	Yes	2	0.9	Yes	
41	UC San Diego Health-Moores Cancer Center	62.0	5	5	4	2,121	2.3	Yes	8	8	1	Yes	2	1.3	Yes	
42	University of Iowa Health Care Medical Center, Iowa City	61.7	5	5	3	2,162	1.5	Yes	8	8	1	Yes	2	0.6	Yes	
43	Smilow Cancer Hospital at Yale New Haven, Conn.	61.5	5	5	2	3,126	2.1	Yes	8	8	1	Yes	2	1.6	Yes	
44	Baylor University Medical Center, Dallas	61.2	5	5	4	1,668	2.0	Yes	8	8	1	No	2	0.3	Yes	
45	Sylvester Comp. Cancer Ctr.-U. of Miami Hosp. & Clinics	61.1	5	5	4	1,481	1.7	Yes	8	8	0	Yes	2	0.9	Yes	
45	University of Maryland Medical Center, Baltimore	61.1	5	5	3	1,204	2.2	Yes	8	8	1	Yes	2	0.5	Yes	
47	Vanderbilt University Medical Center, Nashville, Tenn.	60.8	5	5	4	2,258	2.3	Yes	8	8	1	Yes	2	2.6	Yes	
48	UNC Hospitals, Chapel Hill, N.C.	60.7	5	5	4	2,115	1.8	Yes	8	8	1	Yes	2	1.8	Yes	
48	University Hospitals Seidman Cancer Center, Cleveland	60.7	5	3	3	2,082	2.7	Yes	8	8	1	Yes	2	0.6	Yes	
50	University of Kansas Hospital, Kansas City	60.5	5	5	5	2,643	2.0	Yes	8	8	1	Yes	2	0.4	Yes	

Best Hospitals 2025-26: Cardiology, Heart & Vascular Surgery

Rank	Hospital	U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Public transparency	STS transparency	ACC/GWTG transparency	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
1	NYU Langone Hospitals, New York	100.0	5	5	4	20,264	2.6	Yes	3	Yes	Yes	6	8	Yes	1	5.4	Yes
2	Mount Sinai Hospital, New York	95.6	5	5	3	15,906	2.5	Yes	3	Yes	Yes	6	8	Yes	1	4.1	Yes
3	Cleveland Clinic	94.9	5	5	4	18,269	2.0	Yes	3	Yes	Yes	6	8	No	1	23.1	Yes
4	Mayo Clinic-Rochester, Minn.	94.2	5	5	5	14,097	2.9	Yes	3	Yes	Yes	6	8	Yes	1	19.7	Yes
5	New York-Presbyterian Hospital-Columbia and Cornell	92.3	5	5	3	25,041	2.9	Yes	3	Yes	Yes	6	8	Yes	1	9.2	Yes
6	Cedars-Sinai Medical Center, Los Angeles	90.4	5	5	4	11,333	2.9	Yes	3	Yes	Yes	6	8	Yes	1	7.9	Yes
7	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	88.1	5	5	4	7,630	2.1	Yes	3	Yes	Yes	6	8	Yes	1	4.0	Yes
8	Massachusetts General Hospital, Boston	84.6	5	5	4	11,050	2.3	Yes	3	Yes	Yes	6	8	Yes	1	9.1	Yes
9	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	84.0	5	5	5	12,884	2.8	Yes	3	Yes	Yes	6	8	Yes	1	4.7	Yes
10	Johns Hopkins Hospital, Baltimore	83.0	5	5	4	4,673	2.3	Yes	3	Yes	Yes	6	8	Yes	1	5.3	Yes
11	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	80.9	5	5	4	6,563	2.4	Yes	3	Yes	Yes	6	8	Yes	1	4.7	Yes
12	Brigham and Women's Hospital, Boston	80.1	5	5	4	8,735	2.2	Yes	3	Yes	Yes	6	8	Yes	1	7.1	Yes
13	Rush University Medical Center, Chicago	77.9	5	5	4	4,138	2.1	Yes	3	Yes	Yes	5	8	Yes	1	1.0	Yes
14	Houston Methodist Hospital	77.6	5	5	4	10,167	2.1	Yes	3	Yes	Yes	6	8	No	1	3.2	Yes
15	Montefiore Einstein, Bronx, N.Y.	77.4	5	5	2	12,876	2.1	Yes	3	Yes	Yes	6	8	Yes	1	1.5	Yes
16	Lenox Hill Hospital at Northwell Health, New York	75.9	5	5	3	8,735	1.9	Yes	3	Yes	Yes	5	8	No	1	1.0	Yes
17	Mount Sinai Morningside & Mount Sinai West Hospitals, New York	74.7	5	5	1	6,265	1.9	Yes	3	Yes	Yes	5	8	Yes	0	1.0	Yes
17	UCLA Medical Center, Los Angeles	74.7	5	5	4	5,076	3.0	Yes	3	Yes	Yes	6	8	Yes	1	3.5	Yes
19	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	74.3	5	5	3	13,376	1.9	Yes	3	Yes	Yes	6	8	Yes	1	0.8	Yes
20	UT Southwestern Medical Center, Dallas	72.8	5	5	5	5,557	2.3	Yes	3	Yes	Yes	6	8	No	1	2.2	Yes
21	U. of Michigan Health Frankel Cardiovascular Center, Ann Arbor	72.7	5	5	4	8,551	2.6	Yes	3	Yes	Yes	6	8	Yes	1	3.7	Yes
22	UCSF Health-UCSF Medical Center, San Francisco	72.6	5	5	4	3,886	2.2	Yes	3	Yes	Yes	6	8	No	1	2.6	Yes
23	Advocate Christ Medical Center, Oak Lawn, Ill.	71.0	5	5	3	9,444	2.2	Yes	3	Yes	Yes	6	8	Yes	1	0.7	Yes
24	Scripps La Jolla Hospitals, La Jolla, Calif.	70.9	5	5	4	10,424	2.7	Yes	3	Yes	Yes	5	8	Yes	1	1.1	Yes
25	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	70.1	5	5	2	10,586	1.5	Yes	3	Yes	Yes	5	8	Yes	1	0.6	Yes
25	Texas Heart Institute at Baylor St. Luke's Med. Ctr., Houston	70.1	5	5	3	7,427	1.8	Yes	3	Yes	Yes	6	8	No	1	2.5	Yes
27	UC San Diego Health-Cardiovascular Institute	69.9	5	5	4	4,919	2.3	Yes	3	Yes	Yes	6	8	Yes	1	1.2	Yes
28	Barnes-Jewish Hospital, St. Louis	69.3	5	5	4	7,476	1.6	Yes	3	Yes	Yes	6	8	Yes	1	2.9	Yes
29	Duke University Hospital, Durham, N.C.	69.1	5	5	4	8,662	2.0	Yes	3	Yes	Yes	6	8	Yes	1	6.4	Yes
30	Baylor Scott and White The Heart Hospital Plano, Texas	68.9	5	5	5	9,486	2.7	Yes	3	Yes	Yes	5	8	No	1	0.8	Yes
31	MedStar Heart & Vascular Inst. at MedStar Washington Hosp. Ctr.	68.5	5	5	2	11,013	2.3	Yes	3	Yes	Yes	6	8	Yes	0	1.3	Yes
32	St. Francis Hospital and Heart Center, Roslyn, N.Y.	68.0	5	5	5	13,794	1.8	Yes	3	Yes	Yes	5	8	No	1	0.6	Yes
33	University of Chicago Medical Center	67.6	5	5	3	5,300	3.4	Yes	3	Yes	Yes	6	8	Yes	1	1.4	Yes
33	University of Kansas Hospital, Kansas City	67.6	5	5	5	8,397	2.0	Yes	3	Yes	Yes	6	8	Yes	1	0.3	Yes
35	Keck Medical Center of USC, Los Angeles	67.2	5	5	4	2,604	3.0	Yes	3	Yes	Yes	6	8	No	1	0.6	Yes
36	AdventHealth Orlando, Fla.	66.9	5	5	4	25,651	1.8	Yes	3	Yes	Yes	6	8	No	1	0.2	Yes
37	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	66.7	5	5	3	7,074	2.4	Yes	3	Yes	Yes	5	8	Yes	1	0.3	Yes
38	Mayo Clinic-Florida, Jacksonville	66.4	5	5	5	3,720	2.6	Yes	3	Yes	Yes	6	8	No	1	1.6	Yes
39	Beth Israel Deaconess Medical Center, Boston	65.4	5	5	4	8,312	1.3	Yes	3	Yes	Yes	5	7	Yes	1	1.4	Yes
40	Morristown Med. Ctr. Atlantic Health System, Morristown, N.J.	65.3	5	5	4	12,734	1.9	Yes	3	Yes	Yes	5	8	Yes	1	0.8	Yes
40	Yale New Haven Hospital, New Haven, Conn.	65.3	5	5	2	11,857	2.1	Yes	3	Yes	Yes	6	8	Yes	1	1.5	Yes
42	Boston Medical Center	64.9	5	5	3	2,999	1.1	Yes	2	No	Yes	4	8	Yes	1	0.4	Yes
43	Tampa General Hospital, Fla.	64.4	5	5	3	7,308	2.7	Yes	3	Yes	Yes	6	8	Yes	1	0.4	Yes
44	Sanford Medical Center Bismarck, N.D.	64.3	5	5	3	3,145	1.7	Yes	3	Yes	Yes	5	8	Yes	1	0.0	Yes
45	Mayo Clinic-Arizona, Phoenix	64.2	5	5	5	4,475	3.2	Yes	3	Yes	Yes	6	8	No	1	2.3	Yes
46	UC Davis Medical Center, Sacramento, Calif.	63.8	5	5	3	4,076	3.1	Yes	3	Yes	Yes	5	8	Yes	1	0.5	Yes
47	Houston Methodist The Woodlands Hospital, The Woodlands	63.5	5	5	5	4,570	1.8	Yes	3	Yes	Yes	5	7	No	1	0.1	Yes
47	Ohio State University Wexner Medical Center, Columbus	63.5	5	5	3	8,130	2.0	Yes	3	Yes	Yes	6	8	Yes	1	1.3	Yes
49	Vanderbilt University Medical Center, Nashville, Tenn.	63.1	5	5	4	8,412	2.3	Yes	3	Yes	Yes	6	8	Yes	1	3.7	Yes
50	Orlando Health-Orlando Regional Medical Center, Fla.	63.0	5	5	3	16,310	1.4	Yes	3	Yes	Yes	5	8	Yes	1	0.2	Yes

Best Hospitals 2025-26: Diabetes & Endocrinology		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
Rank	Hospital												
1	Mayo Clinic-Rochester, Minn.	100.0	5	5	5	1,372	2.9	Yes	4	8	1	21.0	Yes
2	New York-Presbyterian Hospital-Columbia and Cornell	85.7	5	5	3	3,974	2.9	Yes	4	8	1	4.9	Yes
3	Brigham and Women's Hospital, Boston	85.5	5	5	4	902	2.2	Yes	4	8	1	8.1	Yes
4	NYU Langone Hospitals, New York	85.1	5	5	4	2,883	2.6	Yes	4	8	1	2.8	Yes
5	UCLA Medical Center, Los Angeles	81.4	5	5	4	1,089	3.0	Yes	4	8	1	3.4	Yes
6	Johns Hopkins Hospital, Baltimore	80.0	5	5	4	550	2.3	Yes	4	8	1	6.6	Yes
7	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	78.5	5	5	4	885	2.1	Yes	4	8	1	2.2	Yes
8	Massachusetts General Hospital, Boston	78.3	5	5	4	1,140	2.3	Yes	4	8	1	15.6	Yes
9	Cedars-Sinai Medical Center, Los Angeles	76.0	5	5	4	1,081	2.9	Yes	4	8	1	1.5	Yes
10	Houston Methodist Hospital	74.8	5	5	4	1,134	2.1	Yes	4	8	1	1.0	Yes
11	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	74.5	5	5	4	938	2.4	Yes	4	8	1	1.2	Yes
12	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	74.3	5	5	3	1,255	1.9	Yes	4	8	1	0.8	Yes
13	Scripps La Jolla Hospitals, La Jolla, Calif.	73.5	5	5	4	718	2.7	Yes	4	8	1	0.2	Yes
14	Rush University Medical Center, Chicago	73.2	5	5	4	745	2.1	Yes	4	8	1	0.4	Yes
15	Montefiore Einstein, Bronx, N.Y.	73.0	5	4	2	2,367	2.1	Yes	4	8	1	1.2	Yes
15	UCSF Health-UCSF Medical Center, San Francisco	73.0	5	5	4	755	2.2	Yes	4	8	1	6.6	Yes
17	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	72.3	5	5	3	2,300	1.4	Yes	4	8	1	0.8	Yes
18	UT Southwestern Medical Center, Dallas	72.2	5	5	5	851	2.3	Yes	4	8	1	1.8	Yes
19	Mount Sinai Hospital, New York	71.9	5	5	3	1,352	2.5	Yes	4	8	1	2.6	Yes
20	AdventHealth Orlando, Fla.	71.5	5	5	4	4,121	1.8	Yes	4	8	1	0.1	Yes
21	Barnes-Jewish Hospital, St. Louis	71.1	5	5	4	1,144	1.6	Yes	4	8	1	4.4	Yes
21	Beth Israel Deaconess Med. Ctr./Joslin Diabetes Ctr., Boston	71.1	5	5	4	715	1.3	Yes	4	8	1	3.5	Yes
23	Hosp. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	69.8	5	5	5	1,153	2.8	Yes	4	8	1	3.1	Yes
24	Endeavor Health NorthShore Hospitals, Evanston, Ill.	69.1	5	5	4	1,366	1.4	Yes	4	8	1	0.1	Yes
25	University of Michigan Health-Ann Arbor	67.8	5	5	4	806	2.6	Yes	4	8	1	5.1	Yes
26	Mayo Clinic-Florida, Jacksonville	67.4	5	5	5	659	2.6	Yes	4	8	1	1.1	Yes
27	Mayo Clinic-Arizona, Phoenix	66.9	5	5	5	709	3.2	Yes	4	8	1	0.7	Yes
28	Cleveland Clinic	66.5	5	5	4	972	2.0	Yes	4	8	1	4.5	Yes
29	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	66.3	5	5	3	840	2.4	Yes	4	8	1	0.1	Yes
30	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	65.7	5	5	2	1,355	1.5	Yes	4	8	1	0.0	Yes
31	Yale New Haven Hospital, New Haven, Conn.	64.7	5	2	2	1,638	2.1	Yes	4	8	1	2.7	Yes
32	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	64.2	5	5	4	502	2.3	Yes	4	8	1	0.9	Yes
33	Mount Sinai Morningside & Mount Sinai West Hospitals, New York	62.8	5	5	1	1,077	1.9	Yes	4	8	0	0.7	Yes
34	University of Chicago Medical Center	62.1	5	5	3	888	3.4	Yes	4	8	1	2.3	Yes
35	Duke University Hospital, Durham, N.C.	61.9	5	4	4	824	2.0	Yes	4	8	1	2.5	Yes
36	Tampa General Hospital, Fla.	61.6	5	5	3	908	2.7	Yes	4	8	1	0.0	Yes
37	St. Francis Hospital and Heart Center, Roslyn, N.Y.	61.4	5	5	5	513	1.8	Yes	4	8	1	0.0	Yes
37	UW Health University Hospital, Madison, Wis.	61.4	5	5	4	642	1.8	Yes	4	8	1	0.2	Yes
39	Northwestern Medicine Lake Forest Hospital, Lake Forest, Ill.	60.8	5	5	4	374	1.5	Yes	4	8	1	0.1	Yes
40	UPMC Presbyterian Shadyside, Pittsburgh	60.5	5	5	4	974	1.6	Yes	4	8	1	0.9	Yes
41	UHealth University of Colorado Hospital, Aurora	60.3	4	5	4	781	1.8	Yes	4	8	1	4.4	Yes
42	Advocate Christ Medical Center, Oak Lawn, Ill.	59.8	5	5	3	1,051	2.2	Yes	4	8	1	0.3	Yes
43	Queen's Medical Center, Honolulu	59.5	5	5	4	1,241	1.9	Yes	4	8	1	0.0	Yes
44	Northwestern Medicine Delnor Hospital, Geneva, Ill.	59.3	5	5	4	335	1.4	Yes	4	8	1	0.0	Yes
45	Houston Methodist Willowbrook Hospital	59.0	5	5	4	714	1.5	Yes	4	8	1	0.1	Yes
46	Orlando Health-Orlando Regional Medical Center, Fla.	58.9	5	3	3	1,649	1.4	Yes	4	8	1	0.0	Yes
47	Houston Methodist The Woodlands Hospital, The Woodlands	58.5	5	5	5	649	1.8	Yes	4	8	1	0.1	Yes
48	UC Davis Medical Center, Sacramento, Calif.	58.4	5	5	3	599	3.1	Yes	4	8	1	0.2	Yes
49	Morristown Med. Ctr. Atlantic Health System, Morristown, N.J.	58.2	5	5	4	885	1.9	Yes	4	8	1	0.1	Yes
50	Baptist Health Baptist Hospital, Miami	57.7	5	5	4	739	1.6	Yes	4	8	1	0.1	Yes

Best Hospitals 2025-26: Ear, Nose & Throat		U.S. News Specialty Score	Survival	Patients discharged home	Prevention of outpatient procedural complications	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
Rank	Hospital														
1	University of Texas MD Anderson Cancer Center, Houston	100.0	5	5	1	5	2,643	2	Yes	1	8	No	1.0	3.6	Yes
2	UCLA Medical Center, Los Angeles	90.8	5	5	4	4	1,581	3	Yes	1	8	Yes	1.0	7.4	Yes
3	Mayo Clinic-Rochester, Minn.	88.5	5	5	3	5	2,196	2.9	Yes	1	8	Yes	1.0	6.8	Yes
4	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	86.4	5	5	3	4	1,230	2.4	Yes	1	8	Yes	1.0	7.6	Yes
5	Mass Eye and Ear, Massachusetts General Hospital, Boston	81.6	5	3	2	4	2,151	2.3	Yes	1	8	Yes	1.0	11.8	Yes
6	Johns Hopkins Hospital, Baltimore	81.2	5	5	2	4	921	2.3	Yes	1	8	Yes	1.0	9.5	Yes
7	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	74.3	4	3	4	5	1,638	2.8	Yes	1	8	Yes	1.0	6.6	Yes
8	Vanderbilt University Medical Center, Nashville, Tenn.	74.1	3	5	4	4	1,689	2.3	Yes	1	8	Yes	1.0	10.5	Yes
9	University of Michigan Health-Ann Arbor	73.1	3	3	5	4	2,100	2.6	Yes	1	8	Yes	1.0	9.8	Yes
10	New York-Presbyterian Hospital-Columbia and Cornell	72.3	5	5	4	3	1,851	2.9	Yes	1	8	Yes	1.0	3.8	Yes
11	AdventHealth Orlando, Fla.	68.5	5	5	3	4	2,157	1.8	Yes	1	8	No	1.0	0	Yes
12	Barnes-Jewish Hospital, St. Louis	68.4	5	5	3	4	1,822	1.6	Yes	1	8	Yes	1.0	4.3	Yes
13	OHSU Hospital, Portland, Ore.	64.4	4	5	2	3	1,326	2.1	Yes	1	8	Yes	1.0	1.8	Yes
14	University of Alabama at Birmingham Hospital, Birmingham	64.2	3	5	1	4	1,995	2.1	Yes	1	8	Yes	1.0	2.3	Yes
15	Ohio State University Wexner Medical Center, Columbus	63.9	3	2	2	3	2,125	2	Yes	1	8	Yes	1.0	7.4	Yes
16	Cleveland Clinic	63.7	5	3	2	4	1,683	2	Yes	1	8	No	1.0	4.4	Yes
17	Mayo Clinic-Arizona, Phoenix	63.4	5	5	3	5	840	3.2	Yes	1	8	No	1.0	1.5	Yes
17	UCSF Health-UCSF Medical Center, San Francisco	63.4	4	3	3	4	1,287	2.2	Yes	1	8	No	1.0	6.4	Yes
19	Rush University Medical Center, Chicago	61.5	4	5	3	4	948	2.1	Yes	1	8	Yes	1.0	0.9	Yes
20	NYU Langone Hospitals, New York	61.3	4	3	4	4	1,059	2.6	Yes	1	8	Yes	1.0	3.4	Yes
21	UT Southwestern Medical Center, Dallas	61.2	5	5	3	5	1,104	2.3	Yes	1	8	No	1.0	1.7	Yes
22	Thomas Jefferson U. Hospitals-Jefferson Health, Philadelphia	61.1	3	5	1	3	1,653	2.2	Yes	1	8	Yes	1.0	4	Yes
23	University of Kansas Hospital, Kansas City	60.9	4	3	4	5	1,584	2	Yes	1	8	Yes	1.0	2.5	Yes
23	UPMC Presbyterian Shadyside, Pittsburgh	60.9	4	3	3	4	1,433	1.6	Yes	1	8	Yes	1.0	5.4	Yes
25	Memorial Sloan Kettering Cancer Center, New York	60.6	4	5	4	5	949	2.3	Yes	1	8	No	1.0	0.9	Yes
26	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	60.1	4	3	5	4	714	2.1	Yes	1	8	Yes	1.0	2.9	Yes
27	UC Davis Medical Center, Sacramento, Calif.	60.0	4	5	3	3	996	3.1	Yes	1	8	Yes	1.0	2.1	Yes
28	Tampa General Hospital, Fla.	59.6	4	5	2	3	1,230	2.7	Yes	1	8	Yes	1.0	0.8	Yes
29	UW Health University Hospital, Madison, Wis.	59.4	3	5	5	4	1,119	1.8	Yes	1	8	Yes	1.0	1	Yes
30	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	59.1	5	5	4	3	1,485	1.4	Yes	1	8	No	1.0	0.8	Yes
31	University of Chicago Medical Center	58.7	4	5	4	3	678	3.4	Yes	1	8	Yes	1.0	1.4	Yes
32	Keck Medical Center of USC, Los Angeles	58.5	4	5	2	4	903	3	Yes	1	8	No	1.0	1.9	Yes
33	University of Iowa Health Care Medical Center, Iowa City	57.3	3	5	1	3	1,014	1.5	Yes	1	8	Yes	1.0	6.9	Yes
34	Brigham and Women's Hospital, Boston	56.7	4	3	1	4	879	2.2	Yes	1	8	Yes	1.0	2.2	Yes
35	Mount Sinai Hospital, New York	56.3	3	3	4	3	1,105	2.5	Yes	1	8	Yes	1.0	3.3	Yes
36	University of Maryland Medical Center, Baltimore	55.8	5	3	1	3	754	2.2	Yes	1	8	Yes	1.0	0.8	Yes
37	Banner-University Medical Center Phoenix	55.1	3	5	3	3	699	2	Yes	1	8	Yes	1.0	0.1	Yes
38	Cedars-Sinai Medical Center, Los Angeles	54.9	3	5	4	4	720	2.9	Yes	1	8	Yes	1.0	1.3	Yes
39	Sharp Memorial Hospital, San Diego	54.8	3	3	5	4	540	1.8	Yes	1	8	Yes	1.0	0	Yes
40	Penn State Health Milton S. Hershey Medical Ctr., Hershey, Pa.	54.4	3	4	5	4	495	2	Yes	1	8	Yes	1.0	0.8	Yes
41	Duke University Hospital, Durham, N.C.	53.4	3	4	2	4	720	2	Yes	1	8	Yes	1.0	1.9	Yes
42	Yale New Haven Hospital, New Haven, Conn.	53.0	3	3	5	2	1,385	2.1	Yes	1	8	Yes	1.0	1	Yes
43	Mayo Clinic-Florida, Jacksonville	52.5	3	5	3	5	774	2.6	Yes	1	8	No	1.0	1	Yes
44	UNC Hospitals, Chapel Hill, N.C.	52.4	3	5	3	4	1,614	1.8	Yes	1	8	Yes	1.0	3.5	Yes
45	Banner-University Medical Center Tucson, Ariz.	52.2	4	5	1	3	756	1.4	Yes	1	8	Yes	1.0	0.3	Yes
46	Manhattan Eye, Ear & Throat Hospital, New York	51.3	4	3	5	3	480	1.9	Yes	1	8	No	1.0	0.6	Yes
47	UF Health Shands Hospital, Gainesville, Fla.	51.2	3	3	3	4	1,407	1.8	Yes	1	8	Yes	1.0	1.1	Yes
48	Montefiore Einstein, Bronx, N.Y.	51.0	4	3	2	2	759	2.1	Yes	1	8	Yes	1.0	0.6	Yes
49	Beth Israel Deaconess Medical Center, Boston	49.3	3	5	4	4	648	1.3	Yes	1	8	Yes	1.0	0.4	Yes
50	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	48.1	3	3	5	3	513	2.4	Yes	1	8	Yes	1.0	0.1	Yes

Best Hospitals 2025-26: Gastroenterology & GI Surgery		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
Rank	Hospital													
1	Mayo Clinic-Rochester, Minn.	100.0	5	5	5	8,257	2.9	Yes	7	8	Yes	1	20.6	Yes
2	Cedars-Sinai Medical Center, Los Angeles	92.5	5	5	4	6,195	2.9	Yes	7	8	Yes	1	5.2	Yes
3	Cleveland Clinic	90.4	5	5	4	6,866	2.0	Yes	7	8	No	1	11.4	Yes
4	NYU Langone Hospitals, New York	90.1	5	5	4	11,269	2.6	Yes	7	8	Yes	1	4.9	Yes
5	Mount Sinai Hospital, New York	89.5	5	5	3	5,247	2.5	Yes	7	8	Yes	1	6.5	Yes
6	Johns Hopkins Hospital, Baltimore	88.1	5	5	4	3,132	2.3	Yes	7	8	Yes	1	6.5	Yes
7	Houston Methodist Hospital	87.8	5	5	4	6,381	2.1	Yes	7	8	No	1	1.2	Yes
8	UCLA Medical Center, Los Angeles	86.9	5	5	4	3,936	3.0	Yes	7	8	Yes	1	5.9	Yes
9	Massachusetts General Hospital, Boston	86.0	5	5	4	5,897	2.3	Yes	7	8	Yes	1	7.4	Yes
10	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	85.1	5	5	4	4,185	2.1	Yes	7	8	Yes	1	5.4	Yes
11	New York-Presbyterian Hospital-Columbia and Cornell	83.8	5	5	3	13,526	2.9	Yes	7	8	Yes	1	5.3	Yes
12	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	83.1	5	5	5	5,046	2.8	Yes	7	8	Yes	1	4.0	Yes
13	University of Texas MD Anderson Cancer Center, Houston	82.8	5	5	5	5,466	2.0	Yes	6	8	No	1	1.0	Yes
14	Mayo Clinic-Arizona, Phoenix	82.1	5	5	5	3,686	3.2	Yes	7	8	No	1	4.6	Yes
14	Memorial Sloan Kettering Cancer Center, New York	82.1	5	5	5	5,794	2.3	Yes	6	8	No	1	1.3	Yes
16	UCSF Health-UCSF Medical Center, San Francisco	81.4	5	5	4	3,134	2.2	Yes	7	8	No	1	4.1	Yes
17	Brigham and Women's Hospital, Boston	81.0	5	5	4	5,363	2.2	Yes	6	8	Yes	1	4.0	Yes
17	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	81.0	5	5	4	4,631	2.4	Yes	7	8	Yes	1	2.2	Yes
19	Mayo Clinic-Florida, Jacksonville	80.4	5	5	5	3,514	2.6	Yes	7	8	No	1	4.1	Yes
20	University of Chicago Medical Center	79.6	5	5	3	3,486	3.4	Yes	7	8	Yes	1	3.5	Yes
21	Beth Israel Deaconess Medical Center, Boston	79.4	5	5	4	4,549	1.3	Yes	7	8	Yes	1	2.7	Yes
21	Tampa General Hospital, Fla.	79.4	5	5	3	4,258	2.7	Yes	7	8	Yes	1	0.8	Yes
23	Keck Medical Center of USC, Los Angeles	78.8	5	5	4	2,117	3.0	Yes	7	8	No	1	1.5	Yes
24	Barnes-Jewish Hospital, St. Louis	78.0	5	5	4	5,860	1.6	Yes	7	8	Yes	1	3.6	Yes
25	Rush University Medical Center, Chicago	77.1	5	5	4	2,666	2.1	Yes	7	8	Yes	1	1.5	Yes
26	UT Southwestern Medical Center, Dallas	76.7	5	5	5	3,905	2.3	Yes	7	8	No	1	2.1	Yes
27	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	76.6	5	5	3	5,605	1.9	Yes	7	8	Yes	1	0.6	Yes
28	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	75.1	5	5	4	3,433	2.3	Yes	7	8	Yes	1	2.0	Yes
29	University of Michigan Health-Ann Arbor	74.0	5	5	4	4,575	2.6	Yes	7	8	Yes	1	5.1	Yes
30	Cleveland Clinic Weston	73.7	5	5	4	3,089	1.9	Yes	7	8	No	1	1.0	Yes
31	Baylor University Medical Center, Dallas	73.5	5	5	4	4,199	2.0	Yes	7	8	Yes	1	1.1	Yes
32	Montefiore Einstein, Bronx, N.Y.	73.1	5	5	2	6,698	2.1	Yes	7	8	Yes	1	0.6	Yes
32	Scripps La Jolla Hospitals, La Jolla, Calif.	73.1	5	5	4	4,469	2.7	Yes	7	8	Yes	1	0.2	Yes
34	AdventHealth Orlando, Fla.	72.6	5	5	4	16,140	1.8	Yes	7	8	No	1	0.6	Yes
35	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	72.2	5	5	2	5,889	1.5	Yes	7	8	Yes	1	0.2	Yes
36	OHSU Hospital, Portland, Ore.	71.9	5	5	3	2,216	2.1	Yes	7	8	Yes	1	0.5	Yes
37	UPMC Presbyterian Shadyside, Pittsburgh	71.2	5	5	4	6,043	1.6	Yes	7	8	Yes	1	2.6	Yes
38	Morristown Med. Ctr. Atlantic Health System, Morristown, N.J.	70.9	5	5	4	4,816	1.9	Yes	6	8	Yes	1	0.3	Yes
39	Thomas Jefferson U. Hospitals-Jefferson Health, Philadelphia	70.8	5	5	3	3,863	2.2	Yes	7	8	Yes	1	1.6	Yes
40	UW Health University Hospital, Madison, Wis.	70.6	5	5	4	3,427	1.8	Yes	7	8	Yes	1	0.9	Yes
41	St. Francis Hospital and Heart Center, Roslyn, N.Y.	70.4	5	5	5	3,581	1.8	Yes	6	8	No	1	0.1	Yes
42	Duke University Hospital, Durham, N.C.	70.0	5	5	4	4,137	2.0	Yes	7	8	Yes	1	2.7	Yes
43	Nebraska Medicine-Nebraska Medical Center, Omaha	69.7	5	5	3	2,558	2.0	Yes	7	8	Yes	1	0.4	Yes
44	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	69.2	5	5	3	6,670	1.4	Yes	6	8	No	1	0.5	Yes
45	Baylor St. Luke's Medical Center, Houston	68.9	5	5	3	3,517	1.8	Yes	7	8	No	1	1.1	Yes
46	Penn State Health Milton S. Hershey Medical Ctr., Hershey, Pa.	68.7	5	5	4	2,941	2.0	Yes	7	8	Yes	1	0.4	Yes
47	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	67.7	5	5	3	3,713	2.4	Yes	6	8	Yes	1	0.2	Yes
47	Vanderbilt University Medical Center, Nashville, Tenn.	67.7	5	5	4	4,468	2.3	Yes	7	8	Yes	1	2.2	Yes
49	Advocate Christ Medical Center, Oak Lawn, Ill.	67.5	5	5	3	3,920	2.2	Yes	6	8	Yes	1	0.2	Yes
49	University of Kansas Hospital, Kansas City	67.5	5	5	5	4,417	2.0	Yes	7	8	Yes	1	0.2	Yes
50	Memorial Hermann Hospital, Houston	67.2	5	5	3	2,454	2.3	Yes	7	8	Yes	1	0.6	Yes
50	Ohio State University Wexner Medical Center, Columbus	67.2	5	5	3	6,100	2.0	Yes	7	8	Yes	1	2.4	Yes

Best Hospitals 2025-26: Geriatrics		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Patient services	Recognized as Nurse Magnet hospital	NIA-designated Alzheimer's center	Expert opinion	Current AHA responder
Rank	Hospital												
1	NYU Langone Hospitals, New York	100.0	5	5	4	65,004	2.6	Yes	9	1	Yes	2.2	Yes
2	UCSF Health-UCSF Medical Center, San Francisco	99.1	5	5	4	14,410	2.2	Yes	9	1	Yes	11.2	Yes
3	Mount Sinai Hospital, New York	98.4	5	5	3	29,239	2.5	Yes	9	1	Yes	13.4	Yes
4	Mayo Clinic-Rochester, Minn.	93.2	5	5	5	32,943	2.9	Yes	9	1	Yes	5.0	Yes
5	Cleveland Clinic	89.9	5	5	4	25,039	2.0	Yes	9	1	Yes	2.9	Yes
6	New York-Presbyterian Hospital-Columbia and Cornell	89.4	5	5	3	82,406	2.9	Yes	9	1	Yes	2.9	Yes
7	UCLA Medical Center, Los Angeles	89.3	5	5	4	19,823	3.0	Yes	9	1	No	14.4	Yes
8	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	88.7	5	5	5	23,440	2.8	Yes	9	1	Yes	2.3	Yes
9	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	88.0	5	5	4	18,456	2.1	Yes	9	1	Yes	1.1	Yes
10	Johns Hopkins Hospital, Baltimore	87.1	5	5	4	11,637	2.3	Yes	9	1	Yes	4.5	Yes
10	Rush University Medical Center, Chicago	87.1	5	5	4	12,304	2.1	Yes	9	1	Yes	0.7	Yes
12	Massachusetts General Hospital, Boston	84.9	5	5	4	28,085	2.3	Yes	9	1	Yes	3.3	Yes
13	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	83.9	5	5	4	20,404	2.4	Yes	9	1	Yes	1.4	Yes
14	Brigham and Women's Hospital, Boston	83.8	5	5	4	22,302	2.2	Yes	9	1	Yes	1.6	Yes
15	Keck Medical Center of USC, Los Angeles	83.5	5	5	4	6,152	3.0	Yes	9	1	Yes	0.2	Yes
16	Cedars-Sinai Medical Center, Los Angeles	82.9	5	5	4	32,274	2.9	Yes	9	1	No	1.0	Yes
16	UT Southwestern Medical Center, Dallas	82.9	5	5	5	14,863	2.3	Yes	9	1	Yes	0.5	Yes
18	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	81.0	5	5	4	13,616	2.3	Yes	9	1	Yes	2.6	Yes
19	Houston Methodist Hospital	79.4	5	5	4	25,111	2.1	Yes	9	1	No	0.6	Yes
20	University of Michigan Health-Ann Arbor	78.0	5	5	4	17,492	2.6	Yes	9	1	Yes	4.3	Yes
21	Mayo Clinic-Arizona, Phoenix	77.7	5	5	5	14,439	3.2	Yes	8	1	Yes	0.6	Yes
22	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	77.6	5	5	3	39,467	1.9	Yes	9	1	No	1.7	Yes
23	Barnes-Jewish Hospital, St. Louis	75.3	5	5	4	20,817	1.6	Yes	9	1	Yes	1.0	Yes
24	Yale New Haven Hospital, New Haven, Conn.	74.6	5	5	2	36,511	2.1	Yes	9	1	Yes	3.3	Yes
25	Mayo Clinic-Florida, Jacksonville	74.3	5	5	5	12,849	2.6	Yes	8	1	Yes	1.0	Yes
26	St. Francis Hospital and Heart Center, Roslyn, N.Y.	73.6	5	5	5	27,130	1.8	Yes	8	1	No	0.1	Yes
27	UC Davis Medical Center, Sacramento, Calif.	72.7	5	5	3	11,854	3.1	Yes	9	1	Yes	0.6	Yes
28	Montefiore Einstein, Bronx, N.Y.	72.6	5	5	2	42,561	2.1	Yes	9	1	No	1.3	Yes
29	Duke University Hospital, Durham, N.C.	72.1	5	5	4	17,401	2.0	Yes	9	1	Yes	5.6	Yes
30	Lenox Hill Hospital at Northwell Health, New York	71.7	5	5	3	18,610	1.9	Yes	9	1	No	0.8	Yes
30	University of Kansas Hospital, Kansas City	71.7	5	5	5	18,227	2.0	Yes	8	1	Yes	0.1	Yes
32	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	70.8	5	5	3	22,377	2.4	Yes	9	1	No	0.9	Yes
32	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	70.8	5	5	3	41,478	1.4	Yes	9	1	No	1.0	Yes
34	Beth Israel Deaconess Medical Center, Boston	70.3	5	5	4	20,885	1.3	Yes	9	1	No	2.8	Yes
35	UPMC Presbyterian Shadyside, Pittsburgh	70.2	5	5	4	24,687	1.6	Yes	9	1	Yes	2.9	Yes
36	Boston Medical Center	69.5	5	5	3	7,498	1.1	Yes	9	1	Yes	1.8	Yes
37	Mount Sinai Morningside & Mount Sinai West Hospitals, New York	69.4	5	5	1	21,056	1.9	Yes	9	0	No	3.9	Yes
38	Scripps La Jolla Hospitals, La Jolla, Calif.	69.1	5	5	4	26,861	2.7	Yes	6	1	No	0.1	Yes
39	UW Health University Hospital, Madison, Wis.	68.8	5	5	4	15,171	1.8	Yes	9	1	Yes	0.4	Yes
40	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	68.6	5	5	2	31,482	1.5	Yes	9	1	No	0.6	Yes
41	AdventHealth Orlando, Fla.	68.2	5	5	4	87,025	1.8	Yes	9	1	No	0.0	Yes
42	Emory University Hospital at Wesley Woods, Atlanta	67.5	5	5	4	11,605	1.7	Yes	9	1	Yes	0.7	Yes
43	UF Health Shands Hospital, Gainesville, Fla.	67.1	5	5	4	19,833	1.8	Yes	9	1	Yes	0.5	Yes
44	University of Chicago Medical Center	65.9	5	5	3	13,540	3.4	Yes	9	1	No	1.3	Yes
45	Vanderbilt University Medical Center, Nashville, Tenn.	65.3	5	5	4	17,104	2.3	Yes	9	1	Yes	1.3	Yes
46	Advocate Christ Medical Center, Oak Lawn, Ill.	65.2	5	5	3	23,067	2.2	Yes	9	1	No	0.0	Yes
46	Northwestern Medicine Lake Forest Hospital, Lake Forest, Ill.	65.2	5	5	4	8,184	1.5	Yes	9	1	No	0.2	Yes
48	OHSU Hospital, Portland, Ore.	64.9	5	5	3	8,742	2.1	Yes	9	1	Yes	0.6	Yes
49	University of Alabama at Birmingham Hospital, Birmingham	64.7	5	5	4	17,942	2.1	Yes	9	1	Yes	1.7	Yes
50	Torrance Memorial Medical Center, Torrance, Calif.	64.5	5	5	4	21,991	1.8	Yes	9	1	No	0.0	Yes
50	White Plains Hospital, White Plains, N.Y.	64.5	5	5	4	17,503	2.1	Yes	9	1	No	0.1	Yes

Best Hospitals 2025-26: Neurology & Neurosurgery		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	NAEC-designated epilepsy center	NIA-designated Alzheimer's center	Public transparency	Expert opinion	Current AHA responder
Rank	Hospital																
1	NYU Langone Hospitals, New York	100.0	5	5	4	8,129	2.6	Yes	5	9	Yes	1	Yes	Yes	1	6.8	Yes
2	UCSF Health-UCSF Medical Center, San Francisco	92.8	5	5	4	3,142	2.2	Yes	5	9	No	1	Yes	Yes	1	16.5	Yes
3	New York-Presbyterian Hospital-Columbia and Cornell	91.7	5	5	3	11,635	2.9	Yes	5	9	Yes	1	Yes	Yes	1	9.2	Yes
4	Mayo Clinic-Rochester, Minn.	89.3	5	5	5	5,182	2.9	Yes	5	9	Yes	1	Yes	Yes	1	18.1	Yes
5	Rush University Medical Center, Chicago	85.8	5	5	4	2,833	2.1	Yes	5	9	Yes	1	Yes	Yes	1	2.2	Yes
6	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	84.8	5	5	4	3,379	2.1	Yes	5	9	Yes	1	Yes	Yes	1	4.0	Yes
7	Johns Hopkins Hospital, Baltimore	83.6	5	5	4	2,874	2.3	Yes	5	9	Yes	1	Yes	Yes	1	11.0	Yes
8	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	83.3	5	5	5	4,565	2.8	Yes	5	9	Yes	1	Yes	Yes	1	5.1	Yes
9	UT Southwestern Medical Center, Dallas	82.1	5	5	5	3,367	2.3	Yes	5	9	No	1	Yes	Yes	1	1.9	Yes
10	Massachusetts General Hospital, Boston	82.0	5	5	4	5,186	2.3	Yes	5	9	Yes	1	Yes	Yes	1	13.6	Yes
11	Mount Sinai Hospital, New York	80.3	5	5	3	3,710	2.5	Yes	5	9	Yes	1	Yes	Yes	1	2.7	Yes
12	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	80.2	5	5	4	3,614	2.4	Yes	5	9	Yes	1	Yes	Yes	1	4.8	Yes
13	Cleveland Clinic	79.6	5	5	4	4,891	2.0	Yes	5	9	No	1	Yes	Yes	1	6.9	Yes
14	UCLA Medical Center, Los Angeles	79.5	5	5	4	3,252	3.0	Yes	5	9	Yes	1	Yes	No	1	6.6	Yes
15	Houston Methodist Hospital	79.3	5	5	4	4,981	2.1	Yes	5	9	No	1	Yes	No	1	1.3	Yes
16	Brigham and Women's Hospital, Boston	78.9	5	5	4	4,428	2.2	Yes	5	9	Yes	1	Yes	Yes	1	6.1	Yes
17	Barnes-Jewish Hospital, St. Louis	78.7	5	5	4	5,666	1.6	Yes	5	9	Yes	1	Yes	Yes	1	5.2	Yes
18	Cedars-Sinai Medical Center, Los Angeles	77.8	5	5	4	4,000	2.9	Yes	5	9	Yes	1	Yes	No	1	1.9	Yes
19	Mayo Clinic-Arizona, Phoenix	77.0	5	5	5	1,994	3.2	Yes	5	9	No	1	Yes	Yes	1	2.8	Yes
20	Mayo Clinic-Florida, Jacksonville	74.2	5	5	5	2,664	2.6	Yes	5	9	No	1	Yes	Yes	1	3.2	Yes
21	AdventHealth Orlando, Fla.	74.0	5	5	4	12,671	1.8	Yes	5	9	No	1	Yes	No	1	0.1	Yes
22	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	73.9	5	5	3	5,072	1.9	Yes	5	9	Yes	1	Yes	No	1	0.7	Yes
23	University of Miami Hospital and Clinics-UHealth Tower	73.2	5	5	4	1,272	1.7	Yes	5	9	No	0	Yes	Yes	1	2.1	Yes
24	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	72.6	5	5	3	4,861	1.4	Yes	5	9	No	1	Yes	No	1	0.5	Yes
25	Keck Medical Center of USC, Los Angeles	72.5	5	5	4	1,174	3.0	Yes	5	9	No	1	Yes	Yes	1	1.6	Yes
25	Thomas Jefferson U. Hosps.-Vickie & Jack Farber Inst. for Neuroscience-Jefferson Hlth., Philad	72.5	5	5	3	4,491	2.2	Yes	5	9	Yes	1	Yes	No	1	2.0	Yes
27	UC Davis Medical Center, Sacramento, Calif.	72.2	5	5	3	2,692	3.1	Yes	5	9	Yes	1	Yes	Yes	1	0.6	Yes
28	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	71.9	5	5	4	2,812	2.3	Yes	5	9	Yes	1	Yes	Yes	1	1.8	Yes
29	University of Michigan Health-Ann Arbor	69.9	5	5	4	2,867	2.6	Yes	5	9	Yes	1	Yes	Yes	1	3.3	Yes
30	Montefiore Einstein, Bronx, N.Y.	69.7	5	5	2	5,838	2.1	Yes	5	9	Yes	1	Yes	No	1	1.1	Yes
31	Mount Sinai Morningside & Mount Sinai West Hospitals, New York	69.4	5	5	1	3,445	1.9	Yes	5	9	Yes	0	Yes	No	1	0.8	Yes
32	University of Kansas Hospital, Kansas City	69.2	5	5	5	4,529	2.0	Yes	5	9	Yes	1	Yes	Yes	1	0.7	Yes
33	Emory University Hospital, Atlanta	69.0	5	5	4	3,302	1.7	Yes	5	9	No	1	Yes	Yes	1	2.2	Yes
33	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	69.0	5	5	3	3,304	2.4	Yes	5	9	Yes	1	Yes	No	1	0.4	Yes
35	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	68.5	5	5	2	4,811	1.5	Yes	5	9	Yes	1	Yes	No	1	0.1	Yes
36	Boston Medical Center	67.7	5	5	3	1,689	1.1	Yes	5	9	Yes	1	Yes	Yes	1	0.7	Yes
37	Northwestern Medicine Lake Forest Hospital, Lake Forest, Ill.	67.4	5	5	4	1,123	1.5	Yes	5	9	Yes	1	No	No	1	0.1	Yes
38	Yale New Haven Hospital, New Haven, Conn.	66.6	5	5	2	5,756	2.1	Yes	5	9	Yes	1	Yes	Yes	1	2.3	Yes
39	UF Health Shands Hospital, Gainesville, Fla.	66.4	5	5	4	4,491	1.8	Yes	5	9	Yes	1	Yes	Yes	1	2.3	Yes
40	Ohio State University Wexner Medical Center, Columbus	65.8	5	5	3	6,312	2.0	Yes	5	9	Yes	1	Yes	No	1	2.3	Yes
40	University of Chicago Medical Center	65.8	5	5	3	2,784	3.4	Yes	5	9	Yes	1	Yes	No	1	1.9	Yes
42	University of Alabama at Birmingham Hospital, Birmingham	65.3	4	5	4	4,648	2.1	Yes	5	9	Yes	1	Yes	Yes	1	1.6	Yes
43	M Health Fairview U. of Minnesota Medical Center, Minneapolis	64.9	5	5	3	1,990	2.0	Yes	5	9	Yes	0	Yes	No	1	0.7	Yes
44	Lenox Hill Hospital at Northwell Health, New York	64.7	5	5	3	2,010	1.9	Yes	5	9	No	1	Yes	No	1	0.5	Yes
45	UPMC Presbyterian Shadyside, Pittsburgh	64.6	3	5	4	6,171	1.6	Yes	5	9	Yes	1	Yes	Yes	1	2.3	Yes
46	Baylor St. Luke's Medical Center, Houston	64.5	5	5	3	2,798	1.8	Yes	5	9	No	1	Yes	No	1	0.9	Yes
47	Beth Israel Deaconess Medical Center, Boston	64.3	5	5	4	3,694	1.3	Yes	5	9	Yes	1	Yes	No	1	1.2	Yes
48	Memorial Hermann Hospital, Houston	63.9	5	5	3	6,156	2.3	Yes	5	9	Yes	1	Yes	No	1	1.6	Yes
49	Barrow Neurological Institute, Phoenix	63.6	3	5	4	5,262	2.2	Yes	5	9	Yes	0	Yes	Yes	1	5.7	Yes
49	Endeavor Health NorthShore Hospitals, Evanston, Ill.	63.6	5	5	4	4,017	1.4	Yes	5	9	Yes	1	No	No	1	0.2	Yes

Best Hospitals 2025-26: Obstetrics & Gynecology		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Recognized as Nurse Magnet hospital	Public transparency	Expert opinion	Current AHA responder
Rank	Hospital													
1	Brigham and Women's Hospital, Boston	100.0	5	5	4	1,307	2.2	Yes	5	9	1	1	7.3	Yes
2	Johns Hopkins Hospital, Baltimore	91.7	5	5	4	524	2.3	Yes	5	9	1	1	4.8	Yes
3	Mayo Clinic-Rochester, Minn.	85.2	4	5	5	1,869	2.9	Yes	5	9	1	1	4.2	Yes
4	New York-Presbyterian Hospital-Columbia and Cornell	82.1	4	5	3	2,430	2.9	Yes	5	9	1	1	5.1	Yes
5	Tampa General Hospital, Fla.	76.6	4	5	3	897	2.7	Yes	5	9	1	1	1.1	Yes
6	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	75.7	4	3	4	603	2.1	Yes	5	9	1	1	5.1	Yes
7	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	75.5	4	5	4	732	2.3	Yes	5	9	1	1	2.0	Yes
8	Cedars-Sinai Medical Center, Los Angeles	75.2	4	5	4	681	2.9	Yes	5	9	1	1	1.8	Yes
8	Cleveland Clinic	75.2	4	3	4	1,341	2.0	Yes	5	9	1	1	4.2	Yes
10	Houston Methodist Hospital	74.6	5	4	4	858	2.1	Yes	5	9	1	1	1.5	Yes
11	UW Health University Hospital, Madison, Wis.	74.4	5	5	4	721	1.8	Yes	5	9	1	1	0.4	Yes
12	NYU Langone Hospitals, New York	72.9	3	5	4	1,488	2.6	Yes	5	9	1	1	2.7	Yes
13	Ochsner Medical Center, New Orleans	71.9	4	5	3	1,055	1.9	Yes	5	9	1	1	0.1	Yes
14	Advocate Christ Medical Center, Oak Lawn, Ill.	71.4	4	5	3	783	2.2	Yes	5	9	1	1	0.4	Yes
15	Beth Israel Deaconess Medical Center, Boston	70.8	5	5	4	756	1.3	Yes	5	9	1	1	0.8	Yes
16	MUSC Health-University Medical Center, Charleston, S.C.	70.5	4	5	3	1,011	1.6	Yes	5	9	1	1	1.4	Yes
17	MemorialCare Long Beach Medical Center, Long Beach, Calif.	69.9	4	5	3	454	2.1	Yes	5	9	1	1	0.3	Yes
17	Mount Sinai Hospital, New York	69.9	3	3	3	936	2.5	Yes	5	9	1	1	1.7	Yes
19	Duke University Hospital, Durham, N.C.	69.8	3	5	4	933	2.0	Yes	5	8	1	1	4.0	Yes
20	AdventHealth Orlando, Fla.	69.7	4	4	4	2,622	1.8	Yes	5	9	1	1	0.1	Yes
21	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	69.6	4	3	5	687	2.8	Yes	5	9	1	0	2.5	Yes
22	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	69.4	3	5	3	1,666	1.4	Yes	5	9	1	1	2.2	Yes
23	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	69.1	4	3	4	879	2.4	Yes	5	9	1	1	1.7	Yes
24	UCLA Medical Center, Los Angeles	68.6	3	3	4	642	3.0	Yes	5	9	1	1	2.2	Yes
25	UCSF Health-UCSF Medical Center, San Francisco	68.5	4	3	4	630	2.2	Yes	5	9	1	1	4.6	Yes
26	UF Health Shands Hospital, Gainesville, Fla.	68.1	3	5	4	783	1.8	Yes	5	9	1	1	1.0	Yes
27	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	68.0	4	5	2	891	1.5	Yes	5	9	1	1	0.5	Yes
28	University of Alabama at Birmingham Hospital, Birmingham	67.9	3	5	4	1,368	2.1	Yes	5	9	1	1	2.7	Yes
28	University of Kentucky Albert B. Chandler Hospital, Lexington	67.9	3	5	4	918	1.4	Yes	5	9	1	1	0.3	Yes
30	Massachusetts General Hospital, Boston	67.6	3	5	4	1,146	2.3	Yes	5	9	1	1	4.0	Yes
31	University of Chicago Medical Center	67.2	3	4	3	717	3.4	Yes	5	9	1	1	1.1	Yes
32	Inova Fairfax Hospital, Falls Church, Va.	66.7	3	3	4	2,108	1.7	Yes	5	9	1	1	0.7	Yes
32	UPMC Magee-Womens Hospital, Pittsburgh	66.7	3	3	4	1,668	0.9	Yes	5	9	1	1	4.8	Yes
34	Rush University Medical Center, Chicago	66.5	3	5	4	503	2.1	Yes	5	9	1	1	0.6	Yes
35	AHN West Penn Hospital, Pittsburgh	65.9	3	5	4	1,822	1.1	Yes	5	9	1	1	0.3	Yes
36	Aurora St. Luke's Medical Center, Milwaukee	65.6	4	3	3	500	1.9	Yes	5	9	1	1	0.3	Yes
37	UT Southwestern Medical Center, Dallas	64.5	3	4	5	522	2.3	Yes	5	9	1	1	2.3	Yes
38	Loma Linda University Medical Center, Loma Linda, Calif.	64.4	3	5	4	696	2.3	Yes	5	8	1	1	0.3	Yes
39	Baylor University Medical Center, Dallas	63.8	3	5	4	792	2.0	Yes	5	9	1	1	0.4	Yes
39	Yale New Haven Hospital, New Haven, Conn.	63.8	3	3	2	1,386	2.1	Yes	5	9	1	1	2.7	Yes
41	John Muir Health-Walnut Creek Med. Ctr., Walnut Creek, Calif.	63.7	3	3	3	557	2.3	Yes	5	8	1	1	0.0	Yes
42	Torrance Memorial Medical Center, Torrance, Calif.	63.5	3	4	4	732	1.8	Yes	5	9	1	1	0.1	Yes
43	University of Iowa Health Care Medical Center, Iowa City	62.7	3	5	3	1,044	1.5	Yes	5	9	1	1	1.2	Yes
44	Ohio State University Wexner Medical Center, Columbus	62.4	3	3	3	1,071	2.0	Yes	5	9	1	1	3.4	Yes
45	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	61.1	3	3	3	618	1.9	Yes	5	9	1	1	1.8	Yes
46	Montefiore Einstein, Bronx, N.Y.	61.0	3	3	2	1,029	2.1	Yes	5	9	1	1	0.9	Yes
46	Sarasota Memorial Hospital, Sarasota, Fla.	61.0	3	3	4	672	1.3	Yes	5	9	1	1	0.1	Yes
48	Barnes-Jewish Hospital, St. Louis	60.7	3	3	4	1,377	1.6	Yes	5	9	1	1	2.6	Yes
48	UCHealth University of Colorado Hospital, Aurora	60.7	3	3	4	971	1.8	Yes	5	9	1	1	0.7	Yes
50	Medical City Dallas	60.6	3	3	3	495	2.0	Yes	5	8	1	1	0.0	Yes

Best Hospitals 2025-26: Orthopedics		U.S. News Specialty Score	Survival	Patients discharged home	Prevention of outpatient procedural complications	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
Rank	Hospital														
1	Hospital for Special Surgery, New York	100.0	5	5	5	5	6,686	3.7	Yes	2	7	No	1.0	17.3	Yes
2	NYU Langone Orthopedic Hospital, New York	95.9	5	5	5	4	7,492	2.6	Yes	2	7	Yes	1.0	8.2	Yes
3	Mayo Clinic-Rochester, Minn.	94.4	5	5	4	5	6,127	2.9	Yes	2	7	Yes	1.0	15.1	Yes
4	New York-Presbyterian Hospital-Columbia and Cornell	93.0	5	5	5	3	6,651	2.9	Yes	2	7	Yes	1.0	2.6	Yes
5	Cedars-Sinai Medical Center, Los Angeles	90.6	5	5	4	4	4,568	2.9	Yes	2	7	Yes	1.0	2.7	Yes
6	UCSF Health-UCSF Medical Center, San Francisco	86.4	5	5	3	4	3,592	2.2	Yes	2	7	No	1.0	3.1	Yes
7	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	81.6	5	3	5	3	3,754	1.9	Yes	2	7	Yes	1.0	0.6	Yes
7	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	81.6	5	1	3	4	3,519	2.4	Yes	2	7	Yes	1.0	2.7	Yes
9	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	80.1	5	3	2	5	2,823	2.8	Yes	2	7	Yes	1.0	3.2	Yes
10	Santa Monica-UCLA Medical Ctr. & Orthopedic Hosp., Los Angeles	79.6	5	5	4	4	2,287	3	Yes	2	7	Yes	1.0	2.4	Yes
11	Midwest Orthopaedics at Rush U. Medical Center, Chicago	79.5	5	5	3	4	2,656	2.1	Yes	2	7	Yes	1.0	5.2	Yes
12	Brigham and Women's Hospital, Boston	78.4	5	3	4	4	3,585	2.2	Yes	2	7	Yes	1.0	3	Yes
13	Massachusetts General Hospital, Boston	76.6	5	4	3	4	3,654	2.3	Yes	2	7	Yes	1.0	4.7	Yes
14	Mount Sinai Hospital, New York	76.5	5	5	4	3	2,227	2.5	Yes	2	7	Yes	1.0	1.1	Yes
15	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	76.4	5	5	4	4	2,281	2.1	Yes	2	7	Yes	1.0	2.7	Yes
16	Morristown Med. Ctr. Atlantic Health System, Morristown, N.J.	75.6	5	5	5	4	4,089	1.9	Yes	2	7	Yes	1.0	0.5	Yes
17	Cleveland Clinic	75.1	5	5	4	4	3,836	2	Yes	2	7	No	1.0	5.6	Yes
18	Scripps La Jolla Hospitals, La Jolla, Calif.	74.9	5	3	4	4	4,661	2.7	Yes	2	6	Yes	1.0	0.5	Yes
19	Rothman Orthopaedics at Thomas Jefferson U. Hosps.-Jefferson Hlth., Philadelphia	74.6	5	5	4	3	4,835	2.2	Yes	2	7	Yes	1.0	5.3	Yes
20	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	73.9	5	3	5	3	2,296	2.4	Yes	2	7	Yes	1.0	0.4	Yes
21	Montefiore Einstein, Bronx, N.Y.	71.5	5	1	5	2	2,255	2.1	Yes	2	7	Yes	1.0	0.9	Yes
22	Johns Hopkins Hospital, Baltimore	71.4	5	5	4	4	1,950	2.3	Yes	2	7	Yes	1.0	2.1	Yes
22	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	71.4	5	3	5	3	2,539	1.4	Yes	2	7	No	1.0	0.7	Yes
24	Houston Methodist Hospital	71.2	5	5	3	4	3,315	2.1	Yes	2	7	No	1.0	1	Yes
25	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	70.7	5	5	2	2	4,384	1.5	Yes	2	7	Yes	1.0	1	Yes
25	Lehigh Valley Hosp.-Cedar Crest-Jefferson Hlth., Allentown, Pa.	70.7	5	5	5	4	5,106	1.2	Yes	2	7	Yes	1.0	0	Yes
25	New England Baptist Hospital, Boston	70.7	5	1	5	5	2,664	3.1	Yes	2	4	No	1.0	0.7	Yes
28	Duke University Hospital, Durham, N.C.	70.4	5	3	3	4	2,777	2	Yes	2	7	Yes	1.0	5.2	Yes
29	UT Southwestern Medical Center, Dallas	70.1	5	5	3	5	1,529	2.3	Yes	2	7	No	1.0	0.7	Yes
30	Barnes-Jewish Hospital, St. Louis	69.8	5	5	3	4	3,837	1.6	Yes	2	7	Yes	1.0	4	Yes
31	St. Francis Hospital and Heart Center, Roslyn, N.Y.	69.5	5	4	3	5	1,698	1.8	Yes	2	7	No	1.0	0	Yes
32	Queen's Medical Center, Honolulu	68.8	5	5	5	4	2,313	1.9	Yes	1	6	Yes	1.0	0	Yes
33	Mayo Clinic-Florida, Jacksonville	68.4	5	5	4	5	1,920	2.6	Yes	2	7	No	1.0	1.6	Yes
34	Mount Sinai Morningside & Mount Sinai West Hospitals, New York	67.9	5	3	5	1	2,350	1.9	Yes	2	7	Yes	0.0	0.3	Yes
35	Torrance Memorial Medical Center, Torrance, Calif.	67.8	5	5	5	4	2,319	1.8	Yes	2	7	No	1.0	0	Yes
36	Mayo Clinic-Arizona, Phoenix	67.4	5	5	4	5	1,567	3.2	Yes	2	7	No	1.0	1.9	Yes
37	Endeavor Health NorthShore Hospitals, Evanston, Ill.	67.3	5	1	5	4	4,657	1.4	Yes	2	7	Yes	1.0	0.1	Yes
38	Advocate Lutheran General Hospital, Park Ridge, Ill.	67.2	5	1	5	3	2,106	1.8	Yes	2	7	Yes	1.0	0.3	Yes
39	AdventHealth Orlando, Fla.	66.5	5	5	3	4	8,126	1.8	Yes	2	7	No	1.0	1.4	Yes
40	Memorial Hermann Hospital, Houston	66.2	5	5	3	3	4,137	2.3	Yes	2	7	Yes	1.0	0.7	Yes
41	VCU Medical Center, Richmond, Va.	66.0	5	5	2	4	1,678	1.7	Yes	2	7	Yes	1.0	0.2	Yes
41	Yale New Haven Hospital, New Haven, Conn.	66.0	5	1	2	2	3,570	2.1	Yes	2	7	Yes	1.0	1.1	Yes
43	Northwestern Medicine Lake Forest Hospital, Lake Forest, Ill.	65.9	5	3	4	4	822	1.5	Yes	2	7	Yes	1.0	0.1	Yes
44	Baylor University Medical Center, Dallas	65.7	5	5	1	4	3,104	2	Yes	2	7	Yes	1.0	0.2	Yes
45	Providence St. John's Health Center, Santa Monica, Calif.	65.2	5	5	5	4	1,703	2	Yes	2	6	No	0.0	0.1	Yes
46	UW Health University Hospital, Madison, Wis.	65.0	5	5	5	4	2,435	1.8	Yes	2	7	Yes	1.0	0.9	Yes
47	Atrium Health Carolinas Medical Center, Charlotte, N.C.	64.6	3	5	5	3	5,348	1.7	Yes	2	7	Yes	1.0	1.6	Yes
47	Hoag Orthopedic Institute, Newport Beach, Calif.	64.6	5	5	5	4	4,703	2.1	Yes	2	7	No	1.0	0.6	Yes
49	Penn State Health Milton S. Hershey Medical Ctr., Hershey, Pa.	64.2	5	5	2	4	2,054	2	Yes	2	7	Yes	1.0	0.7	Yes
50	Penn Medicine Lancaster General Hospital, Lancaster, Pa.	63.9	5	5	3	3	3,182	1.3	Yes	2	7	Yes	1.0	0.1	Yes

Best Hospitals 2025-26: Pulmonology & Lung Surgery		U.S. News Specialty Score	Survival	Patients discharged home	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Public transparency	Expert opinion	Current AHA responder
Rank	Hospital														
1	NYU Langone Hospitals, New York	100.0	5	5	4	22,105	2.6	Yes	6	8	Yes	1	1.0	3.8	Yes
2	Mayo Clinic-Rochester, Minn.	98.6	5	5	5	9,085	2.9	Yes	6	8	Yes	1	1.0	12.6	Yes
3	UCSF Health-UCSF Medical Center, San Francisco	95.3	5	5	4	4,599	2.2	Yes	6	8	No	1	1.0	9	Yes
4	UCLA Medical Center, Los Angeles	93.7	5	5	4	7,165	3.0	Yes	6	8	Yes	1	1.0	4.9	Yes
5	Cedars-Sinai Medical Center, Los Angeles	91.8	5	5	4	10,126	2.9	Yes	6	8	Yes	1	1.0	2.5	Yes
6	Cleveland Clinic	89.2	5	5	4	6,849	2.0	Yes	6	8	No	1	1.0	10.9	Yes
7	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	88.1	5	5	4	6,168	2.1	Yes	6	8	Yes	1	1.0	3.2	Yes
8	Houston Methodist Hospital	88.0	5	5	4	9,389	2.1	Yes	6	8	No	1	1.0	0.7	Yes
8	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	88.0	5	5	4	5,159	2.3	Yes	6	8	Yes	1	1.0	4.4	Yes
10	New York-Presbyterian Hospital-Columbia and Cornell	87.5	5	5	3	27,817	2.9	Yes	6	8	Yes	1	1.0	5.3	Yes
11	Johns Hopkins Hospital, Baltimore	87.1	5	5	4	3,585	2.3	Yes	6	8	Yes	1	1.0	7	Yes
12	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	86.8	5	5	5	8,662	2.8	Yes	6	8	Yes	1	0.0	6	Yes
13	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	85.7	5	5	4	6,056	2.4	Yes	6	8	Yes	1	1.0	1.7	Yes
14	University of Michigan Health-Ann Arbor	85.6	5	5	4	5,669	2.6	Yes	6	8	Yes	1	1.0	6.6	Yes
15	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	84.5	5	5	3	11,251	1.9	Yes	6	8	Yes	1	0.0	1	Yes
16	Rush University Medical Center, Chicago	84.3	5	5	4	3,872	2.1	Yes	5	8	Yes	1	1.0	0.8	Yes
16	UT Southwestern Medical Center, Dallas	84.3	5	5	5	5,788	2.3	Yes	6	8	No	1	1.0	1.5	Yes
18	Massachusetts General Hospital, Boston	83.5	5	5	4	8,283	2.3	Yes	6	8	Yes	1	1.0	7.3	Yes
19	Brigham and Women's Hospital, Boston	82.6	5	5	4	6,535	2.2	Yes	6	8	Yes	1	0.0	5.1	Yes
20	National Jewish Health, Denver-U. of Colorado Hospital, Aurora	82.4	5	5	4	5,224	1.8	Yes	6	8	Yes	1	1.0	17.6	Yes
21	Mount Sinai Hospital, New York	81.8	5	5	3	9,180	2.5	Yes	6	8	Yes	1	1.0	1.9	Yes
22	Mayo Clinic-Arizona, Phoenix	81.6	5	5	5	5,492	3.2	Yes	5	8	No	1	1.0	1.7	Yes
23	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	81.5	5	5	3	8,609	2.4	Yes	5	8	Yes	1	1.0	0.2	Yes
24	Barnes-Jewish Hospital, St. Louis	79.5	5	5	4	7,085	1.6	Yes	6	8	Yes	1	1.0	4.2	Yes
25	Beth Israel Deaconess Medical Center, Boston	79.2	5	5	4	5,532	1.3	Yes	5	8	Yes	1	1.0	1.7	Yes
25	Montefiore Einstein, Bronx, N.Y.	79.2	5	5	2	15,949	2.1	Yes	6	8	Yes	1	1.0	1.1	Yes
27	UC Davis Medical Center, Sacramento, Calif.	78.4	5	5	3	4,141	3.1	Yes	5	8	Yes	1	1.0	1	Yes
28	UW Health University Hospital, Madison, Wis.	78.0	5	5	4	5,018	1.8	Yes	6	8	Yes	1	1.0	1.2	Yes
29	University of Kansas Hospital, Kansas City	77.7	5	5	5	6,024	2.0	Yes	5	8	Yes	1	1.0	0.5	Yes
29	Yale New Haven Hospital, New Haven, Conn.	77.6	5	5	2	13,179	2.1	Yes	5	8	Yes	1	1.0	1.7	Yes
30	Mayo Clinic-Florida, Jacksonville	77.1	5	5	5	4,394	2.6	Yes	6	8	No	1	1.0	1.4	Yes
31	Baylor University Medical Center, Dallas	77.0	5	5	4	7,578	2.0	Yes	6	8	Yes	1	1.0	0.5	Yes
33	Ohio State University Wexner Medical Center, Columbus	76.0	5	5	3	7,854	2.0	Yes	6	8	Yes	1	1.0	1.7	Yes
34	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	75.7	5	5	2	9,549	1.5	Yes	5	8	Yes	1	1.0	0.1	Yes
35	Thomas Jefferson U. Hosps.-Jane & Leonard Korman Respiratory Inst.-Jefferson Hlth., Phila., Pa.	75.6	5	5	3	6,566	2.2	Yes	5	8	Yes	1	1.0	1.4	Yes
36	Lenox Hill Hospital at Northwell Health, New York	75.5	5	5	3	4,810	1.9	Yes	5	8	No	1	1.0	2	Yes
37	AdventHealth Orlando, Fla.	75.4	5	5	4	32,963	1.8	Yes	6	8	No	1	1.0	0.3	Yes
37	Advocate Lutheran General Hospital, Park Ridge, Ill.	75.4	5	5	3	7,711	1.8	Yes	5	8	Yes	1	1.0	0.1	Yes
39	University of Chicago Medical Center	75.3	5	5	3	4,483	3.4	Yes	6	8	Yes	1	1.0	2.7	Yes
40	UF Health Shands Hospital, Gainesville, Fla.	75.2	5	5	4	8,495	1.8	Yes	6	8	Yes	1	1.0	1.1	Yes
41	White Plains Hospital, White Plains, N.Y.	75.1	5	5	4	7,021	2.1	Yes	5	8	No	1	1.0	0.1	Yes
42	Lehigh Valley Hosp.-Cedar Crest-Jefferson Hlth., Allentown, Pa.	75.0	5	5	4	13,767	1.2	Yes	5	8	Yes	1	1.0	0.2	Yes
43	Advocate Christ Medical Center, Oak Lawn, Ill.	74.9	5	5	3	8,020	2.2	Yes	6	8	Yes	1	0.0	0.1	Yes
44	St. Francis Hospital and Heart Center, Roslyn, N.Y.	74.7	5	5	5	6,621	1.8	Yes	5	8	No	1	0.0	0.2	Yes
45	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	74.5	5	5	3	15,470	1.4	Yes	5	8	No	1	1.0	1.2	Yes
46	Scripps La Jolla Hospitals, La Jolla, Calif.	74.4	5	5	4	6,679	2.7	Yes	5	8	Yes	1	0.0	0.1	Yes
47	Duke University Hospital, Durham, N.C.	73.9	5	5	4	5,701	2.0	Yes	6	8	Yes	1	1.0	5.6	Yes
48	Mayo Clinic Health System-Eau Claire, Wis.	73.5	5	5	4	2,793	1.9	Yes	5	8	Yes	1	0.0	0.2	Yes
49	Cleveland Clinic Fairview Hospital	73.2	5	5	3	6,443	1.6	Yes	5	8	Yes	1	0.0	0.3	Yes
50	UPMC Presbyterian Shadyside, Pittsburgh	73.1	5	5	4	8,255	1.6	Yes	6	8	Yes	1	1.0	3.2	Yes

Best Hospitals 2025-26: Rehabilitation		U.S. News Specialty Score	Prevention of hospital readmission after discharge	Prevention of hospital readmission during rehabilitation	Patients discharged home	Flu vaccination rate	Number of patients treated for stroke	Number of patients treated for traumatic brain injury	Number of Medicare patients treated for traumatic spinal cord injury	Number of patients treated for non-traumatic brain injury	Number of patients treated for non-traumatic spinal cord injury	Number of patients treated for neurological conditions	Advanced technologies	Patient services	Designated as rehabilitation innovation center	CARF accreditation	Expert opinion	Current AHA responder
Rank	Hospital																	
1	Shirley Ryan AbilityLab, Chicago	100.0	91.8	94.2	64.7	96.9	778	269	230	331	342	230	7	16	1	0	23.5	0
2	Spaulding Rehabilitation Hospital, Charlestown, Mass.	88.4	92.0	94.2	60.6	98.3	750	137	107	209	185	150	7	16	1	1	14.8	1
2	TIRR Memorial Hermann, Houston	88.4	92.2	94.8	66.7	95.8	442	203	193	180	160	61	7	16	1	1	11.9	1
4	Kessler Institute for Rehabilitation, West Orange, N.J.	87.0	91.9	94.4	65.5	94.0	1,722	248	147	528	266	353	7	16	1	1	10.5	1
5	Rusk Rehabilitation at NYU Langone Hospitals, New York	80.1	91.9	96.0	64.9	98.9	546	84	23	189	87	135	7	16	1	1	7.2	1
6	Mayo Clinic-Rochester, Minn.	77.4	92.0	96.2	71.9	81.1	167	21	18	87	69	46	7	16	1	1	8.1	1
7	Santa Clara Valley Medical Center, San Jose, Calif.	76.6	91.9	95.8	80.7	NR	287.0	72.0	73.0	84	63	34	7	16	1	1	4.0	1
8	Baylor Scott and White Institute for Rehabilitation-Dallas	75.5	92.5	95.8	71.4	96.4	336	101	96	92	101	178	7	16	1	1	2.0	1
8	Craig Hospital, Englewood, Colo.	75.5											7	16	1	0	5.2	1
10	MossRehab-Jefferson Health, Elkins Park, Pa.	75.4	91.5	95.0	63.9	98.9	972.0	208.0	104.0	214	236	109	7	16	1	1	5.1	
10	New York-Presbyterian Hospital-Columbia and Cornell	75.4	92.5	96.0	62.6	97.8	437	63	14	196	102	156	6	16	0	1	6.6	1
12	Atrium Health Carolinas Rehabilitation, Charlotte, N.C.	73.9	91.7	95.7	70.8	91.3	836	130	100	304	247	107	7	16	0	1	2.7	1
13	Shepherd Center, Atlanta	73.7											6	16	1	1	4.7	1
14	UPMC Mercy, Pittsburgh	73.5	91.4	95.1	62.6	94.2	313	133	73	130	145	39	7	16	1	1	6.5	1
15	UT Southwestern Medical Center, Dallas	71.5	92.1	96.2	71.4	82.7	187	27	10	159	104	102	7	16	1	1	3.4	1
15	UW Medicine-University of Washington Medical Center, Seattle	71.5	91.3	96.2	71.8	69.3	82	10	10	63	36	15	7	16	1	1	8.5	1
17	Mary Free Bed Rehabilitation Hospital, Grand Rapids, Mich.	71.1	91.9	94.7	73.6	93.5	586	146	84	170	125	115	7	16	1	1	1.1	1
18	Glen Cove Hospital at Northwell Health, Glen Cove, N.Y.	69.9	92.8	95.9	64.2	65.5	661	102	23	197	102	199	7	16	0	1	1.5	1
19	Brooks Rehabilitation Hospital, Jacksonville, Fla.	68.6	91.4	95.9	60.3	86.9	802	249	160	497	249	173	7	16	0	1	2.3	1
20	Cleveland Clinic Rehabilitation Hospital, Avon	68.3	91.7	95.2	67.6	87.6	896	186	55	309	357	682	7	16	0	1	1.0	1
21	Mount Sinai Hospital, New York	68.2	91.4	95.7	66.4	69.0	188	75	66	99	117	26	7	16	1	1	3.7	1
22	Ohio State University Wexner Medical Center, Columbus	67.9	92.2	94.7	66.6	82.6	185	95	43	119	86	48	7	16	1	1	3.8	1
23	Rancho Los Amigos National Rehabilitation Ctr., Downey, Calif.	67.8	92.0	96.4	63.9	75.8	402.0	130.0	98.0	73	77	96	7	16	1	1	1.0	1
24	California Rehabilitation Institute, Los Angeles	67.3	91.0	95.6	68.2	94.7	493	170	44	472	217	503	7	16	0	1	1.4	1
24	Johns Hopkins Hospital, Baltimore	67.3											7	16	0	1	2.7	1
26	Banner Rehabilitation Hospital, Phoenix	67.2	91.4	95.3	74.2	88.1	1,093	180	23	277	164	188	7	16	0	1	0.9	1
27	Sheltering Arms Institute, Richmond, Va.	66.6	91.5	94.2	67.6	89.8	567	141	102	180	125	288	7	14	1	0	1.5	1
28	Lynn Rehab. Ctr. at UHealth/Jackson Memorial Hosp., Miami	66.5	91.2	95.8	70.2	64.6	370	94	68	156	160	59	7	15	1	1	1.2	1
29	WakeMed Raleigh Campus, Raleigh, N.C.	66.2	92.9	96.6	70.8	94.6	411	76	53	93	88	59	6	15	0	1	0.0	1
30	MedStar National Rehabilitation Hospital, Washington	65.6	90.2	95.9	60.0	97.6	651	92	102	132	137	80	7	16	1	1	3.5	1
31	OhioHealth Rehabilitation Hospital, Columbus	65.0	91.6	96.0	67.0	87.0	608	157	30	229	116	119	7	16	0	1	0.5	1
32	Barrow Neurological Institute, Phoenix	64.5	92.3	95.9	74.7	93.4	162	60	48	143	139	10	7	16	0	1	0.3	1
33	JFK Johnson Rehab. Inst. at Hackensack Meridian Hlth.-Edison, N.J.	63.6	91.7	95.1	63.4	93.1	629	146	34	144	108	58	7	16	0	1	2.5	1
34	Craig H. Neilsen Rehab. Hosp., U. of Utah Hlth., Salt Lake City	63.5	91.6	95.4	65.6	98.4	239	123	67	120	91	83	7	16	0	1	2.0	1
34	St. David's Medical Center, Austin, Texas	63.5	91.8	96.3	72.0	78.6	313	83	33	227	124	249	7	15	0	0	0.0	1
36	Baylor Scott & White Inst. for Rehabilitation-Frisco, Texas	63.4	92.3	96.1	75.8	88.9	221	65	11	57	85	80	7	16	0	1	0.7	1
37	UW Health University Hospital, Madison, Wis.	62.4	91.9	96.1	77.3	92.7	360	29	31	123	65	49	7	16	0	1	0.2	1
38	Kaiser Permanente Vallejo Medical Center, Vallejo, Calif.	62.1	91.4	95.1	83.5	68.1	662	83	48	74	84	19	6	15	0	1	0.7	1
39	Roper Hospital, Charleston, S.C.	61.5	92.9	96.5	77.4	95.0	188	50	29	49	50	57	6	13	0	1	0.0	1
40	Frazier Rehabilitation Institute, Louisville, Ky.	61.1	90.7	95.6	66.5	85.8	492	118	75	162	139	167	6	16	0	1	0.8	1
41	Rehabilitation Hospital of Indiana, Indianapolis	59.7	90.7	96.2	63.3	81.4	444	92	65	123	95	36	7	16	1	0	0.1	1
42	Burke Rehabilitation Hospital, White Plains, N.Y.	59.2	92.9	92.5	59.0	97.6	799	107	41	150	187	150	7	16	0	1	2.3	1
43	Aurora St. Luke's Medical Center, Milwaukee	58.2	91.2	96.8	72.9	97.6	370	39	10	100	46	78	7	16	0	1	0.0	1
44	UW Medicine-Harborview Medical Center, Seattle	58.1	91.6	95.9	55.1	61.8	125	67	81	25	58	10	7	16	1	1	2.7	1
45	MetroHealth Medical Center, Cleveland	58.0	91.5	95.0	60.7	90.1	199	83	84	68	52	46	7	16	1	1	1.8	1
46	UNC Hospitals, Chapel Hill, N.C.	57.9	91.8	96.3	70.5	95.8	161	32	33	69	69	42	7	16	0	1	0.4	1
47	Penn State Health Rehabilitation Hospital, Hummelstown, Pa.	57.8	90.3	96.0	66.4	85.2	267	72	41	140	114	174	7	16	0	1	1.1	1
48	Providence Little Company of Mary Med. Ctr. San Pedro, Calif.	57.7	92.4	95.3	82.5	85.3	161	21	10	20	36	70	7	16	0	1	0.0	1
49	M Health Fairview U. of Minnesota Medical Center, Minneapolis	57.6	92.5	96.2	68.6	86.3	253	17	10	34	41	37	6	16	1	1	0.1	1
50	Legacy Good Samaritan Medical Center, Portland, Ore.	57.3	91.6	96.4	76.0	85.3	339	40	30	66	52	23	6	15	0	1	0.0	1
50	Providence St. Jude Medical Center, Fullerton, Calif.	57.3	91.6	96.3	75.2	62.2	167	44	13	76	56	110	7	16	0	1	0.1	1

Best Hospitals 2025-26: Urology		U.S. News Specialty Score	Survival	Patients discharged home	Prevention of outpatient procedural complications	Patient experience	Number of patients	Nurse staffing	Intensivists	Advanced technologies	Patient services	Trauma center	Recognized as Nurse Magnet hospital	Expert opinion	Current AHA responder
Rank	Hospital														
1	Memorial Sloan Kettering Cancer Center, New York	100.0	5	5	5	5	909	2.3	Yes	6	8	No	1.0	5.1	Yes
2	NYU Langone Hospitals, New York	97.1	5	5	4	4	1,253	2.6	Yes	6	9	Yes	1.0	6.8	Yes
3	Mayo Clinic-Rochester, Minn.	92.0	5	5	4	5	1,042	2.9	Yes	6	9	Yes	1.0	15.3	Yes
4	New York-Presbyterian Hospital-Columbia and Cornell	91.8	5	5	5	3	1,841	2.9	Yes	6	9	Yes	1.0	6.9	Yes
5	University of Texas MD Anderson Cancer Center, Houston	89.6	5	5	3	5	1,041	2	Yes	6	9	No	1.0	4.6	Yes
6	Mount Sinai Hospital, New York	87.7	5	5	3	3	988	2.5	Yes	6	9	Yes	1.0	3.5	Yes
7	UCLA Medical Center, Los Angeles	86.9	5	5	4	4	556	3	Yes	6	9	Yes	1.0	9.4	Yes
8	Johns Hopkins Hospital, Baltimore	85.8	5	5	3	4	506	2.3	Yes	6	9	Yes	1.0	8.3	Yes
9	Cleveland Clinic	85.1	5	5	2	4	978	2	Yes	6	9	No	1.0	16.7	Yes
10	Northwestern Medicine-Northwestern Memorial Hospital, Chicago	83.5	5	5	4	4	884	2.1	Yes	6	9	Yes	1.0	4.7	Yes
11	Brigham and Women's Hospital, Boston	83.2	5	5	4	4	778	2.2	Yes	6	9	Yes	1.0	3.1	Yes
12	Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.	82.6	5	5	4	3	615	2.4	Yes	6	9	Yes	1.0	5.1	Yes
13	Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia	82.1	5	5	3	5	1,042	2.8	Yes	6	9	Yes	1.0	2.4	Yes
14	Massachusetts General Hospital, Boston	81.8	5	5	3	4	853	2.3	Yes	6	9	Yes	1.0	3.5	Yes
15	Keck Medical Center of USC, Los Angeles	80.9	5	5	3	4	1,136	3	Yes	6	9	No	1.0	4	Yes
15	UCSF Health-UCSF Medical Center, San Francisco	80.9	5	5	4	4	592	2.2	Yes	6	9	No	1.0	8.3	Yes
17	Montefiore Einstein, Bronx, N.Y.	79.1	5	1	4	2	984	2.1	Yes	6	9	Yes	1.0	0.9	Yes
18	Fox Chase Cancer Center, Philadelphia	78.9	5	5	5	4	566	2.2	Yes	6	9	No	1.0	1.1	Yes
19	University of Michigan Health-Ann Arbor	77.5	3	5	4	4	804	2.6	Yes	6	9	Yes	1.0	9.8	Yes
20	North Shore U. Hospital at Northwell Health, Manhasset, N.Y.	76.6	5	5	5	3	579	1.9	Yes	6	9	Yes	1.0	0.4	Yes
21	St. Francis Hospital and Heart Center, Roslyn, N.Y.	76.4	5	5	3	5	399	1.8	Yes	6	9	No	1.0	0.1	Yes
22	Vanderbilt University Medical Center, Nashville, Tenn.	73.1	3	5	4	4	737	2.3	Yes	6	9	Yes	1.0	7.7	Yes
23	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	72.6	4	5	2	4	541	2.4	Yes	6	9	Yes	1.0	2.1	Yes
24	UT Southwestern Medical Center, Dallas	72.4	4	5	4	5	1,199	2.3	Yes	6	9	No	1.0	4.6	Yes
25	Rush University Medical Center, Chicago	72.3	4	5	2	4	507	2.1	Yes	6	9	Yes	1.0	1.3	Yes
26	Mayo Clinic-Florida, Jacksonville	71.5	4	5	4	5	516	2.6	Yes	6	8	No	1.0	2.1	Yes
27	Houston Methodist Hospital	70.8	5	5	4	4	575	2.1	Yes	6	9	No	1.0	0.7	Yes
28	Ohio State University Wexner Medical Center, Columbus	70.5	5	3	2	3	786	2	Yes	6	9	Yes	1.0	1.3	Yes
28	Tampa General Hospital, Fla.	70.5	4	5	3	3	844	2.7	Yes	6	9	Yes	1.0	0.7	Yes
30	UF Health Shands Hospital, Gainesville, Fla.	70.4	4	3	4	4	623	1.8	Yes	6	9	Yes	1.0	2.2	Yes
31	UNC Hospitals, Chapel Hill, N.C.	70.1	4	3	3	4	568	1.8	Yes	6	9	Yes	1.0	2.2	Yes
32	Morristown Med. Ctr. Atlantic Health System, Morristown, N.J.	69.7	5	5	4	4	430	1.9	Yes	6	9	Yes	1.0	0.3	Yes
33	Cedars-Sinai Medical Center, Los Angeles	69.5	3	5	4	4	706	2.9	Yes	6	9	Yes	1.0	1.2	Yes
33	Duke University Hospital, Durham, N.C.	69.5	3	4	2	4	662	2	Yes	6	8	Yes	1.0	5	Yes
35	Barnes-Jewish Hospital, St. Louis	69.4	4	5	4	4	713	1.6	Yes	6	9	Yes	1.0	1.6	Yes
36	UW Medicine-University of Washington Medical Center, Seattle	69.1	3	5	3	4	685	1.9	Yes	6	9	Yes	1.0	3.7	Yes
37	Mayo Clinic-Arizona, Phoenix	69.0	3	5	3	5	646	3.2	Yes	6	9	No	1.0	2.9	Yes
38	Long Island Jewish Med. Ctr. at Northwell Hlth., New Hyde Park, N.Y.	68.9	5	5	5	3	1,070	1.4	Yes	6	9	No	1.0	0.8	Yes
39	University of Chicago Medical Center	68.6	4	5	5	3	401	3.4	Yes	6	9	Yes	1.0	1.2	Yes
40	Yale New Haven Hospital, New Haven, Conn.	68.1	4	5	4	2	831	2.1	Yes	6	9	Yes	1.0	1.2	Yes
41	Emory University Hospital, Atlanta	67.6	4	5	2	4	565	1.7	Yes	6	9	No	1.0	1.1	Yes
42	UPMC Presbyterian Shadyside, Pittsburgh	67.3	3	5	5	4	1,043	1.6	Yes	6	9	Yes	1.0	1.8	Yes
43	City of Hope Comprehensive Cancer Center, Duarte, Calif.	67.2	5	5	5	5	263	2	Yes	6	8	No	1.0	1.2	Yes
43	Corewell Health William Beaumont U. Hospital, Royal Oak, Mich.	67.2	4	5	3	2	583	1.5	Yes	6	9	Yes	1.0	1.7	Yes
45	OHSU Hospital, Portland, Ore.	67.1	4	5	3	3	236	2.1	Yes	6	9	Yes	1.0	0.4	Yes
46	Lahey Hospital and Medical Center, Burlington, Mass.	66.8	4	5	4	3	605	1.2	Yes	6	9	Yes	1.0	1	Yes
46	UC San Diego Hlth.-La Jolla, Hillcrest, & East Campus Med. Ctrs.	66.8	3	3	2	4	547	2.3	Yes	6	9	Yes	1.0	2	Yes
48	Lenox Hill Hospital at Northwell Health, New York	66.5	4	3	4	3	536	1.9	Yes	6	9	No	1.0	0.9	Yes
49	AdventHealth Orlando, Fla.	66.3	5	5	3	4	3,015	1.8	Yes	6	9	No	1.0	0.3	Yes
49	Boston Medical Center	66.3	5	5	3	3	171	1.1	Yes	6	8	Yes	1.0	0.6	Yes

Appendix E

2025–2026 Best Hospitals Rankings,

Expert Opinion–Based Specialties

Best Hospitals 2025–2026: Ophthalmology

Rank	Hospital	Expert Opinion (%)
1	Bascom Palmer Eye Institute-U. of Miami Hospital & Clinics	33.0
2	Wills Eye Hospital, Thomas Jefferson U. Hospitals, Philadelphia	27.0
3	Wilmer Eye Institute, Johns Hopkins Hospital, Baltimore	19.0
4	Mass Eye and Ear, Massachusetts General Hospital, Boston	16.6
5	Stein & Doheny Eye Institutes, UCLA Medical Ctr., Los Angeles	13.8
6	University of Iowa Health Care Medical Center, Iowa City	12.1
7	Duke University Hospital, Durham, N.C.	11.2
8	University of Michigan Health Kellogg Eye Center, Ann Arbor	7.8
9	John A. Moran Eye Center, U. of Utah Health, Salt Lake City	5.3
10	Cole Eye Institute, Cleveland Clinic	5.0
10	UCSF Health-UCSF Medical Center, San Francisco	5.0

Best Hospitals 2025–2026: Psychiatry

Rank	Hospital	Expert Opinion (%)
1	Massachusetts General Hospital, Boston	13.7
2	McLean Hospital, Belmont, Mass.	13.2
3	New York-Presbyterian Hospital-Columbia and Cornell	12.7
4	Johns Hopkins Hospital, Baltimore	8.0
5	Resnick Neuropsychiatric Hospital at UCLA, Los Angeles	6.1
6	Yale New Haven Hospital, New Haven, Conn.	5.4
7	UPMC Western Psychiatric Hospital, Pittsburgh	5.0
8	NYU Langone Hospitals, New York	4.3
9	UCSF Health-UCSF Medical Center, San Francisco	4.2
10	Johns Hopkins Bayview Medical Center, Baltimore	4.1
10	Sheppard Pratt Hospital, Baltimore	4.1
10	Stanford Health Care-Stanford Hospital, Palo Alto, Calif.	4.1

Best Hospitals 2025–2026: Rheumatology

Rank	Hospital	Expert Opinion (%)
1	Johns Hopkins Hospital, Baltimore	26.7
2	Cleveland Clinic	16.8
3	Hosp. for Special Surgery, N.Y.-Presby. U. Hosp. of Columbia & Cornell	16.5
4	Brigham and Women's Hospital, Boston	14.0
4	Mayo Clinic-Rochester, Minn.	14.0
6	Massachusetts General Hospital, Boston	12.3
7	UCSF Health-UCSF Medical Center, San Francisco	10.8
8	UCLA Medical Center, Los Angeles	6.7
9	NYU Langone Hospitals, New York	5.9
10	University of Michigan Health-Ann Arbor	5.3

Appendix F

2025–2026 Best Hospitals Honor Roll

2025–2026 Best Hospitals Honor Roll

Hospital (listed alphabetically)
AdventHealth Orlando, Fla.
Brigham and Women's Hospital, Boston
Cedars-Sinai Medical Center, Los Angeles
Cleveland Clinic
Hackensack U. Med. Ctr. at Hackensack Meridian Hlth., Hackensack, N.J.
Hosps. of U. of Pennsylvania-Penn Presbyterian, Philadelphia
Houston Methodist Hospital
Johns Hopkins Hospital, Baltimore
Massachusetts General Hospital, Boston
Mayo Clinic-Arizona, Phoenix
Mayo Clinic-Rochester, Minn.
Mount Sinai Hospital, New York
New York-Presbyterian Hospital-Columbia and Cornell
Northwestern Medicine-Northwestern Memorial Hospital, Chicago
NYU Langone Hospitals, New York
Rush University Medical Center, Chicago
Stanford Health Care-Stanford Hospital, Palo Alto, Calif.
UCLA Medical Center, Los Angeles
UCSF Health-UCSF Medical Center, San Francisco
University of Michigan Health-Ann Arbor

